

<b>WASTE STREAM</b>	<b>2C08</b>	<b>Hydraulic Fluid</b>
---------------------	-------------	------------------------

**SITE** Chapelcross

**SITE OWNER** Nuclear Decommissioning Authority

**WASTE CUSTODIAN** Magnox Limited

**WASTE TYPE** LLW

Is the waste subject to Scottish Policy: No

**WASTE VOLUMES**

Stocks:	At 1.4.2022.....	Reported 0.9m <sup>3</sup>
---------	------------------	-------------------------------

Total future arisings:		0 m <sup>3</sup>
------------------------	--	------------------

Total waste volume:		0.9 m <sup>3</sup>
---------------------	--	--------------------

Comment on volumes: No more arising. The four reactors at Chapelcross ceased generating in the period from August 2001 (R1) to February 2004 (R2).

Uncertainty factors on volumes:	Stock (upper):	x 1.2	Arisings (upper)	x
	Stock (lower):	x 0.8	Arisings (lower)	x

**WASTE SOURCE** The waste comes from the plant hydraulic system.

**PHYSICAL CHARACTERISTICS**

General description: The waste is water based hydraulic fluid stored untreated in steel drums. There are no large items which require special handling.

Physical components (%vol): Hydraulic fluid (100%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m<sup>3</sup>): 1

Comment on density: -

**CHEMICAL COMPOSITION**

General description and components (%wt): Water-glycol hydraulic fluid (100%).

Chemical state: Neutral

Chemical form of radionuclides:  
 H-3: Tritium is present as tritiated water.  
 C-14: Carbon-14 is not present.  
 Cl-36: Chlorine-36 is not present.  
 Se-79: Selenium-79 is not present.  
 Tc-99: Technetium-99 is not present.  
 Ra: Radium isotopes are not present.  
 Th: Thorium isotopes are not present.  
 U: Uranium isotopes are not present.  
 Np: Neptunium is not present.  
 Pu: Plutonium isotopes are not present.

Metals and alloys (%wt): -

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	TR	There will be traces of metals from wear in pump components.	
Other ferrous metals.....	TR	There will be traces of metals from wear in pump components.	
Iron.....			
Aluminium.....	TR	There will be traces of metals from wear in pump components.	
Beryllium.....	0		
Cobalt.....			
Copper.....	TR	There will be traces of metals from	

<b>WASTE STREAM</b>	<b>2C08</b>	<b>Hydraulic Fluid</b>
---------------------	-------------	------------------------

wear in pump components.

Lead.....	0
Magnox/Magnesium.....	0
Nickel.....	
Titanium.....	
Uranium.....	0
Zinc.....	0
Zircaloy/Zirconium.....	0
Other metals.....	0

Organics (%wt):                      The waste contains water based hydraulic fluid.

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics .....	0		
Total non-halogenated plastics.....	0		
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	0		
Total rubber.....	0		
Halogenated rubber .....	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....			
Oil or grease .....			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	P	Water-glycol hydraulic fluid	

Other materials (%wt):                      -

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....			
Glass/Ceramics.....	0		
Graphite.....	0		
Desiccants/Catalysts.....			
Asbestos.....	0		

<b>WASTE STREAM</b>	<b>2C08</b>	<b>Hydraulic Fluid</b>
---------------------	-------------	------------------------

Non/low friable.....		
Moderately friable.....		
Highly friable.....		
Free aqueous liquids.....	100.0	Water-glycol hydraulic fluid (100%).
Free non-aqueous liquids.....	P	
Powder/Ash.....	0	

Inorganic anions (%wt):        None likely to be present.

	(%wt)	Type(s) and comment
Fluoride.....	0	
Chloride.....	0	
Iodide.....	0	
Cyanide.....	0	
Carbonate.....	0	
Nitrate.....	0	
Nitrite.....	0	
Phosphate.....	0	
Sulphate.....	0	
Sulphide.....	0	

Materials of interest for waste acceptance criteria:        The hydraulic fluid is unlikely to be flammable since it is water based.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....		
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Higher activity particles.....		
Soluble solids as bulk chemical compounds.....		

Hazardous substances / non hazardous pollutants:        Hydraulic fluid (100%).

	(%wt)	Type(s) and comment
Acrylamide.....		

<b>WASTE STREAM</b>	<b>2C08</b>	<b>Hydraulic Fluid</b>
---------------------	-------------	------------------------

Benzene.....  
 Chlorinated solvents.....  
 Formaldehyde.....  
 Organometallics.....  
 Phenol.....  
 Styrene.....  
 Tri-butyl phosphate.....  
 Other organophosphates.....  
 Vinyl chloride.....  
 Arsenic.....  
 Barium.....  
 Boron..... 0  
     Boron (in Boral).....  
     Boron (non-Boral).....  
 Cadmium.....  
 Caesium.....  
 Selenium.....  
 Chromium.....  
 Molybdenum.....  
 Thallium.....  
 Tin.....  
 Vanadium.....  
 Mercury compounds.....  
 Others.....  
 Electronic Electrical Equipment (EEE)  
     EEE Type 1.....  
     EEE Type 2.....  
     EEE Type 3.....  
     EEE Type 4.....  
     EEE Type 5.....

Complexing agents (%wt):      No

(%wt)      Type(s) and comment

EDTA.....  
 DPTA.....  
 NTA.....  
 Polycarboxylic acids.....  
 Other organic complexants.....  
 Total complexing agents..... 0

Potential for the waste to contain discrete items:      No. In & of itself not a DI.

**WASTE STREAM      2C08      Hydraulic Fluid**

**TREATMENT, PACKAGING AND DISPOSAL**

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None	Off-site	100.0

Comment on planned treatments:

The current disposal route for this Waste stream is incineration. No waste will remain for disposal. There is an opportunity for this Waste to become out of scope.

**Disposal Routes:**

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	1.0

Classification codes for waste expected to be consigned to a landfill facility: -

**Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):**

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

**Opportunities for alternative disposal routing:** -

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

**Waste Packaging for Disposal:** (Not applicable to this waste stream)

**WASTE STREAM      2C08      Hydraulic Fluid**

Container	Stream volume %	Waste loading m <sup>3</sup>	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO			
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information: -

**Waste Planned for Disposal at the LLW Repository:** (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

**Non-Containerised Waste for In-Vault Grouting:** (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

**RADIOACTIVITY**

Source: The hydraulic fluid is contaminated, mainly with tritium and traces of Co-60, Cs-134 and Zn-65.

Uncertainty: The activity accuracy is good, being based on sampling.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: The activities have been measured.

Other information: Activities of Co-60, Cs-134 and Zn-65 each at least 3 orders of magnitude less than H-3 levels.

**WASTE STREAM 2C08 Hydraulic Fluid**

Nuclide	Mean radioactivity, TBq/m <sup>3</sup>				Nuclide	Mean radioactivity, TBq/m <sup>3</sup>			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.53E-04	AA 1			Gd 153		8		
Be 10		8			Ho 163		8		
C 14		8			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
Cl 36		8			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			Tl 204		8		
Mn 54		8			Pb 205		8		
Fe 55		8			Pb 210		8		
Co 60	1.45E-08	AA 1			Bi 208		8		
Ni 59		8			Bi 210m		8		
Ni 63		8			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90		8			Th 227		8		
Zr 93		8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m		8			Th 232		8		
Nb 94		8			Th 234		8		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233		8		
Tc 99		8			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234		8		
Ag 108m		8			U 235		8		
Ag 110m		8			U 236		8		
Cd 109		8			U 238		8		
Cd 113m		8			Np 237		8		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238		8		
Sn 123		8			Pu 239		8		
Sn 126		8			Pu 240		8		
Sb 125		8			Pu 241		8		
Sb 126		8			Pu 242		8		
Te 125m		8			Am 241		8		
Te 127m		8			Am 242m		8		
I 129		8			Am 243		8		
Cs 134		8			Cm 242		8		
Cs 135		8			Cm 243		8		
Cs 137		8			Cm 244		8		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147		8			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151		8			Other a				
Eu 152		8			Other b/g				
Eu 154		8			<b>Total a</b>	<b>0</b>			<b>0</b>
Eu 155		8			<b>Total b/g</b>	<b>1.53E-04</b>	<b>AA 1</b>		<b>0</b>

**Bands (Upper and Lower)**

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

**Code**

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity