SITE Chapelcross

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Comment on volumes: Care and Maintenance is assumed to start in FY 2035. Arising is assumed at a rate of 2 m3

per year.

Uncertainty factors on Stock (upper): x Arisings (upper)

volumes: Stock (lower): x Arisings (lower) x 0.8

WASTE SOURCE Wastes from the general reactor area during the Care and Maintenance period.

PHYSICAL CHARACTERISTICS

General description: Principally mixed plastic sheeting and protective clothing all in mild steel drums. Any large

items will be cut to fit standard packages.

Physical components (%wt): Principally plastic and cloth (~75%wt), all in mild steel drums (~25%wt).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 0.4

Comment on density: -

CHEMICAL COMPOSITION

General description and

components (%wt):

The waste comprises principally various plastics and cloth, all in mild steel drums. Steel drum approximately 25%wt, percentage breakdown of other components not assessed.

x 1.2

Chemical state: Neutral

Chemical form of radionuclides:

H-3: Tritium present as surface contamination of waste by tritiated liquor.

C-14: Carbon-14 may be in the form of graphite dust.

Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: The radium isotope content is insignificant. Th: The thorium isotope content is insignificant. U: The uranium isotope content is insignificant. Np: The neptunium content is insignificant. Pu: The plutonium isotope content is insignificant.

Metals and alloys (%wt): Bulk and sheet metal are not expected to be present in significant quantities and have not

been assessed. Mild steel drums containing the waste will arise at about 10 per year.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Stainless steel...... 0

Other ferrous metals.....~25.0

Iron.....

Aluminium...... 0

Beryllium.....

Cobalt.....

	Magnox/Magnesium	0		
	Nickel			
	Titanium			
	Uranium			
	Zinc	0		
	Zircaloy/Zirconium	. 0		
	Other metals	0	Other metals have not been identified and are not expected.	
Organics	s (%wt):		nachimoa ana are not expected.	
		(%wt)	Type(s) and comment	% of total C14
	Total cellulosics	~~40.0		activity
	Paper, cotton	~~40.0		
	Wood	0		
	Halogenated plastics	0		
	Total non-halogenated plastics	~~35.0		
	Condensation polymers	0		
	Others	~~35.0		
	Organic ion exchange materials	0		
	Total rubber	0		
	Halogenated rubber	0		
	Non-halogenated rubber	0		
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	0		
Other ma	aterials (%wt): -			
		(%wt)	Type(s) and comment	% of total C14
		•		activity
	Inorganic ion exchange materials	0		
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material Sand	U		
	Glass/Ceramics	NE		
	Graphite	0		
	Desiccants/Catalysts	U		
	Asbestos	0		
	Non/low friable	J		
	1 1011/10 W 1110010			

	Moderately friable		
	Highly friable		
	Free aqueous liquids	0	
	Free non-aqueous liquids	0	
	Powder/Ash	0	
Inorganic anic	ons (%wt): None expected but	possibly pr	esent in trace quantities.
		(%wt)	Type(s) and comment
	Fluoride	0	
	Chloride	0	
	lodide	0	
	Cyanide	0	
	Carbonate	0	
	Nitrate	0	
	Nitrite	0	
	Phosphate	0	
	Sulphate	0	
	Sulphide	0	
Materials of ir waste accept	•		
		(%wt)	Type(s) and comment
	Combustible metals	0	
	Low flash point liquids	0	
	Explosive materials	0	
	Phosphorus	0	
	Hydrides	0	
	Biological etc. materials	0	
	Biodegradable materials		
	Putrescible wastes	0	
	Non-putrescible wastes		
	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	0	
	Higher activity particles		
	Soluble solids as bulk chemical compounds		
Hazardous su			
		(%wt)	Type(s) and comment
	Acrylamide		
	Benzene		
	Chlorinated solvents		

Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
Complexing agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	TR	
Potential for the waste to No. contain discrete items:		

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration	Off-site	100.0
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		

Comment on planned treatments:

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	0.40

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Noute	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing:

			Estimated		
Baseline Management Route	Opportunity Management Route	Stream volume (%)	Date that Opportunity will be realised	Opportunity Confidence	Comment

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding)			. 5
Other			

Other information:

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage:

Waste Characterisation

Form (WCH):

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage:

Other information:

RADIOACTIVITY

Source: Activation and contamination of materials.

Uncertainty: The values quoted are indicative of the activities that are expected. Activity values are

current best estimates. Specific activity is a function of Station operating history.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Estimates have been made from the specific activity of stream 2C11, Reactor & Associated

Areas LLW.

Other information: Activity estimates are as shown in the table.

	Mean radioactivity, TBq/m³				Mean radioactivity, TBq/m³				
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			5.4E-08	CC 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			2E-06	CC 2	Ho 166m				8
Na 22				8	Tm 170				8
AI 26				8	Tm 171				8
CI 36				8	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	TI 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			2.39E-06	CC 2	Bi 208				8
Ni 59				8	Bi 210m				8
Ni 63				8	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90			5.92E-08	CC 2	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94				8	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m				8	U 235				8
Ag 100m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238			3.79E-09	CC 2
Sn 123				8	Pu 239			6E-09	CC 2
Sn 126				8	Pu 240			8E-09	CC 2
Sb 125				8	Pu 240			2.14E-07	CC 2
Sb 125 Sb 126				8	Pu 241 Pu 242			2.146-07	8
Te 125m				8	Am 241			1.17E-08	CC 2
Te 125m								1.17E-06	
1 1 1 2 7 m				8	Am 242m Am 243				8
				8					8
Cs 134				8	Cm 242				8
Cs 135			E 445 07	8	Cm 243			2.005.00	8
Cs 137			5.11E-07	CC 2	Cm 244			3.82E-09	CC 2
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Other a				
Eu 152				8	Other b/g				
Eu 154			5.69E-08	CC 2	Total a	0		3.33E-08	CC 2
Eu 155	1		1.84E-08	CC 2	Total b/g	0		5.30E-06	CC 2

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Bands quantify uncertainty in Note: mean radioactivity.

Code

1 Measured activity

2 Derived activity (best estimate)

3 Derived activity (upper limit)

4 Not present

5 Present but not significant

6 Likely to be present but not assessed

7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity