SITE Chapelcross

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Reported

Stocks: At 1.4.2022...... 0.3 m³

Total future arisings: 0 m³

Total waste volume: 0.3 m³

Comment on volumes: No further arisings are expected. The four reactors at Chapelcross ceased generating in

the period from August 2001 (R1) to February 2004 (R2).

Uncertainty factors on Stock (upper): x 1.2 Arisings (upper) x volumes: Stock (lower): x 0.8 Arisings (lower) x

WASTE SOURCE Rotary pump lubricant from Chapelcross Process Plant operations.

PHYSICAL CHARACTERISTICS

General description: Lubricant absorbed into vermiculite in '304 type' stainless steel bottles. There are no large

items which require special treatment.

Physical components (%vol): Oil (30%), vermiculite (30%) SS can (40%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 0.5

Comment on density: The density of the waste as stored (i.e. absorbed on vermiculite) is 0.5 t/m3. The density of

the oil is about 1.0 t/m3.

CHEMICAL COMPOSITION

General description and components (%wt):

Oil (30%), vermiculite (30%) SS can (40%). Molybdenum may be present as an additive

to the oil.

Chemical state: Neutral

Chemical form of H-3: Not determined. radionuclides: C-14: Not present. Cl-36: Not present.

Se-79: Not present.
Tc-99: Not present.
Ra: Not present.
Th: Not present.
U: Not present.
Np: Not present.
Pu: Not present.

Metals and alloys (%wt):

(%wt) Type(s) / Grade(s) with proportions % of total C14

activity

Stainless steel.....~40.0

Other ferrous metals...... 0

Iron

Aluminium...... 0

Beryllium...... 0

Cobalt.....

Copper...... 0

Lead...... 0

| Magnox/Magnesium | 0 | | |
|------------------------------------|-------------|--------------------------------|----------------|
| Nickel | | | |
| Titanium | | | |
| Uranium | 0 | | |
| Zinc | 0 | | |
| Zircaloy/Zirconium | 0 | | |
| Other metals | 0 | | |
| Organics (%wt): The waste comprise | s lubricati | ng oil mixed with vermiculite. | |
| | (%wt) | Type(s) and comment | % of total C14 |
| Total cellulosics | 0 | | activity |
| Paper, cotton | 0 | | |
| Wood | 0 | | |
| Halogenated plastics | 0 | | |
| Total non-halogenated plastics | 0 | | |
| Condensation polymers | 0 | | |
| Others | 0 | | |
| Organic ion exchange materials | 0 | | |
| Total rubber | 0 | | |
| Halogenated rubber | 0 | | |
| Non-halogenated rubber | 0 | | |
| Hydrocarbons | 30.0 | | |
| Oil or grease | 30.0 | | |
| Fuel | | | |
| Asphalt/Tarmac (cont.coal tar) | | | |
| Asphalt/Tarmac (no coal tar) | | | |
| Bitumen | | | |
| Others | | | |
| Other organics | | | |
| Other materials (%wt): | | | |
| | (%wt) | Type(s) and comment | % of total C14 |
| | (/owt) | Type(3) and comment | activity |
| Inorganic ion exchange materials | 0 | | |
| Inorganic sludges and flocs | 0 | | |
| Soil | 0 | | |
| Brick/Stone/Rubble | 0 | | |
| Cementitious material | 0 | | |
| Sand | | | |
| Glass/Ceramics | 0 | | |
| Graphite | 0 | | |
| Desiccants/Catalysts | | | |
| Asbestos | 0 | | |
| Non/low friable | | | |

| Moderately friable | | |
|---|-------------|--|
| Highly friable | | |
| Free aqueous liquids | 0 | |
| Free non-aqueous liquids | 30.0 | |
| Powder/Ash | 0 | |
| Inorganic anions (%wt): Vermiculite is magn | esium-alur | minium-iron silicate in a hydrated laminar form. |
| | (%wt) | Type(s) and comment |
| Fluoride | 0 | |
| Chloride | 0 | |
| lodide | 0 | |
| Cyanide | 0 | |
| Carbonate | 0 | |
| Nitrate | 0 | |
| Nitrite | 0 | |
| Phosphate | 0 | |
| Sulphate | 0 | |
| Sulphide | 0 | |
| Materials of interest for Pump oil is not read waste acceptance criteria: | dily flamma | ble. |
| | (%wt) | Type(s) and comment |
| Combustible metals | 0 | |
| Low flash point liquids | 0 | |
| Explosive materials | 0 | |
| Phosphorus | 0 | |
| Hydrides | 0 | |
| Biological etc. materials | 0 | |
| Biodegradable materials | 0 | |
| Putrescible wastes | 0 | |
| Non-putrescible wastes | | |
| Corrosive materials | 0 | |
| Pyrophoric materials | 0 | |
| Generating toxic gases | 0 | |
| Reacting with water | 0 | |
| Higher activity particles | | |
| Soluble solids as bulk chemical compounds | | |
| Hazardous substances / Oil (30%). non hazardous pollutants: | | |
| | (%wt) | Type(s) and comment |
| Acrylamide | | |
| Benzene | | |
| Chlorinated solvents | | |

| Formaldehyde | | |
|--|--------|---|
| Organometallics | | |
| Phenol | | |
| Styrene | | |
| Tri-butyl phosphate | | |
| Other organophosphates | | |
| Vinyl chloride | | |
| Arsenic | | |
| Barium | | |
| Boron | 0 | |
| Boron (in Boral) | | |
| Boron (non-Boral) | | |
| Cadmium | | |
| Caesium | | |
| Selenium | | |
| Chromium | | |
| Molybdenum | | |
| Thallium | | |
| Tin | | |
| Vanadium | | |
| Mercury compounds | | |
| Others | | |
| Electronic Electrical Equipment (EEE) | | |
| EEE Type 1 | | |
| EEE Type 2 | | |
| EEE Type 3 | | |
| EEE Type 4 | | |
| EEE Type 5 | | |
| Complexing agents (%wt): Yes | | |
| | (%wt) | Type(s) and comment |
| EDTA | | |
| DPTA | | |
| NTA | | |
| Polycarboxylic acids | | |
| Other organic complexants | TR | Trace levels of organic complexing agents may be present as additives and stabilisers or as organic degradation products. |
| Total complexing agents | TR | |
| Potential for the waste to No. In & of itself no contain discrete items: | t a DI | |

WASTE STREAM

2C15 **Rotary Pump Oil**

TREATMENT, PACKAGING AND DISPOSAL

Waste that is currently ILW: Decay storage

Planned on-site / off-site treatment(s):

| On-site / Off site | Stream volume % |
|-----------------------|-----------------|
| | |
| | |
| Off-site | 100.0 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | Off site |

Comment on planned treatments:

Disposal Routes:

| Disposal Route | Stream volume % | Disposal density t/m3 |
|--|-----------------|--------------------------|
| Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known | 100.0 | 0.50 |

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

| Disposal Route | Stream volume % | | |
|--|-----------------|---------|---------|
| Disposal Noute | 2022/23 | 2023/24 | 2024/25 |
| Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known | | | |

Opportunities for alternative disposal routing:

Estimated Date that Opportunity Stream Baseline Opportunity Comment Opportunity Management Route Management Route Confidence volume (%) will be realised

Waste Packaging for Disposal: (Not applicable to this waste stream)

| Container | Stream volume % | Waste loading m ³ | Number of packages |
|--|-----------------|------------------------------|--------------------|
| 1/3 Height IP-1 ISO | | | |
| 2/3 Height IP-2 ISO | | | |
| 1/2 Height WAMAC IP-2 ISO | | | |
| 1/2 Height IP-2 Disposal/Re-usable ISO | | | |
| 2m box (no shielding) | | | |
| 4m box (no shielding) | | | |
| Other | | | |

Other information:

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

_

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: Tritium is the only source of activity.
Uncertainty: The activity accuracy is about 50%.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

-

Other information: -

WASTE STREAM Rotary Pump Oil 2C15

| Ţ | Waste at Bands and | | | | |
|----------|--------------------|------------------|-----------|--------------------|------------------|
| Nuclide | | Future Bands and | Nuclide | Waste at Bands and | Future Bands and |
| <u> </u> | 1.4.2022 Code | arisings Code | | 1.4.2022 Code | arisings Code |
| H 3 | 3.56E+02 AA 2 | | Gd 153 | 8 | |
| Be 10 | 8 | | Ho 163 | 8 | |
| C 14 | 8 | | Ho 166m | 8 | |
| Na 22 | | | Tm 170 | 8 | |
| Al 26 | | | Tm 171 | 8 | |
| CI 36 | 8 | | Lu 174 | 8 | |
| Ar 39 | 8 | | Lu 176 | 8 | |
| Ar 42 | 8 | | Hf 178n | 8 | |
| K 40 | 8 | | Hf 182 | 8 | |
| Ca 41 | 8 | | Pt 193 | 8 | |
| Mn 53 | 8 | | TI 204 | 8 | |
| Mn 54 | 8 | | Pb 205 | 8 | |
| Fe 55 | 8 | | Pb 210 | 8 | |
| Co 60 | 8 | | Bi 208 | 8 | |
| Ni 59 | 8 | | Bi 210m | 8 | |
| Ni 63 | 8 | | Po 210 | 8 | |
| Zn 65 | 8 | | Ra 223 | 8 | |
| Se 79 | 8 | | Ra 225 | 8 | |
| Kr 81 | 8 | | Ra 226 | 8 | |
| Kr 85 | 8 | | Ra 228 | 8 | |
| Rb 87 | 8 | | Ac 227 | 8 | |
| Sr 90 | 8 | | Th 227 | 8 | |
| Zr 93 | 8 | | Th 228 | 8 | |
| Nb 91 | 8 | | Th 229 | | |
| | | | | 8 | |
| Nb 92 | 8 | | Th 230 | 8 | |
| Nb 93m | 8 | | Th 232 | 8 | |
| Nb 94 | 8 | | Th 234 | 8 | |
| Mo 93 | 8 | | Pa 231 | 8 | |
| Tc 97 | 8 | | Pa 233 | 8 | |
| Tc 99 | 8 | | U 232 | 8 | |
| Ru 106 | 8 | | U 233 | 8 | |
| Pd 107 | 8 | | U 234 | 8 | |
| Ag 108m | 8 | | U 235 | 8 | |
| Ag 110m | 8 | | U 236 | 8 | |
| Cd 109 | 8 | | U 238 | 8 | |
| Cd 113m | 8 | | Np 237 | 8 | |
| Sn 119m | 8 | | Pu 236 | 8 | |
| Sn 121m | 8 | | Pu 238 | 8 | |
| Sn 123 | 8 | | Pu 239 | 8 | |
| Sn 126 | 8 | | Pu 240 | 8 | |
| Sb 125 | 8 | | Pu 241 | 8 | |
| Sb 126 | 8 | | Pu 242 | 8 | |
| Te 125m | 8 | | Am 241 | 8 | |
| Te 127m | 8 | | Am 242m | 8 | |
| I 129 | 8 | | Am 243 | 8 | |
| Cs 134 | 8 | | Cm 242 | 8 | |
| Cs 135 | 8 | | Cm 243 | 8 | |
| Cs 137 | 8 | | Cm 244 | 8 | |
| Ba 133 | 8 | | Cm 245 | 8 | |
| La 137 | 8 | | Cm 246 | 8 | |
| La 138 | 8 | | Cm 248 | 8 | |
| Ce 144 | 8 | | Cf 249 | 8 | |
| Pm 145 | 8 | | Cf 250 | 8 | |
| Pm 147 | 8 | | Cf 251 | 8 | |
| Sm 147 | 8 | | Cf 252 | 8 | |
| Sm 151 | 8 | | Other a | 0 | |
| Eu 152 | 8 | | Other b/g | | |
| | 8 | | Total a | _ | 1 |
| Eu 154 | | | | 0 | 0 |
| Eu 155 | 8 | | Total b/g | 3.56E+02 AA 2 | 0 |

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

- 1 Measured activity
 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
 4 Not present
 5 Present but not significant
 6 Likely to be present but not assessed
 7 Present in significant quantities but not determined
 8 Not expected to be present in significant quantity
- 8 Not expected to be present in significant quantity