

| | | |
|--|--|--|
| SITE | Chapelcross | |
| SITE OWNER | Nuclear Decommissioning Authority | |
| WASTE CUSTODIAN | Magnox Limited | |
| WASTE TYPE | ILW | |
| Is the waste subject to Scottish Policy: | Yes | |
| WASTE VOLUMES | Reported | |
| Stocks: | At 1.4.2022..... | 0.7 m ³ |
| Total future arisings: | | 0 m ³ |
| Total waste volume: | | 0.7 m ³ |
| Comment on volumes: | There will be no further arisings. | |
| Uncertainty factors on volumes: | Stock (upper): x 1.2 Stock (lower): x 0.8 | Arisings (upper) x Arisings (lower) x |
| WASTE SOURCE | Depleted Uranium Furnaces used as part of tritium processing operations. Waste stream will arise as part of the clean-out of the Chapelcross Processing Plant. | |

PHYSICAL CHARACTERISTICS

| | |
|-----------------------------------|--|
| General description: | Roburst stainless steel construction with external copper water cooling rings. Wrapped around the internal of the furnaces is a layer of silica wool. Each furnace contains chips of depleted uranium. |
| Physical components (%vol): | Stainless Steel. Silica Wool, Copper, Depleted Uranium |
| Sealed sources: | The waste does not contain sealed sources. |
| Bulk density (t/m ³): | 1.5 |
| Comment on density: | The mean density of 1.5t/m ³ refers to the mass of the components divided by the volume as stored |

CHEMICAL COMPOSITION

General description and components (%wt): Stainless Steel. Silica Wool, Copper, Depleted Uranium (~0.4% 235U)

Chemical state:

| | |
|---------------------------------|---|
| Chemical form of radionuclides: | H-3: Present in significant quantities C-14: Not present Se-79: Not present Tc-99: Not present Ra: Not present Th: Not present U: Present Np: Not present Pu: Not present |
|---------------------------------|---|

Metals and alloys (%wt): NE

| | (%wt) | Type(s) / Grade(s) with proportions | % of total C14 activity |
|---------------------------|-------|-------------------------------------|-------------------------|
| Stainless steel..... | 80.0 | | |
| Other ferrous metals..... | 0 | | |
| Iron..... | | | |
| Aluminium..... | 0 | | |
| Beryllium..... | 0 | | |
| Cobalt..... | | | |
| Copper..... | 10.0 | | |
| Lead..... | 0 | | |

WASTE STREAM 2C30 Uranium Furnaces

| | | |
|-------------------------|-------|-------------------------------|
| Magnox/Magnesium..... | 0 | |
| Nickel..... | | |
| Titanium..... | | |
| Uranium..... | ~0.40 | Depleted Uranium (~0.4% 235U) |
| Zinc..... | 0 | |
| Zircaloy/Zirconium..... | 0 | |
| Other metals..... | 0 | |

Organics (%wt): -

| | (%wt) | Type(s) and comment | % of total C14 activity |
|------------------------------------|-------|---------------------|-------------------------|
| Total cellulosics..... | 5.0 | | |
| Paper, cotton..... | 0 | | |
| Wood..... | 5.0 | | |
| Halogenated plastics | 0 | | |
| Total non-halogenated plastics.... | 0 | | |
| Condensation polymers..... | 0 | | |
| Others..... | 0 | | |
| Organic ion exchange materials.... | 0 | | |
| Total rubber..... | 0 | | |
| Halogenated rubber | 0 | | |
| Non-halogenated rubber..... | 0 | | |
| Hydrocarbons..... | | | |
| Oil or grease | | | |
| Fuel..... | | | |
| Asphalt/Tarmac (cont.coal tar)... | | | |
| Asphalt/Tarmac (no coal tar).... | | | |
| Bitumen..... | | | |
| Others..... | | | |
| Other organics..... | 0 | | |

Other materials (%wt): -

| | (%wt) | Type(s) and comment | % of total C14 activity |
|------------------------------------|-------|---------------------|-------------------------|
| Inorganic ion exchange materials.. | 0 | | |
| Inorganic sludges and flocs..... | 0 | | |
| Soil..... | 0 | | |
| Brick/Stone/Rubble..... | 0 | | |
| Cementitious material..... | 0 | | |
| Sand..... | | | |
| Glass/Ceramics..... | NE | Silica wool | |
| Graphite..... | 0 | | |
| Desiccants/Catalysts..... | | | |
| Asbestos..... | 0 | | |
| Non/low friable..... | | | |

WASTE STREAM 2C30 Uranium Furnaces

| | | |
|---|-------|---------------------|
| Moderately friable..... | | |
| Highly friable..... | | |
| Free aqueous liquids..... | 0 | |
| Free non-aqueous liquids..... | 0 | |
| Powder/Ash..... | 0 | |
| Inorganic anions (%wt): | - | |
| | (%wt) | Type(s) and comment |
| Fluoride..... | 0 | |
| Chloride..... | 0 | |
| Iodide..... | 0 | |
| Cyanide..... | 0 | |
| Carbonate..... | 0 | |
| Nitrate..... | 0 | |
| Nitrite..... | 0 | |
| Phosphate..... | 0 | |
| Sulphate..... | 0 | |
| Sulphide..... | 0 | |
| Materials of interest for waste acceptance criteria: | - | |
| | (%wt) | Type(s) and comment |
| Combustible metals..... | 0 | |
| Low flash point liquids..... | 0 | |
| Explosive materials..... | 0 | |
| Phosphorus..... | 0 | |
| Hydrides..... | 0 | |
| Biological etc. materials..... | 0 | |
| Biodegradable materials..... | 0 | |
| Putrescible wastes..... | 0 | |
| Non-putrescible wastes..... | | |
| Corrosive materials..... | 0 | |
| Pyrophoric materials..... | 0 | |
| Generating toxic gases..... | 0 | |
| Reacting with water..... | 0 | |
| Higher activity particles..... | | |
| Soluble solids as bulk chemical compounds..... | | |
| Hazardous substances / non hazardous pollutants: | - | |
| | (%wt) | Type(s) and comment |
| Acrylamide..... | | |
| Benzene..... | | |
| Chlorinated solvents..... | | |

WASTE STREAM 2C30 Uranium Furnaces

Formaldehyde.....
Organometallics.....
Phenol.....
Styrene.....
Tri-butyl phosphate.....
Other organophosphates.....
Vinyl chloride.....
Arsenic.....
Barium.....
Boron..... 0
 Boron (in Boral).....
 Boron (non-Boral).....
Cadmium.....
Caesium.....
Selenium.....
Chromium.....
Molybdenum.....
Thallium.....
Tin.....
Vanadium.....
Mercury compounds.....
Others.....
Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....

Complexing agents (%wt): No

(%wt) Type(s) and comment

EDTA.....
DPTA.....
NTA.....
Polycarboxylic acids.....
Other organic complexants.....
Total complexing agents..... 0

Potential for the waste to contain discrete items: No. In & of itself not a DI; waste stream may include DIs (notably any stainless steel components)

PACKAGING AND CONDITIONING

Conditioning method: -
Plant Name: -
Location: -
Plant startup date: -

WASTE STREAM**2C30****Uranium Furnaces**

Total capacity
(m³/y incoming waste): -

Target start date for
packaging this stream: -

Throughput for this stream
(m³/y incoming waste): -

Other information: -

Likely container
type:

| Container | Waste packaged (%vol) | Waste loading (m ³) | Payload (m ³) | Number of packages |
|------------|-----------------------------|------------------------------------|------------------------------|-----------------------|
| 500 l drum | 100.0 | 0.117 | 0.47 | 6 |

Likely container type
comment: -

Range in container waste
volume: -

Other information on
containers: -

Likely conditioning matrix: Not specified

Other information: -

Conditioned density (t/m³): 1.0

Conditioned density
comment: -

Other information on
conditioning: Streams 2C07, 2C29, 2C30, 2C34 & 2C36 are assumed to be co-packaged.

Opportunities for alternative
disposal routing: -

| Baseline Management Route | Opportunity Management Route | Stream volume (%) | Estimated Date that Opportunity will be realised | Opportunity Confidence | Comment |
|------------------------------|---------------------------------|----------------------|---|---------------------------|---------|
| - | - | - | - | - | - |

RADIOACTIVITY

Source: Tritium contamination from processing operations.

Uncertainty: The waste stream is in-situ and has not as yet been characterised. Activities are indicative only.

Definition of total alpha
and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of
radioactivities: The waste stream is in-situ and has not as yet been characterised. Activities are indicative only.

Other information: -

WASTE STREAM

2C30

Uranium Furnaces

| Nuclide | Mean radioactivity, TBq/m³ | | | | Nuclide | Mean radioactivity, TBq/m³ | | | |
|---------|----------------------------|-------------------|--------------------|-------------------|-----------|----------------------------|-------------------|--------------------|-------------------|
| | Waste at 1.4.2022 | Bands and Code | Future arisings | Bands and Code | | Waste at 1.4.2022 | Bands and Code | Future arisings | Bands and Code |
| H 3 | 3.56E-02 | CC 2 | | | Gd 153 | | 8 | | |
| Be 10 | | 8 | | | Ho 163 | | 8 | | |
| C 14 | | 8 | | | Ho 166m | | 8 | | |
| Na 22 | | 8 | | | Tm 170 | | 8 | | |
| Al 26 | | 8 | | | Tm 171 | | 8 | | |
| Cl 36 | | 8 | | | Lu 174 | | 8 | | |
| Ar 39 | | 8 | | | Lu 176 | | 8 | | |
| Ar 42 | | 8 | | | Hf 178n | | 8 | | |
| K 40 | | 8 | | | Hf 182 | | 8 | | |
| Ca 41 | | 8 | | | Pt 193 | | 8 | | |
| Mn 53 | | 8 | | | Tl 204 | | 8 | | |
| Mn 54 | | 8 | | | Pb 205 | | 8 | | |
| Fe 55 | | 8 | | | Pb 210 | | 8 | | |
| Co 60 | | 8 | | | Bi 208 | | 8 | | |
| Ni 59 | | 8 | | | Bi 210m | | 8 | | |
| Ni 63 | | 8 | | | Po 210 | | 8 | | |
| Zn 65 | | 8 | | | Ra 223 | | 8 | | |
| Se 79 | | 8 | | | Ra 225 | | 8 | | |
| Kr 81 | | 8 | | | Ra 226 | | 8 | | |
| Kr 85 | | 8 | | | Ra 228 | | 8 | | |
| Rb 87 | | 8 | | | Ac 227 | | 8 | | |
| Sr 90 | | 8 | | | Th 227 | | 8 | | |
| Zr 93 | | 8 | | | Th 228 | | 8 | | |
| Nb 91 | | 8 | | | Th 229 | | 8 | | |
| Nb 92 | | 8 | | | Th 230 | | 8 | | |
| Nb 93m | | 8 | | | Th 232 | | 8 | | |
| Nb 94 | | 8 | | | Th 234 | | 8 | | |
| Mo 93 | | 8 | | | Pa 231 | | 8 | | |
| Tc 97 | | 8 | | | Pa 233 | | 8 | | |
| Tc 99 | | 8 | | | U 232 | | 8 | | |
| Ru 106 | | 8 | | | U 233 | | 8 | | |
| Pd 107 | | 8 | | | U 234 | | 8 | | |
| Ag 108m | | 8 | | | U 235 | | 8 | | |
| Ag 110m | | 8 | | | U 236 | | 8 | | |
| Cd 109 | | 8 | | | U 238 | | 8 | | |
| Cd 113m | | 8 | | | Np 237 | | 8 | | |
| Sn 119m | | 8 | | | Pu 236 | | 8 | | |
| Sn 121m | | 8 | | | Pu 238 | | 8 | | |
| Sn 123 | | 8 | | | Pu 239 | | 8 | | |
| Sn 126 | | 8 | | | Pu 240 | | 8 | | |
| Sb 125 | | 8 | | | Pu 241 | | 8 | | |
| Sb 126 | | 8 | | | Pu 242 | | 8 | | |
| Te 125m | | 8 | | | Am 241 | | 8 | | |
| Te 127m | | 8 | | | Am 242m | | 8 | | |
| I 129 | | 8 | | | Am 243 | | 8 | | |
| Cs 134 | | 8 | | | Cm 242 | | 8 | | |
| Cs 135 | | 8 | | | Cm 243 | | 8 | | |
| Cs 137 | | 8 | | | Cm 244 | | 8 | | |
| Ba 133 | | 8 | | | Cm 245 | | 8 | | |
| La 137 | | 8 | | | Cm 246 | | 8 | | |
| La 138 | | 8 | | | Cm 248 | | 8 | | |
| Ce 144 | | 8 | | | Cf 249 | | 8 | | |
| Pm 145 | | 8 | | | Cf 250 | | 8 | | |
| Pm 147 | | 8 | | | Cf 251 | | 8 | | |
| Sm 147 | | 8 | | | Cf 252 | | 8 | | |
| Sm 151 | | 8 | | | Other a | | | | |
| Eu 152 | | 8 | | | Other b/g | | | | |
| Eu 154 | | 8 | | | Total a | 0 | | 0 | |
| Eu 155 | | 8 | | | Total b/g | 3.56E-02 | CC 2 | 0 | |

Bands (Upper and Lower)

A a factor of 1.5

B a factor of 3

C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

1 Measured activity

2 Derived activity (best estimate)

3 Derived activity (upper limit)

4 Not present

5 Present but not significant

6 Likely to be present but not assessed

7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity