SITE Chapelcross SITE OWNER **Nuclear Decommissioning Authority WASTE CUSTODIAN** Magnox Limited LLW **WASTE TYPE** Is the waste subject to Nο Scottish Policy: **WASTE VOLUMES** Reported At 1.4.2022..... Stocks:  $0 \, \text{m}^3$ 1.4.2089 - 31.3.2095...... Future arisings -34903.1 m<sup>3</sup> Total future arisings: 34903.1 m<sup>3</sup> Total waste volume: 34903.1 m<sup>3</sup> Comment on volumes: It has been assumed that the whole of the bioshield will be knocked down and disposed of together. There will be no segregation of waste. Final Dismantling & Site Clearance is assumed to commence in 2085 with reactor dismantling commencing in 2089 and lasting for 6 years. The volumes and radioactivity have been calculated for 85 years after reactor shutdown, i.e. 2089 Uncertainty factors on Stock (upper): Arisings (upper) x 1.2 volumes: Stock (lower): Arisings (lower) Х x 0.8**WASTE SOURCE** Concrete wastes from dismantling of reactors and associated plant. PHYSICAL CHARACTERISTICS General description: A wide variety of concrete and reinforced concrete items (reinforcing steel is described in waste stream 2C307). Physical components (%vol): Concrete and reinforced concrete (100%), mostly from reactor bioshield. Sealed sources: The waste does not contain sealed sources. Bulk density (t/m3): Comment on density: The density is of the waste as cut for packaging assuming 20% in blocks and 80% as rubble. CHEMICAL COMPOSITION General description and Concrete (100%). Some of the concrete may include iron shot. Reinforcing steel is components (%wt): described in waste stream 2C307. Chemical state: Chemical form of H-3: The tritium is incorporated in the concrete. radionuclides: C-14: The carbon 14 content is insignificant. Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: The radium content is insignificant. Th: The thorium content is insignificant. U: The uranium content is insignificant. Np: The neptunium content is insignificant. Pu: The plutonium content is insignificant. Metals and alloys (%wt): There are no large or bulk metal items. % of total C14 (%wt) Type(s) / Grade(s) with proportions activity Stainless steel..... Other ferrous metals..... Some of the concrete may include iron shot; otherwise only trace quantities of metals are expected. Iron..... Aluminium...... 0

Beryllium.....

	Cobalt			
	Copper	0		
	Lead	0		
	Magnox/Magnesium	0		
	Nickel			
	Titanium			
	Uranium			
	Zinc	0		
	Zircaloy/Zirconium	. 0		
	Other metals	0	There are no "other" metals pres	sent.
Organics (	%wt): None expected. No	halogenat	ed plastics or rubbers are expected	d to be present.
		(%wt)	Type(s) and comment	% of total C14
	Total cellulosics	0		activity
	Paper, cotton	0		
	Wood	0		
	Halogenated plastics	0		
	Total non-halogenated plastics	0		
	Condensation polymers	0		
	Others	0		
	Organic ion exchange materials	0		
	Total rubber	0		
	Halogenated rubber	0		
	Non-halogenated rubber	0		
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	0		
Other mate	erials (%wt): -			
	,	(0/ 1)	T ()	0/ / / / 0/4
		(%wt)	Type(s) and comment	% of total C14 activity
	Inorganic ion exchange materials	0		
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material	~100.0		100.0
	Sand			
	Glass/Ceramics	0		
	Graphite	TR		

Desiccants/Catalysts		
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
		es and aluminates in various anionic forms. Carbonates could used as an aggregate.
	(%wt)	Type(s) and comment
Fluoride	<1.0	
Chloride	<1.0	
lodide	<1.0	
Cyanide	0	
Carbonate	<2.0	
Nitrate	<1.0	
Nitrite	<1.0	
Phosphate	<1.0	
Sulphate	~2.0	
Sulphide	<1.0	
Materials of interest for waste acceptance criteria:	o pose a fi	re or other non-radiological hazard have been identified.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical compounds		

Hazardous subs	stances /
non hazardous	pollutants:

Complexing

None expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): No		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	0	

Potential for the waste to contain discrete items:

Yes. Large Concrete Items (LCIs) may be DIs; drummed (ungrouted)/"rubbleised" wastes assumed NOT DIs

#### TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		100.0

Comment on planned treatments:

**Disposal Routes:** 

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	1.4

Classification codes for waste expected to be consigned to a landfill facility:

17 01 01

#### Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Noute	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

#### Opportunities for alternative disposal routing:

Baseline Opportunity Stream Date that Opportunity Confidence Management Route Management Route volume (%)  Baseline Opportunity Opportunity Confidence will be realised	
---	--

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other			

Other information:

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage:

Waste Characterisation

Form (WCH):

Waste consigned for disposal to LLWR in year of generation:

**Non-Containerised Waste for In-Vault Grouting:** (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage:

Other information:

**RADIOACTIVITY** 

Source: Activation of the concrete and impurities. There may be some contamination.

Uncertainty: The values quoted were derived by calculation from available material specifications and

are indicative of the activities that are expected. The major source of uncertainty is the

impurity levels.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the

listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The specific activities have been estimated using a neutron activation calculation.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2089. There may

be some contamination by Cs137.

		Mean radioac	tivity, TBq/m³			Mean radioactivity, TBq/m³			
NI PL	Waste at	Bands and	Future	Bands and	NI PI	Waste at	Bands and	Future	Bands and
Nuclide	1.4.2022	Code	arisings	Code	Nuclide	1.4.2022	Code	arisings	Code
H 3			2.77E-05	CC 2	Gd 153				8
Be 10				8	Ho 163			1.93E-09	CC 2
C 14			1.33E-06	CC 2	Ho 166m			3.22E-09	CC 2
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
CI 36			4.83E-07	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			6.21E-06	CC 2	Pt 193				8
Mn 53				8	TI 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60				8	Bi 208				8
Ni 59			1.13E-08	CC 2	Bi 210m				8
Ni 63			6.37E-07	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94			9.95E-09	CC 2	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m			2.19E-08	CC 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242 Am 241				8 8
Te 125m				8	Am 241 Am 242m				
Te 127m				8					8
I 129				8	Am 243 Cm 242				8
Cs 134				8	Cm 242 Cm 243				8 8
Cs 135				8	Cm 243				
Cs 137				6	Cm 244 Cm 245				8 8
Ba 133				8	Cm 245 Cm 246				8
La 137				8	Cm 248				
La 138				8	Cm 248 Cf 249				8 8
Ce 144				8	Cf 249 Cf 250				8
Pm 145				8	Cf 250 Cf 251				8
Pm 147				8	Cf 251				8
Sm 147			2 45 07	8	Other a				0
Sm 151			3.4E-07	CC 2	Other b/g				
Eu 152			1.91E-06	CC 2		_		^	
Eu 154			1.03E-08	CC 2	Total a	0		0 3 97E-05	CC 3
Eu 155				8	Total b/g	0		3.87E-05	CC 2

### Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100 E a factor of 1000

Bands quantify uncertainty in mean radioactivity.

### Code

- 1 Measured activity
- 2 Derived activity (best estimate)
  3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 7 Present in significant duantities but not determined 8 Not expected to be present in significant quantity