

<b>WASTE STREAM</b>	<b>2C313</b>	<b>Stainless Steel (Reactor) ILW</b>
---------------------	--------------	--------------------------------------

**SITE** Chapelcross  
**SITE OWNER** Nuclear Decommissioning Authority

**WASTE CUSTODIAN** Magnox Limited

**WASTE TYPE** ILW

Is the waste subject to Scottish Policy: Yes

**WASTE VOLUMES**

		Reported
Stocks:	At 1.4.2022.....	0 m <sup>3</sup>
Future arisings -	1.4.2089 - 31.3.2095.....	80.0 m <sup>3</sup>
Total future arisings:		80.0 m <sup>3</sup>
Total waste volume:		80.0 m <sup>3</sup>

Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate over six years. Final Dismantling & Site Clearance is assumed to commence in 2085 with reactor dismantling commencing in 2089 and lasting for 6 years. The volumes and radioactivity have been calculated for 85 years after reactor shutdown, i.e. 2089

Uncertainty factors on volumes: Stock (upper): x Arisings (upper) x 1.2  
 Stock (lower): x Arisings (lower) x 0.8

**WASTE SOURCE** Stainless steel items from reactor dismantling.

**PHYSICAL CHARACTERISTICS**

General description: A variety of stainless steel items.  
 Physical components (%vol): Stainless steel items (100%).  
 Sealed sources: The waste does not contain sealed sources.  
 Bulk density (t/m<sup>3</sup>): 1.4  
 Comment on density: The density is of the waste as cut for packaging.

**CHEMICAL COMPOSITION**

General description and components (%wt): Stainless steel items (100%).  
 Chemical state: Neutral  
 Chemical form of radionuclides: H-3: The tritium content is insignificant.  
 C-14: The carbon 14 is incorporated in the steel. There may also be some contamination as graphite.  
 Se-79: The selenium content is insignificant.  
 Tc-99: The chemical form of technetium has not been determined.  
 Ra: The radium content is insignificant.  
 Th: The thorium content is insignificant.  
 U: The uranium content is insignificant.  
 Np: The neptunium content is insignificant.  
 Pu: The plutonium content is insignificant.  
 Metals and alloys (%wt): Items have been cut for packaging. Thicknesses are likely to vary from a few mm to about 25 mm.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	100.0	Stainless steel types are BS970-EN56 and BS970-EN58B.	100.0
Other ferrous metals.....	0		
Iron.....			
Aluminium.....	0		
Beryllium.....			
Cobalt.....			

<b>WASTE STREAM</b>	<b>2C313</b>	<b>Stainless Steel (Reactor) ILW</b>
---------------------	--------------	--------------------------------------

Copper.....	0	
Lead.....	0	
Magnox/Magnesium.....	0	
Nickel.....		
Titanium.....		
Uranium.....		
Zinc.....	0	
Zircaloy/Zirconium.....	0	
Other metals.....	0	There are no "other" metals.

Organics (%wt):                      None expected. No halogenated plastics or rubbers will be present.

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics .....	0		
Total non-halogenated plastics.....	0		
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	0		
Total rubber.....	0		
Halogenated rubber .....	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....			
Oil or grease .....			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	0		

Other materials (%wt):                      Some graphite dust may be associated with reactor materials.

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....			
Glass/Ceramics.....	0		
Graphite.....	TR		
Desiccants/Catalysts.....			

<b>WASTE STREAM</b>	<b>2C313</b>	<b>Stainless Steel (Reactor) ILW</b>
---------------------	--------------	--------------------------------------

Asbestos.....	0
Non/low friable.....	
Moderately friable.....	
Highly friable.....	
Free aqueous liquids.....	0
Free non-aqueous liquids.....	0
Powder/Ash.....	0

Inorganic anions (%wt):           Trace quantities of chloride may be present.

	(%wt)	Type(s) and comment
Fluoride.....	0	
Chloride.....	TR	
Iodide.....	0	
Cyanide.....	0	
Carbonate.....	0	
Nitrate.....	0	
Nitrite.....	0	
Phosphate.....	0	
Sulphate.....	0	
Sulphide.....	0	

Materials of interest for waste acceptance criteria:           No materials likely to pose a fire or other non-radiological hazard have been identified.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....		
Putrescible wastes.....	0	
Non-putrescible wastes.....		
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Higher activity particles.....		
Soluble solids as bulk chemical compounds.....		

Hazardous substances / non hazardous pollutants:           None expected

	(%wt)	Type(s) and comment
Acrylamide.....		

<b>WASTE STREAM</b>	<b>2C313</b>	<b>Stainless Steel (Reactor) ILW</b>
---------------------	--------------	--------------------------------------

- Benzene.....
- Chlorinated solvents.....
- Formaldehyde.....
- Organometallics.....
- Phenol.....
- Styrene.....
- Tri-butyl phosphate.....
- Other organophosphates.....
- Vinyl chloride.....
- Arsenic.....
- Barium.....
- Boron.....
  - Boron (in Boral).....
  - Boron (non-Boral).....
- Cadmium.....
- Caesium.....
- Selenium.....
- Chromium.....
- Molybdenum.....
- Thallium.....
- Tin.....
- Vanadium.....
- Mercury compounds.....
- Others.....
- Electronic Electrical Equipment (EEE)
  - EEE Type 1.....
  - EEE Type 2.....
  - EEE Type 3.....
  - EEE Type 4.....
  - EEE Type 5.....

Complexing agents (%wt):      Yes

(%wt)      Type(s) and comment

- EDTA.....
- DPTA.....
- NTA.....
- Polycarboxylic acids.....
- Other organic complexants.....
- Total complexing agents.....      TR

Potential for the waste to contain discrete items:      Yes. Large Metal Items (LMIs)/"substantial" thickness items considered "durable" assumed DIs; All stainless items assumed DIs. NB if recycled then DI Limits n/a

**PACKAGING AND CONDITIONING**

Conditioning method:      The waste is not expected to be supercompacted. It will be placed in baskets in the

<b>WASTE STREAM</b>	<b>2C313</b>	<b>Stainless Steel (Reactor) ILW</b>
---------------------	--------------	--------------------------------------

waste packages, and is now assumed to be encapsulated.

Plant Name: -  
 Location: Chapelcross Power Station  
 Plant startup date: 2089  
 Total capacity (m<sup>3</sup>/y incoming waste): ~5000.0  
 Target start date for packaging this stream: 2089  
 Throughput for this stream (m<sup>3</sup>/y incoming waste): ~11.5  
 Other information: -

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m <sup>3</sup> )	Payload (m <sup>3</sup> )	Number of packages
	4m box (200mm concrete shielding)	100.0	9.4	10.9	9

Likely container type comment: The waste is assumed to be in baskets in the waste package so the occupied volume in the package is greater than the original waste volume.

Range in container waste volume: Not yet determined. No significant variability is expected.

Other information on containers: The container material is expected to be stainless steel. Container choice may be influenced by Transport Regulations at the time of final site clearance.

Likely conditioning matrix: Blast Furnace Slag / Ordinary Portland Cement  
 Other information: The waste is now assumed to be encapsulated.

Conditioned density (t/m<sup>3</sup>): 3.0  
 Conditioned density comment: The conditioned waste density assumes the waste will be encapsulated.

Other information on conditioning: The waste will be in baskets placed in the waste packages. Baskets of different Final Dismantling & Site Clearance ILW wastes may be in the same waste package. Should encapsulation not be required the density of the conditioned waste product would be about 1.2 t/m<sup>3</sup>.

Opportunities for alternative disposal routing: -

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

**RADIOACTIVITY**

Source: Activation of the stainless steel and impurities.

Uncertainty: The values quoted were derived by calculation from available material specification and are indicative of the activities that are expected. The major source of uncertainty is the impurity levels.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: Specific Activities have been estimated using a neutron activation calculation.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2089. There may be some contamination by Cs137.

**WASTE STREAM 2C313 Stainless Steel (Reactor) ILW**

Nuclide	Mean radioactivity, TBq/m <sup>3</sup>				Nuclide	Mean radioactivity, TBq/m <sup>3</sup>			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3				8	Gd 153				8
Be 10				8	Ho 163				8
C 14			8.62E-02	CC 2	Ho 166m				8
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
Cl 36			6.67E-06	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	Tl 204		3.23E-07	CC 2	8
Mn 54				8	Pb 205				8
Fe 55			1.4E-07	CC 2	Pb 210				8
Co 60			2.25E-03	CC 2	Bi 208				8
Ni 59			2.17E-01	CC 2	Bi 210m				8
Ni 63			1.3E+01	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92			4.06E-09	CC 2	Th 230				8
Nb 93m				8	Th 232				8
Nb 94			5.41E-04	CC 2	Th 234				8
Mo 93			6.69E-03	CC 2	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99			6.49E-05	CC 2	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m			2.98E-03	CC 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				6	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Other a				
Eu 152				8	Other b/g				
Eu 154				8	<b>Total a</b>	<b>0</b>	<b>0</b>		
Eu 155				8	<b>Total b/g</b>	<b>0</b>	<b>1.33E+01</b>	<b>CC 2</b>	

**Bands (Upper and Lower)**

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

**Code**

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity