

WASTE STREAM	2C316	Miscellaneous Metals and Materials (Reactor and Non-Reactor) VLLW
---------------------	--------------	--

SITE Chapelcross
SITE OWNER Nuclear Decommissioning Authority
WASTE CUSTODIAN Magnox Limited
WASTE TYPE VLLW

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	0 m ³
Future arisings -	1.4.2089 - 31.3.2095.....	110.0 m ³
Total future arisings:		110.0 m ³
Total waste volume:		110.0 m ³

Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate over 6 years. Final Dismantling & Site Clearance is assumed to commence in 2085 with reactor dismantling commencing in 2089 and lasting for 6 years. The volumes and radioactivity have been calculated for 85 years after reactor shutdown, i.e. 2089

Uncertainty factors on volumes:
 Stock (upper): x Arisings (upper) x 1.2
 Stock (lower): x Arisings (lower) x 0.8

WASTE SOURCE A variety of materials from active plant dismantling.

PHYSICAL CHARACTERISTICS

General description: A variety of materials including reactor pressure vessel insulation
 Physical components (%vol): reactor pressure vessel insulation (100%)
 Sealed sources: The waste does not contain sealed sources.
 Bulk density (t/m³): 1
 Comment on density: The density is of the waste as prepared for packaging.

CHEMICAL COMPOSITION

General description and components (%wt): A variety of materials including reactor pressure vessel insulation

Chemical state: Neutral

Chemical form of radionuclides:
 H-3: The chemical form of tritium has not been assessed.
 C-14: The chemical form of carbon 14 has not been assessed but may be graphite.
 Se-79: The selenium content is insignificant.
 Tc-99: The technetium content is insignificant.
 Ra: The radium content is insignificant.
 Th: The thorium content is insignificant.
 U: The uranium content is insignificant.
 Np: The neptunium content is insignificant.
 Pu: The plutonium content is insignificant.

Metals and alloys (%wt): Items will have been cut for packaging but an assessment of the item dimensions has not been made.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	0		
Other ferrous metals.....	0		
Iron.....			
Aluminium.....	NE		
Beryllium.....			
Cobalt.....			
Copper.....	NE		

WASTE STREAM	2C316	Miscellaneous Metals and Materials (Reactor and Non-Reactor) VLLW
---------------------	--------------	--

Lead.....	NE	
Magnox/Magnesium.....	<0.10	
Nickel.....		
Titanium.....		
Uranium.....		
Zinc.....	NE	
Zircaloy/Zirconium.....	<0.10	
Other metals.....	NE	Other metals have not been assessed.

Organics (%wt): None expected. Halogenated rubbers are not expected. Halogenated plastics have not been assessed.

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	NE		
Total non-halogenated plastics.....	NE		
Condensation polymers.....	NE		
Others.....	NE		
Organic ion exchange materials....	0		
Total rubber.....	0		
Halogenated rubber	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....			
Oil or grease			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	0		

Other materials (%wt): Some graphite dust may be associated with reactor materials.

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....			
Glass/Ceramics.....	100.0	MMMF (Man Made Mineral Fibre) reactor insulation	
Graphite.....	TR		
Desiccants/Catalysts.....			

WASTE STREAM	2C316	Miscellaneous Metals and Materials (Reactor and Non-Reactor) VLLW
---------------------	--------------	--

Asbestos.....	NE
Non/low friable.....	
Moderately friable.....	
Highly friable.....	
Free aqueous liquids.....	0
Free non-aqueous liquids.....	0
Powder/Ash.....	0

Inorganic anions (%wt): Not fully assessed.

	(%wt)	Type(s) and comment
Fluoride.....	NE	
Chloride.....	NE	
Iodide.....	NE	
Cyanide.....	0	
Carbonate.....	NE	
Nitrate.....	NE	
Nitrite.....	NE	
Phosphate.....	NE	
Sulphate.....	NE	
Sulphide.....	NE	

Materials of interest for waste acceptance criteria: The presence or absence of asbestos has yet to be confirmed.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....		
Putrescible wastes.....	0	
Non-putrescible wastes.....		
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Higher activity particles.....		
Soluble solids as bulk chemical compounds.....		

Hazardous substances / non hazardous pollutants: -

	(%wt)	Type(s) and comment
Acrylamide.....		

WASTE STREAM**2C316****Miscellaneous Metals and Materials (Reactor and Non-Reactor) VLLW**

- Benzene.....
- Chlorinated solvents.....
- Formaldehyde.....
- Organometallics.....
- Phenol.....
- Styrene.....
- Tri-butyl phosphate.....
- Other organophosphates.....
- Vinyl chloride.....
- Arsenic.....
- Barium.....
- Boron.....
 - Boron (in Boral).....
 - Boron (non-Boral).....
- Cadmium.....
- Caesium.....
- Selenium.....
- Chromium.....
- Molybdenum.....
- Thallium.....
- Tin.....
- Vanadium.....
- Mercury compounds.....
- Others.....
- Electronic Electrical Equipment (EEE)
 - EEE Type 1.....
 - EEE Type 2.....
 - EEE Type 3.....
 - EEE Type 4.....
 - EEE Type 5.....

Complexing agents (%wt): Yes

(%wt) Type(s) and comment

- EDTA.....
- DPTA.....
- NTA.....
- Polycarboxylic acids.....
- Other organic complexants.....
- Total complexing agents.....

TR

Potential for the waste to contain discrete items:

No. In & of itself not a DI; waste stream may include DIs (Stainless items). If LLW then assumed drummed (ungroued) & compacted so NOT DI (unless drums are groued instead).

WASTE STREAM**2C316****Miscellaneous Metals and Materials (Reactor and Non-Reactor) VLLW****TREATMENT, PACKAGING AND DISPOSAL**

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None		100.0

Comment on planned treatments:

This waste stream is expected to be sent to Landfill as VLLW.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	1.0

Classification codes for waste expected to be consigned to a landfill facility: 17 06 03*

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Opportunities for alternative disposal routing: -

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

Waste Packaging for Disposal: (Not applicable to this waste stream)

WASTE STREAM**2C316****Miscellaneous Metals and Materials (Reactor and Non-Reactor) VLLW**

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO			
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: Activation of the materials and impurities. There may be some contamination.

Uncertainty: Only very approximate estimates have been made of the total specific activities. The activities quoted are those at the time of Final Dismantling & Site Clearance .

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: The specific activities have been estimated using a neutron activation calculation using available material specifications. The major source of uncertainty is the impurity levels.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2089. There may be some contamination by Cs137.

WASTE STREAM

2C316

Miscellaneous Metals and Materials (Reactor and Non-Reactor) VLLW

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3				8	Gd 153				8
Be 10				8	Ho 163				8
C 14				8	Ho 166m				8
Na 22				8	Tm 170				8
Al 26			1.45E-07	CC 2	Tm 171				8
Cl 36			1.12E-06	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			2.43E-06	CC 2	Pt 193				8
Mn 53				8	Tl 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			8.97E-07	CC 2	Bi 208				8
Ni 59				8	Bi 210m				8
Ni 63				8	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94				8	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m				8	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				6	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Other a				
Eu 152				8	Other b/g				
Eu 154				8	Total a	0		0	
Eu 155				8	Total b/g	0		4.59E-06	CC 2

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity