

<b>WASTE STREAM</b>	<b>2C33</b>	<b>Activated Charcoal</b>
---------------------	-------------	---------------------------

**SITE** Chapelcross  
**SITE OWNER** Nuclear Decommissioning Authority  
**WASTE CUSTODIAN** Magnox Limited  
**WASTE TYPE** LLW  
 Is the waste subject to Scottish Policy: No

**WASTE VOLUMES**

		Reported
Stocks:	At 1.4.2022.....	0 m <sup>3</sup>
Future arisings -	1.4.2027 - 31.3.2029.....	90.0 m <sup>3</sup>
Total future arisings:		90.0 m <sup>3</sup>
Total waste volume:		90.0 m <sup>3</sup>
Comment on volumes:	-	
Uncertainty factors on volumes:	Stock (upper): x	Arisings (upper) x 1.2
	Stock (lower): x	Arisings (lower) x 0.8

**WASTE SOURCE** The iodine filters were designed to remove I-131 and particulate from the reactor gas circuit in case of an incident. The charcoal was used as a filter medium in the iodine filters.

**PHYSICAL CHARACTERISTICS**

General description: Activated Charcoal  
 Physical components (%vol): -  
 Sealed sources: The waste does not contain sealed sources.  
 Bulk density (t/m<sup>3</sup>): 2.1  
 Comment on density: Typical skeletal or real density is 2,150 to 2,200 kg/m<sup>3</sup>, close to the density of graphite

**CHEMICAL COMPOSITION**

General description and components (%wt): The material is described as activated charcoal but this does not refer to radiological activation. Activated charcoal is a form of carbon that has been processed to make it extremely porous and thus to have a very large surface area available for adsorption. The charcoal is granular and described as being between "coffee granules" and "coarse sand" in particle size. There will be a small amount of charcoal dust present.  
 Chemical state: -  
 Chemical form of radionuclides: -  
 Metals and alloys (%wt): -

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....			
Other ferrous metals.....			
Iron.....			
Aluminium.....			
Beryllium.....			
Cobalt.....			
Copper.....			
Lead.....			
Magnox/Magnesium.....			
Nickel.....			
Titanium.....			

<b>WASTE STREAM</b>	<b>2C33</b>	<b>Activated Charcoal</b>
---------------------	-------------	---------------------------

Uranium.....  
 Zinc.....  
 Zircaloy/Zirconium.....  
 Other metals.....

Organics (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	0		
Paper, cotton.....			
Wood.....			
Halogenated plastics .....			
Total non-halogenated plastics.....	0		
Condensation polymers.....			
Others.....			
Organic ion exchange materials....			
Total rubber.....	0		
Halogenated rubber .....			
Non-halogenated rubber.....			
Hydrocarbons.....			
Oil or grease .....			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....			

Other materials (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..			
Inorganic sludges and flocs.....			
Soil.....			
Brick/Stone/Rubble.....			
Cementitious material.....			
Sand.....			
Glass/Ceramics.....			
Graphite.....			
Desiccants/Catalysts.....			
Asbestos.....	0		
Non/low friable.....			
Moderately friable.....			
Highly friable.....			
Free aqueous liquids.....			

<b>WASTE STREAM</b>	<b>2C33</b>	<b>Activated Charcoal</b>
---------------------	-------------	---------------------------

Free non-aqueous liquids.....

Powder/Ash..... 100.0 Activated Charcoal

Inorganic anions (%wt): -

(%wt) Type(s) and comment

Fluoride.....

Chloride.....

Iodide.....

Cyanide.....

Carbonate.....

Nitrate.....

Nitrite.....

Phosphate.....

Sulphate.....

Sulphide.....

Materials of interest for waste acceptance criteria: -

(%wt) Type(s) and comment

Combustible metals.....

Low flash point liquids.....

Explosive materials.....

Phosphorus.....

Hydrides.....

Biological etc. materials.....

Biodegradable materials..... 0

Putrescible wastes.....

Non-putrescible wastes.....

Corrosive materials.....

Pyrophoric materials.....

Generating toxic gases.....

Reacting with water.....

Higher activity particles.....

Soluble solids as bulk chemical compounds.....

Hazardous substances / non hazardous pollutants: -

(%wt) Type(s) and comment

Acrylamide.....

Benzene.....

Chlorinated solvents.....

Formaldehyde.....

Organometallics.....

Phenol.....

<b>WASTE STREAM</b>	<b>2C33</b>	<b>Activated Charcoal</b>
---------------------	-------------	---------------------------

Styrene.....  
 Tri-butyl phosphate.....  
 Other organophosphates.....  
 Vinyl chloride.....  
 Arsenic.....  
 Barium.....  
 Boron..... 0  
     Boron (in Boral).....  
     Boron (non-Boral).....  
 Cadmium.....  
 Caesium.....  
 Selenium.....  
 Chromium.....  
 Molybdenum.....  
 Thallium.....  
 Tin.....  
 Vanadium.....  
 Mercury compounds.....  
 Others.....  
 Electronic Electrical Equipment (EEE)  
     EEE Type 1.....  
     EEE Type 2.....  
     EEE Type 3.....  
     EEE Type 4.....  
     EEE Type 5.....

Complexing agents (%wt): No

(%wt) Type(s) and comment

EDTA.....  
 DPTA.....  
 NTA.....  
 Polycarboxylic acids.....  
 Other organic complexants.....  
 Total complexing agents..... 0

Potential for the waste to contain discrete items: No. In & of itself not a DI; waste stream may include DIs (notably any stainless steel components)

**TREATMENT, PACKAGING AND DISPOSAL**

**WASTE STREAM      2C33      Activated Charcoal**

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None	Off-site	100.0

Comment on planned treatments:

-

**Disposal Routes:**

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	2.1

Classification codes for waste expected to be consigned to a landfill facility:

-

**Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):**

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

**Opportunities for alternative disposal routing:**

-

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

**Waste Packaging for Disposal:** (Not applicable to this waste stream)

**WASTE STREAM      2C33      Activated Charcoal**

Container	Stream volume %	Waste loading m <sup>3</sup>	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO			
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information: -

**Waste Planned for Disposal at the LLW Repository:** (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

**Non-Containerised Waste for In-Vault Grouting:** (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

**RADIOACTIVITY**

Source: The iodine filters were designed to remove I-131 and particulate from the reactor gas circuit in case of an incident. The charcoal was used as a filter medium in the iodine filters.

Uncertainty: -

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: Samples were taken of material that had been previously removed during the life of the plant to inform a LLWR WCH. This stored material has been consigned (2011) but the WCH data has been used to inform the assessment of the material remaining within the plant - decayed to 2027 (17 years from WCH activity reference date).

Other information: -

**WASTE STREAM 2C33 Activated Charcoal**

Nuclide	Mean radioactivity, TBq/m <sup>3</sup>				Nuclide	Mean radioactivity, TBq/m <sup>3</sup>			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			7.04E-05	CC 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			1.36E-05	CC 2	Ho 166m				8
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
Cl 36			1.87E-06	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	Tl 204				8
Mn 54				8	Pb 205				8
Fe 55			8.86E-09	CC 2	Pb 210				8
Co 60			4.61E-08	CC 2	Bi 208				8
Ni 59				8	Bi 210m				8
Ni 63			3.02E-07	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94				8	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99			2.04E-06	CC 2	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m				8	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137			5.79E-08	CC 2	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Other a				
Eu 152				8	Other b/g				
Eu 154				8	<b>Total a</b>	<b>0</b>		<b>0</b>	
Eu 155				8	<b>Total b/g</b>	<b>0</b>	<b>8.83E-05</b>	<b>CC 2</b>	

**Bands (Upper and Lower)**

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

**Code**

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity