

WASTE STREAM	2C929	Pipeline Lime Scale
---------------------	--------------	----------------------------

SITE Chapelcross
SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE VLLW

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	0 m ³
Future arisings -	1.4.2023 - 31.3.2026.....	11.2 m ³
Total future arisings:		11.2 m ³
Total waste volume:		11.2 m ³
Comment on volumes:	-	
Uncertainty factors on volumes:	Stock (upper): x	Arisings (upper) x 1.2
	Stock (lower): x	Arisings (lower) x 0.8

WASTE SOURCE The scale is from the steel discharge pipeline.

PHYSICAL CHARACTERISTICS

General description: -
 Physical components (%vol): Metal 30%, Non Halogenated Plastic 15%, Rubber 10%, Other 45% (relates to grouted limescale with Bentonite additive for liquid absorption)
 Sealed sources: The waste does not contain sealed sources.
 Bulk density (t/m³): 1.14
 Comment on density: WCH mass divided by volume

CHEMICAL COMPOSITION

General description and components (%wt): Metal (40%), Non Halogenated Plastic 7%, Rubber 7%, Other 46% (relates to grouted limescale with Bentonite additive for liquid absorption)
 Chemical state: -
 Chemical form of radionuclides: -
 Metals and alloys (%wt): -

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	0		
Other ferrous metals.....	~40.0	Low carbon steel	
Iron.....			
Aluminium.....			
Beryllium.....			
Cobalt.....			
Copper.....			
Lead.....			
Magnox/Magnesium.....	0		
Nickel.....			
Titanium.....			
Uranium.....			
Zinc.....	0		

WASTE STREAM	2C929	Pipeline Lime Scale
---------------------	--------------	----------------------------

Zircaloy/Zirconium.....	0		
Other metals.....	0		
Organics (%wt):	-		
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	0		
Total non-halogenated plastics.....	7.0		
Condensation polymers.....	0		
Others.....	7.0		
Organic ion exchange materials....	0		
Total rubber.....	7.0		
Halogenated rubber	~3.5		
Non-halogenated rubber.....	~3.5		
Hydrocarbons.....			
Oil or grease			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	0		
Other materials (%wt):	-		
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	46.0	Grouted limescale with Bentonite additive for liquid absorption.	
Sand.....			
Glass/Ceramics.....	0		
Graphite.....	0		
Desiccants/Catalysts.....			
Asbestos.....	TR	Not quantified	
Non/low friable.....			
Moderately friable.....			
Highly friable.....			
Free aqueous liquids.....	0		
Free non-aqueous liquids.....	0		
Powder/Ash.....	0		

WASTE STREAM	2C929	Pipeline Lime Scale
---------------------	--------------	----------------------------

Inorganic anions (%wt): -

	(%wt)	Type(s) and comment
Fluoride.....	0	
Chloride.....	0	
Iodide.....	0	
Cyanide.....	0	
Carbonate.....	0	
Nitrate.....	0	
Nitrite.....	0	
Phosphate.....	0	
Sulphate.....	0	
Sulphide.....	0	

Materials of interest for waste acceptance criteria: -

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....		
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Higher activity particles.....		
Soluble solids as bulk chemical compounds.....		

Hazardous substances / non hazardous pollutants: -

	(%wt)	Type(s) and comment
Acrylamide.....		
Benzene.....		
Chlorinated solvents.....		
Formaldehyde.....		
Organometallics.....		
Phenol.....		
Styrene.....		
Tri-butyl phosphate.....		

WASTE STREAM	2C929	Pipeline Lime Scale
---------------------	--------------	----------------------------

Other organophosphates.....
 Vinyl chloride.....
 Arsenic.....
 Barium.....
 Boron..... 0
 Boron (in Boral).....
 Boron (non-Boral).....
 Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....

Complexing agents (%wt):

	(%wt)	Type(s) and comment
EDTA.....		
DPTA.....		
NTA.....		
Polycarboxylic acids.....		
Other organic complexants.....		
Total complexing agents.....	0	

Potential for the waste to contain discrete items: Yes. Large Metal Items (LMIs)/"substantial" thickness items considered "durable" assumed DIs

TREATMENT, PACKAGING AND DISPOSAL

WASTE STREAM 2C929 Pipeline Lime Scale

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None		100.0

Comment on planned treatments:

It is expected that 100% of this waste stream will be sent to Landfill as VLLW.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	1.1

Classification codes for waste expected to be consigned to a landfill facility: 17 04 05, 17 01 01

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Opportunities for alternative disposal routing: -

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

Waste Packaging for Disposal: (Not applicable to this waste stream)

WASTE STREAM 2C929 Pipeline Lime Scale

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO			
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: Activities have been taken from the formerly approved WCH (1MXN-1CHA-0-WCH-L-2857) and converted into tbq/m3. Assumed sample date of 1/4/2008 and decayed to 2023 as start date of first arisings (15 years).

Uncertainty: -

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: -

Other information: -

WASTE STREAM 2C929 Pipeline Lime Scale

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			4.73E-07	CC 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			1.93E-08	CC 2	Ho 166m				8
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
Cl 36				8	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	Tl 204				8
Mn 54				8	Pb 205				8
Fe 55			3.89E-09	CC 2	Pb 210				8
Co 60			1.43E-08	CC 2	Bi 208				8
Ni 59				8	Bi 210m				8
Ni 63			1.74E-08	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90			9.7E-06	CC 2	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230		4.5E-08	CC 2	
Nb 93m				8	Th 232				8
Nb 94				8	Th 234		5.14E-08	CC 2	
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234		5.79E-08	CC 2	
Ag 108m				8	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238		5.14E-08	CC 2	
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238		1.03E-07	CC 2	
Sn 123				8	Pu 239		2.7E-07	CC 2	
Sn 126				8	Pu 240		3.54E-07	CC 2	
Sb 125				8	Pu 241		2.43E-06	CC 2	
Sb 126				8	Pu 242				8
Te 125m				8	Am 241		1.44E-06	CC 2	
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137			2.93E-05	CC 2	Cm 244		7.26E-09	CC 2	
Ba 133			4.82E-09	CC 2	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151			1.43E-07	CC 2	Other a				
Eu 152				8	Other b/g				
Eu 154			1.73E-08	CC 2	Total a	0	2.33E-06	CC 2	
Eu 155			1.51E-09	CC 2	Total b/g	0	4.22E-05	CC 2	

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity