SITE Sellafield

SITE OWNER Nuclear Decommissioning Authority

No

WASTE CUSTODIAN Sellafield Limited

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

Scottish Policy.		
WASTE VOLUMES		Reported
Stocks:	At 1.4.2022	0 m³
Future arisings -	1.4.2022 - 31.3.2023	0 m³
•	1.4.2023 - 31.3.2024	0 m ³
	1.4.2024 - 31.3.2025	0 m³
	1.4.2025 - 31.3.2026	0 m ³
	1.4.2026 - 31.3.2027	0 m³
	1.4.2027 - 31.3.2028	0 m³
	1.4.2028 - 31.3.2029	0 m³
	1.4.2029 - 31.3.2030	18.9 m³
	1.4.2030 - 31.3.2031	33.4 m³
	1.4.2031 - 31.3.2032	4.5 m ³
	1.4.2032 - 31.3.2033	0 m ³
	1.4.2033 - 31.3.2034	12.8 m³
	1.4.2034 - 31.3.2035	14.3 m ³
	1.4.2035 - 31.3.2036	15.4 m³
	1.4.2036 - 31.3.2045	0 m ³
	1.4.2045 - 31.3.2046	18.3 m³
	1.4.2046 - 31.3.2047	44.9 m³
	1.4.2047 - 31.3.2048	128.2 m³
	1.4.2048 - 31.3.2049	182.3 m³
	1.4.2049 - 31.3.2050	165.6 m ³
	1.4.2050 - 31.3.2051	194.7 m ³
	1.4.2051 - 31.3.2052	166.4 m ³
	1.4.2052 - 31.3.2053	183.0 m ³
	1.4.2053 - 31.3.2054	191.7 m ³
	1.4.2054 - 31.3.2055	181.9 m ³
	1.4.2055 - 31.3.2056 1.4.2056 - 31.3.2057	78.0 m ³ 78.0 m ³
	1.4.2057 - 31.3.2093	76.0111° 0 m³
	1.4.2094 - 31.3.2095	69.2 m ³
	1.4.2095 - 31.3.2096	69.2 m ³
	1.4.2096 - 31.3.2097	69.2 m ³
	1.4.2097 - 31.3.2098	69.2 m ³
	1.4.2098 - 31.3.2099	69.2 m ³
	1.4.2099 - 31.3.2100	69.2 m ³
	1.4.2100 - 31.3.2101	69.2 m ³
	1.4.2101 - 31.3.2102	69.2 m ³
	1.4.2102 - 31.3.2103	69.2 m ³
	1.4.2103 - 31.3.2104	69.2 m ³
	1.4.2104 - 31.3.2105	69.2 m ³
	1.4.2105 - 31.3.2106	69.2 m ³
	1.4.2106 - 31.3.2107	69.2 m ³
	1.4.2107 - 31.3.2108	69.2 m ³
Total future arisings:		2680.5 m ³
Total waste volume:		2680.5 m³

Comment on volumes:

Waste within this waste stream is generated from a number of decommissioning projects which will commence at a future date. As a result of this, minimal characterisation of waste volumes and fingerprints has been carried out and hence there is a large uncertainty in the potential arisings. Preliminary assessments indicate that the volumes may vary from -50%

to +300% for LLW.

Uncertainty factors on Stock (upper): x Arisings (upper) x 4.0 volumes: Stock (lower): x Arisings (lower) x 0.5

WASTE SOURCE Dismantling of spent fuel storage ponds and associated facilities.

PHYSICAL CHARACTERISTICS

General description: Plant and equipment, instruments and fittings, internal building fabric, soft waste ie. rubber,

PVC, paper. Most items size reduced in-situ. Some large items may be present.

Physical components (%vol): Vessels, tanks (1%), pipework, valves and fittings (6%), plant and equipment (68%),

ducting (4%), electrical cabling, hardware and instruments (7%), secondary steelwork

(4%), soft waste ie. PVC/rubber/paper (10%).

Sealed sources: -

Bulk density (t/m³): ~0.5

Comment on density: Density stated is an average for raw LLW generated at building workface.

CHEMICAL COMPOSITION

General description and components (%wt):

Stainless steel (33%), mild steel (48%), copper (<4%), aluminium (1%), zinc (<0.05%), plastic (10%), rubber (2%), glass (1%), cellulose (1%). Percentages are by volume.

Chemical state: Neutral

Chemical form of radionuclides:

H-3: The chemical form of tritium has not been determined. C-14: The chemical form of carbon has not been determined. Cl-36: Not expected to be present in significant quantity. Se-79: Not expected to be present in significant quantity. Tc-99: Not expected to be present in significant quantity. l-129: Not expected to be present in significant quantity. Ra: Not expected to be present in significant quantity. Th: Not expected to be present in significant quantity. U: Not expected to be present in significant quantity.

Np: The chemical form of Neptunium has not been determined. Pu: The chemical form of Plutonium has not been determined.

Metals and alloys (%wt): Some sheet metal present (~30%), bulk metal (70%).

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	33.0	The most commonly used stainless steel is 304L. Ni is present in this at 9-12% by weight.	·
Other ferrous metals	48.0		
Iron	TR		
Aluminium	1.0		
Beryllium	0		
Cobalt	0		
Copper	<4.0		
Lead	TR		
Magnox/Magnesium	0		
Nickel	0		
Titanium	0		
Uranium	TR		
Zinc	< 0.05		
Zircaloy/Zirconium	0		

Organics (%wt):

The waste contains PVC and other plastics, small amounts of rubber and cellulose. Percentages are by volume. PVC oversuits, Windscale suits, waste bags, rubber gloves.

Other metals...... 0

	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	1.0		activity
Paper, cotton	TR		
Wood	~1.0		
Halogenated plastics	7.5		
Total non-halogenated plastics	2.5		
Condensation polymers	1.3		
Others	1.3		
Organic ion exchange materials	0		
Total rubber	2.0		
Halogenated rubber	Р		
Non-halogenated rubber	Р		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		
Other materials (%wt):			
	(%wt)	Type(s) and comment	% of total C14
Inorgania ian ayahanga matariala	0		activity
Inorganic ion exchange materials Inorganic sludges and flocs	TR		
Soil	0		
Brick/Stone/Rubble	TR		
Cementitious material	TR		
Sand	0		
Glass/Ceramics	1.0		
Graphite	0		
Desiccants/Catalysts	Р		
Asbestos	Р	Asbestos is likely to be present in	
		lagging and gaskets but the specific types and proportions have not been determined.	
Non/low friable			
Non/low friable Moderately friable		specific types and proportions	
		specific types and proportions	
Moderately friable	0	specific types and proportions	
Moderately friable	0	specific types and proportions	
Moderately friable Highly friable Free aqueous liquids	-	specific types and proportions	

Inorganic anions (%wt): Inorganic anions are not expected to be present.

	(%wt)	Type(s) and comment
Fluoride	0	
Chloride	0	
lodide	0	
Cyanide	0	
Carbonate	0	
Nitrate	0	
Nitrite	0	
Phosphate	0	
Sulphate	0	
Sulphide	0	
Materials of interest for waste acceptance criteria: Putrescible w roof cladding.		natter. Asbestos is cement cladding, sheets, ceiling tiles and
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials	TR	
Putrescible wastes	TR	Trace.
Non-putrescible wastes	0	
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles	0	
Soluble solids as bulk chemical compounds		
Hazardous substances / Lead is prese non hazardous pollutants:	ent in trace quant	ities. Asbestos.
	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		

Other organophosphates.....

Arsenic	Vinyl chloride		
Boron (in Boral)	Arsenic		
Boron (in Boral)	Barium		
Boron (non-Boral)	Boron		
Caesium	Boron (in Boral)		
Caesium	Boron (non-Boral)		
Selenium	Cadmium		
Chromium	Caesium		
Molybdenum	Selenium		
Thallium Tin	Chromium		
Tin	Molybdenum		
Vanadium	Thallium		
Mercury compounds	Tin		
Others Electronic Electrical Equipment (EEE) EEE Type 1 EEE Type 2 EEE Type 3 EEE Type 4 EEE Type 5 Complexing agents (%wt): No (%wt) Type(s) and comment EDTA DPTA NTA Polycarboxylic acids Other organic complexants	Vanadium		
Electronic Electrical Equipment (EEE) EEE Type 1 EEE Type 2 EEE Type 3 EEE Type 4 EEE Type 5 Complexing agents (%wt): No (%wt) Type(s) and comment EDTA DPTA NTA Polycarboxylic acids Other organic complexants	Mercury compounds		
EEE Type 1 EEE Type 2 EEE Type 3 EEE Type 4 EEE Type 5 Complexing agents (%wt): No (%wt) Type(s) and comment EDTA DPTA NTA Polycarboxylic acids Other organic complexants	Others		
EEE Type 2 EEE Type 3 EEE Type 4 EEE Type 5 Complexing agents (%wt): No (%wt) Type(s) and comment EDTA DPTA NTA Polycarboxylic acids Other organic complexants	Electronic Electrical Equipment (EEE)		
EEE Type 3 EEE Type 4 EEE Type 5 Complexing agents (%wt): No (%wt) Type(s) and comment EDTA DPTA NTA Polycarboxylic acids Other organic complexants	EEE Type 1		
EEE Type 4	EEE Type 2		
EEE Type 5	EEE Type 3		
Complexing agents (%wt): No (%wt) Type(s) and comment EDTA DPTA NTA Polycarboxylic acids Other organic complexants	EEE Type 4		
(%wt) Type(s) and comment EDTA DPTA NTA Polycarboxylic acids Other organic complexants	EEE Type 5		
EDTA DPTA NTA Polycarboxylic acids Other organic complexants	Complexing agents (%wt): No		
DPTA NTA Polycarboxylic acids Other organic complexants		(%wt)	Type(s) and comment
NTA Polycarboxylic acids Other organic complexants	EDTA		
Polycarboxylic acids Other organic complexants	DPTA		
Other organic complexants	NTA		
	Polycarboxylic acids		
Total complexing agents 0	Other organic complexants		
	Total complexing agents	0	

Potential for the waste to contain discrete items:

Yes. May contain tools within the secondary wastes.

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction	On site	70
Supercompaction (HFC)		
Incineration	Off-site	10.0
Solidification		
Decontamination		
Metal treatment	Off-site	72.0
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		18.0

Comment on planned treatments:

Although there are no firm plans in place, based on current experience we have assumed the treatment methods set out in the table for the purposes of the 2022 UK Inventory. For Inventory purposes, it is assumed that part of this stream will be deemed acceptable for incineration.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	18.0	1.2
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility	10.0	0.14
Expected to be consigned to a Metal Treatment Facility	72.0	1.4
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Route	2022/23		2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing: Not yet determined

Baseline Opportunity Stream Opportunity Opportunity Opportunity Wanagement Route Management Route Wolume (%) Estimated Opportunity Opportunity Confidence will be realised	
---	--

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	18.0	15.7	31

Other information: -

Waste Planned for Disposal at the LLW Repository:

Container voidage: Voidage will be highly variable dependent on feed material from multiple buildings.

Waste Characterisation

Form (WCH):

It is not yet determined if the waste meets LLWR's Waste Acceptance Criteria

(WAC).

This waste stream covers future decommissioning projects. Waste from future projects will require WCHs prior to acceptance for disposal to the LLWR.

Waste consigned for disposal to LLWR in year of generation:

Yes.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: The main sources of activity are actinides and fission products.

Uncertainty: Waste within this waste stream is generated from a number of decommissioning projects

which will commence at a future date. The uncertainties quoted for each nuclide represent both the uncertainty in quantification without detailed sampling and the likely variation of nuclide in different building consigned wastes under this waste stream. It is exceptionally unlikely that all the waste included in this waste stream will have the same variation in

nuclide fingerprint.

Also activity levels will depend on degree of decontamination achieved.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Future arisings activities are based on actual activities of similar recent disposals.

Other information: Other beta/gamma includes S35 6.17E-12 TBq/m³, Zr95 4.2E-7 TBq/m³, Nb95 2.33E-6

TBq/m³ and Ru103 8.15E-7 TBq/m³. Nuclides making up remaining "other beta/gamma"

not specified.

Mean radioactivity, TBq/m³				Mean radioactivity, TBq/m³					
Niceliala	Waste at	Bands and	Future	Bands and	Niccellata	Waste at	Bands and	Future	Bands and
Nuclide	1.4.2022	Code	arisings	Code	Nuclide	1.4.2022	Code	arisings	Code
H 3			1.50E-10	CC 2	Gd 153				
Be 10				8	Ho 163				
C 14			1.06E-08	CC 2	Ho 166m				
Na 22					Tm 170				
AI 26					Tm 171				
CI 36				8	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41				8	Pt 193				
Mn 53					TI 204				
Mn 54				8	Pb 205				
Fe 55				8	Pb 210				8
Co 60			3.33E-07	CC 2	Bi 208				
Ni 59				8	Bi 210m				
Ni 63				8	Po 210				8
Zn 65				8	Ra 223				
Se 79				8	Ra 225				
Kr 81					Ra 226				8
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90			8.30E-05	CC 2	Th 227				
Zr 93				8	Th 228				
Nb 91					Th 229				8
Nb 92					Th 230				8
Nb 93m				8	Th 232				8
Nb 94				8	Th 234				
Mo 93				8	Pa 231				8
Tc 97					Pa 233				
Tc 99				8	U 232				
Ru 106	ļ		6.39E-06	CC 2	U 233				8
Pd 107				8	U 234				8
Ag 108m				8	U 235				8
Ag 110m					U 236				8
Cd 109					U 238				8
Cd 113m					Np 237			4.38E-09	CC 2
Sn 119m					Pu 236				
Sn 121m				8	Pu 238			1.19E-08	CC 2
Sn 123					Pu 239			3.89E-07	CC 2
Sn 126				8	Pu 240			1.18E-07	CC 2
Sb 125					Pu 241			1.59E-06	CC 2
Sb 126	1				Pu 242			0.767	8
Te 125m	1				Am 241			2.73E-07	CC 2
Te 127m				_	Am 242m				8
l 129	1			8	Am 243				8
Cs 134			3.45E-07	CC 2	Cm 242				8
Cs 135	1			8	Cm 243				8
Cs 137	1		2.05E-04	CC 2	Cm 244				8
Ba 133					Cm 245				8
La 137	1				Cm 246				8
La 138	1			0.6 -	Cm 248				
Ce 144			3.44E-06	CC 2	Cf 249				
Pm 145	1				Cf 250				
Pm 147				8	Cf 251				
Sm 147	1				Cf 252				_
Sm 151	1			8	Other a				8
Eu 152	!		9.61E-10	CC 2	Other b/g			1.00E-05	CC 2
Eu 154	I		7.33E-09 3.62E-09	CC 2 CC 2	Total a	0		7.96E-07 3.10E-04	CC 2 CC 2
Eu 155					Total b/g	0			

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 7 Present in significant duantities but not determined 8 Not expected to be present in significant quantity