# WASTE STREAM 2D113 Uranium Plants Initial/Interim Decommissioning:

**Processing Plants** 

SITE Sellafield

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Sellafield Limited

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

No

**WASTE VOLUMES** 

WASIL VOLUMES		Reported
Stocks:	At 1.4.2022	0 m³
Future arisings -	1.4.2022 - 31.3.2023	0 m³
	1.4.2023 - 31.3.2024	0 m³
	1.4.2024 - 31.3.2025	0 m³
	1.4.2025 - 31.3.2029	0 m³
	1.4.2029 - 31.3.2046	~639.5 m³
	1.4.2046 - 31.3.2054	0 m³
	1.4.2054 - 31.3.2066	~344.8 m³
	1.4.2066 - 31.3.2120	0 m³
Total future arisings:		984.3 m³
Total waste volume:		984.3 m <sup>3</sup>

Comment on volumes: Arisings are in line with current decommissioning programmes and strategy. Waste within

this waste stream is generated from a number of decommissioning projects which will commence at a future date. As a result of this, minimal characterisation of waste volumes and fingerprints has been carried out and hence there is a large uncertainty in the potential arisings. Preliminary assessments indicate that the volumes may vary from -50% to +300%

for LLW.

Uncertainty factors on

volumes:

Stock (upper): x Stock (lower): x Arisings (upper) x 4.0

Arisings (lower) x 0.5

**WASTE SOURCE** Dismantling of uranium process plants.

#### PHYSICAL CHARACTERISTICS

General description: Plant and equipment, instruments and fittings, internal building fabric, soft waste ie. rubber,

PVC, paper. Most items size reduced in-situ. Some large items may be present.

Physical components (%vol): Vessels, tanks (24%), pipework, valves and fittings (17%), plant and equipment (34%),

electrical cabling, hardware and instruments (2.5%), internal fabric and furniture (7%),

secondary steelwork (0.5%), soft waste (15%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~0.5

Comment on density: Density stated is an average for raw LLW at the workface.

### **CHEMICAL COMPOSITION**

General description and components (%wt):

Stainless Steel (44%), mild steel (30%), copper (8%), aluminium (0.5%), zinc (<0.05%), plastic (14%), rubber (2%), cellulose (1%), glass (0.5%). Percentages are by volume.

Chemical state: Neutral

Chemical form of radionuclides:

H-3: The chemical form of tritium has not been determined. C-14: The chemical form of carbon-14 has not been determined.

CI-36: The chlorine content is insignificant. Se-79: The selenium content is insignificant.

Tc-99: The chemical form of technetium has not been determined.

I-129: The iodine content is insignificant.

Ra: The chemical form of radium has not been determined. Th: The chemical form of thorium has not been determined. U: The chemical form of uranium has not been determined. Np: The chemical form of neptunium has not been determined. Pu: The chemical form of plutonium has not been determined.

Metals and alloys (%wt): Some sheet metal present (~30%), bulk metal (70%).

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	44.0	The most commonly used stainless steel is 304L.	·
Other ferrous metals	30.0		
Iron	~0		
Aluminium	0.50		
Beryllium	0		
Cobalt	0		
Copper	8.0		
Lead	TR		
Magnox/Magnesium	0		
Nickel	0		
Titanium	0		
Uranium	0		
Zinc	<0.05		
Zircaloy/Zirconium	0		
Other metals	0		

Organics (%wt):

Other materials (%wt):

The waste contains PVC and other plastics, small amounts of rubber and cellulose. Percentages are by volume. PVC oversuits, Windscale suits, waste bags, rubber gloves.

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics	1.0		acarray
Paper, cotton	TR		
Wood	~1.0		
Halogenated plastics	10.5		
Total non-halogenated plastics	3.5		
Condensation polymers	1.8		
Others	1.8		
Organic ion exchange materials	0		
Total rubber	2.0		
Halogenated rubber	Р		
Non-halogenated rubber	Р		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		
Inorganic sludges and flocs	TR		
Soil	0		
Brick/Stone/Rubble	TR		
Cementitious material	TR		
Sand	0		
Glass/Ceramics	~0.50		
Graphite	0		
Desiccants/Catalysts			
Asbestos	Р	The volume and type of asbestos has not been determined.	
Non/low friable			
Moderately friable			
Highly friable			
Free aqueous liquids	0		
Free non-aqueous liquids	>0		
Powder/Ash	0		
Inorganic anions (%wt): Inorganic anions a	re not expe	ected to be present.	
	(%wt)	Type(s) and comment	
Fluoride	0		
Chloride	0		
lodide	0		
Cyanide	0		
Carbonate	0		
Nitrate	0		
Nitrite	0		
Phosphate	0		
Sulphate	0		
Sulphide	0		
Materials of interest for waste acceptance criteria: Putrescible waste roof cladding.	is organic n	natter. Asbestos is cement cladding, s	heets, ceiling tiles and
	(%wt)	Type(s) and comment	
Combustible metals	0		
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	0		
Hydrides	0		
Biological etc. materials	0		
Biodegradable materials	TR		
Putrescible wastes	TR	Trace.	
Non-nutrescible wastes	0		

2022 Inventory

	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	0	
	Higher activity particles	0	
	Soluble solids as bulk chemical compounds	0	
Hazardous su		ce quanti	ties. Asbestos.
		(%wt)	Type(s) and comment
	Acrylamide	, ,	,, ,,
	Benzene		
	Chlorinated solvents		
	Formaldehyde		
	Organometallics		
	Phenol		
	Styrene		
	Tri-butyl phosphate		
	Other organophosphates		
	Vinyl chloride		
	Arsenic		
	Barium		
	Boron		
	Boron (in Boral)		
	Boron (non-Boral)		
	Cadmium		
	Caesium		
	Selenium		
	Chromium		
	Molybdenum		
	Thallium		
	Tin		
	Vanadium		
	Mercury compounds		
	Others		
	Electronic Electrical Equipment (EEE)		
	EEE Type 1		
	EEE Type 2		
	EEE Type 3		
	EEE Type 4		
	EEE Type 5		

	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents		

Potential for the waste to contain discrete items:

Complexing agents (%wt):

Yes. Tools and steel fabrications may be present in this waste.

### TREATMENT, PACKAGING AND DISPOSAL

No

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration	Off-site	~15.0
Solidification		
Decontamination		
Metal treatment	Off-site	~68.0
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		~17.0

Comment on planned treatments:

Although there are no firm plans in place, based on current experience we have assumed the treatment methods set out in the table for the purposes of the 2022 UK Inventory. For Inventory purposes, it is assumed that incineration will be extended from similar waste streams.

# **Disposal Routes:**

Stream volume %	Disposal density t/m3
~17.0	1.2
~15.0	0.14
~68.0	1.4
	volume % ~17.0 ~15.0

Classification codes for waste expected to be consigned to a landfill facility:

# Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Route	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing: Not yet determined

Baseline Opportunity Stream Date that Opportunity
Management Route Management Route volume (%)

We stimated Date that Opportunity Opportunity Confidence will be realised

#### **Waste Packaging for Disposal:**

Container	Stream volume %	Waste loading m <sup>3</sup>	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	~17.0	~15.7	11

Other information:

### Waste Planned for Disposal at the LLW Repository:

Container voidage: Voidage will be highly variable dependent on feed material from multiple buildings.

Waste Characterisation

Form (WCH):

It is not yet determined if the waste meets LLWR's Waste Acceptance Criteria

(WAC).

This waste stream covers future decommissioning projects. Waste from future projects will require WCHs prior to acceptance for disposal to the LLWR.

Waste consigned for disposal to LLWR in year of generation:

Yes.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

#### **RADIOACTIVITY**

Source: The main sources of activity are uranium isotopes.

Uncertainty: Waste within this waste stream is generated from a number of decommissioning projects

which will commence at a future date. The uncertainties quoted for each nuclide represent both the uncertainty in quantification without detailed sampling and the likely variation of nuclide in different building consigned wastes under this waste stream. It is exceptionally unlikely that all the waste included in this waste stream will have the same variation in nuclide fingerprint. Also activity levels will depend on degree of decontamination achieved.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Future arisings activities are based on actual activities of similar recent disposals.

Other information: Other alpha not specified. Other beta/gamma includes Co58 1.22E-10 TBg/m³, Sr89 9.29E-

12 TBq/m³, Zr95 1.55E-8 TBq/m³, Nb95 1.38E-8 TBq/m³ and Ru103 5.39E-9 TBq/m³.

Nuclides making up remaining "other beta/gamma" not specified.

	Mean radioactivity, TBq/m³				Mean radioactivity, TBq/m³				
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			6.60E-09	CC 2	Gd 153			<u> </u>	
Be 10				8	Ho 163				
C 14			3.74E-10	CC 2	Ho 166m				
Na 22			0.7.12.10	00 2	Tm 170				
Al 26					Tm 171				
CI 36				8	Lu 174				
Ar 39				· ·	Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41				8	Pt 193				
Mn 53					TI 204				
Mn 54			1.39E-09	CC 2	Pb 205				
Fe 55			1.37E-09	CC 2	Pb 210				8
Co 60			1.71E-08	CC 2	Bi 208				
Ni 59			2 00	8	Bi 210m				
Ni 63			5.37E-11	CC 2	Po 210				8
Zn 65			5.07E-10	CC 2	Ra 223				
Se 79	<u> </u> 		3.07 L 10	8	Ra 225				
Kr 81				O	Ra 226			5.58E-11	CC 2
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90			6.27E-07	CC 2	Th 227				
Zr 93			0.27 2 07	8	Th 228				
Nb 91				O	Th 229				8
Nb 92					Th 230				8
Nb 93m				8	Th 232			5.80E-08	CC 2
Nb 94				8	Th 234			0.002 00	00 -
Mo 93				8	Pa 231				8
Tc 97				0	Pa 233				Ü
Tc 99			5.57E-09	CC 2	U 232				
Ru 106			8.25E-08	CC 2	U 233				8
Pd 107			0.23L-00	8	U 234			1.80E-07	CC 2
Ag 108m				8	U 235			7.57E-08	CC 2
Ag 100m				0	U 236			1.62E-08	CC 2
Cd 109					U 238			4.65E-07	CC 2
Cd 103 Cd 113m					Np 237			4.54E-08	CC 2
Sn 119m					Pu 236			1.012 00	00 2
Sn 121m				8	Pu 238			5.62E-08	CC 2
Sn 123				O	Pu 239			9.77E-08	CC 2
Sn 126				8	Pu 240			8.22E-08	CC 2
Sb 125				O	Pu 241			2.17E-06	CC 2
Sb 126					Pu 242			2.172 00	8
Te 125m					Am 241			8.93E-08	CC 2
Te 123m					Am 242m			0.93L-00	8
I 129				8	Am 243				8
Cs 134			3.25E-08	CC 2	Cm 242			2.79E-11	CC 2
Cs 134 Cs 135			3.23L-00	8	Cm 242			2.136-11	8
Cs 135			5.97E-07	CC 2	Cm 243			1.79E-10	CC 2
Ba 133			3.37 L-07	00 2	Cm 244 Cm 245			1.735-10	
La 137					Cm 245 Cm 246				8 8
La 137 La 138					Cm 248				U
Ce 144			3.42E-08	CC 2	Cff 249				
Ce 144 Pm 145			J.42E-UO	00 2	Cf 249 Cf 250				
Pm 145 Pm 147			7.95E-09	CC 2	Cf 250 Cf 251				
			7.95⊑-09	00 2					
Sm 147 Sm 151			4.23E-11	CC 2	Cf 252 Other a			A 77E 10	CC 2
			4.23E-11					4.77E-10	
Eu 152			0.155.40	8	Other b/g	_		3.60E-08	CC 2
Eu 154			8.15E-10	CC 2	Total a	0		1.17E-06	CC 2
Eu 155			4.34E-10	CC 2	Total b/g	0		3.62E-06	CC 2

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Bands quantify uncertainty in Note: mean radioactivity.

## Code

- 1 Measured activity
- 2 Derived activity (best estimate) 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity