SITE Sellafield

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Sellafield Limited

WASTE TYPE LLW

Is the waste subject to Scottish Policy:

No

WASTE VOLUMES

WASTE VOLUMES		Reported
Stocks:	At 1.4.2022	0 m³
Future arisings -	1.4.2022 - 31.3.2023	0 m³
	1.4.2023 - 31.3.2024	0 m³
	1.4.2024 - 31.3.2025	0 m³
	1.4.2025 - 31.3.2045	0 m³
	1.4.2045 - 31.3.2047	~141.0 m³
	1.4.2047 - 31.3.2059	0 m³
	1.4.2059 - 31.3.2061	~141.1 m³
	1.4.2061 - 31.3.2066	0 m³
	1.4.2066 - 31.3.2068	~70.5 m³
	1.4.2068 - 31.3.2074	0 m³
	1.4.2074 - 31.3.2076	~141.1 m³
	1.4.2076 - 31.3.2097	~0.7 m³
	1.4.2097 - 31.3.2106	0 m³
	1.4.2106 - 31.3.2108	~141.1 m³
	1.4.2108 - 31.3.2120	0 m³
Total future arisings:		635.4 m³
Total waste volume:		635.4 m³

Comment on volumes: Arisings are in line with current decommissioning programmes and strategy. Waste within

this waste stream is generated from a number of decommissioning projects which will commence at a future date. As a result of this, minimal characterisation of waste volumes and fingerprints has been carried out and hence there is a large uncertainty in the potential arisings. Preliminary assessments indicate that the volumes may vary from -50% to +300%

for LLW.

Uncertainty factors on

volumes:

Stock (upper): x Stock (lower): x Arisings (upper) x 4.0 Arisings (lower) x 0.5

**WASTE SOURCE** Demolition of plutonium process plants.

### PHYSICAL CHARACTERISTICS

General description: Building structural materials and miscellaneous soft waste ie. rubber/PVC/paper. Most

items size reduced in-situ. Some large items may be present.

Physical components (%vol): Concrete, bricks and blockwork (69.5%), reinforcement steelwork (13.5%), structural

steelwork (14%), cladding and insulation (1%), roofing (0.5%), miscellaneous building

materials (0.5%), miscellaneous soft waste (1%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1

Comment on density: Density stated is average for raw LLW from final decommissioning at the workface.

#### **CHEMICAL COMPOSITION**

General description and components (%wt):

Concrete, bricks and blockwork (69.5%), mild steel (28.5%), fibreglass (0.45%), wood (0.1%), glass (0.05%), plastic (1%), rubber (0.2%), cellulose (0.1%), others (0.1%).

Percentages are by volume.

Chemical state: Neutral Chemical form of H-3: Tritium is not expected to be present in significant quantity. radionuclides: C-14: Carbon-14 is not expected to be present in significant quantity. CI-36: Chlorine-36 is not expected to be present in significant quantity. Se-79: Selenium is not expected to be present in significant quantity. Tc-99: Technetium is not expected to be present in significant quantity. I-129: Iodine is not expected to be present in significant quantity. Ra: Radium is not expected to be present in significant quantity. Th: Thorium is not expected to be present in significant quantity. U: Uranium is not expected to be present in significant quantity. Np: Neptunium is not expected to be present in significant quantity. Pu: The chemical form of plutonium has not been assessed. Metals and alloys (%wt): Some sheet metal present (~30%), bulk metal (70%). (%wt) Type(s) / Grade(s) with proportions % of total C14 activity Stainless steel..... TR The most commonly used stainless steel is 304L. Other ferrous metals..... 28.5 Iron..... Aluminium..... TR Beryllium...... 0 Cobalt...... 0 Copper..... TR Lead..... TR Magnox/Magnesium..... 0 Nickel...... 0 Titanium..... Uranium...... 0 Zinc..... 0 Zircaloy/Zirconium..... Other metals..... Organics (%wt): The waste contains PVC and other plastics, small amounts of rubber and cellulose. Percentages are by volume. PVC oversuits, Windscale suits, waste bags, rubber gloves. % of total C14 (%wt) Type(s) and comment activity Total cellulosics..... 0.20 Paper, cotton..... 0.10 Wood..... 0.10 Halogenated plastics ..... 0.75 0.25 Total non-halogenated plastics..... Condensation polymers..... Ρ Р Others..... Organic ion exchange materials.... 0 Total rubber..... 0.20 Halogenated rubber ..... P Р Non-halogenated rubber..... Hydrocarbons..... Oil or grease .....

Fuel.....

	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	0.05		
Other ma	terials (%wt):			
		(0(4)	Type (a) and commont	0/ 06 40401 04 4
		(%wt)	Type(s) and comment	% of total C14 activity
	Inorganic ion exchange materials	0		
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	Р		
	Cementitious material	<69.5		
	Sand	0		
	Glass/Ceramics	~0.50		
	Graphite	0		
	Desiccants/Catalysts	0		
	Asbestos	0	Asbestos is not expected to be present in this waste stream.	
	Non/low friable			
	Moderately friable			
	Highly friable			
	Free aqueous liquids	0		
	Free non-aqueous liquids	0		
	Powder/Ash	0		
Inorganic	anions (%wt): Inorganic anions ne	ot expected	d to be present.	
		(%wt)	Type(s) and comment	
	Fluoride	0		
	Chloride	0		
	lodide	0		
	Cyanide	0		
	Carbonate	0		
	Nitrate	0		
	Nitrite	0		
	Phosphate	0		
	Sulphate	0		
	Sulphide	0		
Materials	of interest for -			

2022 Inventory

waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials	0	
Putrescible wastes	0	
Non-putrescible wastes	0	
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles	0	
Soluble solids as bulk chemical compounds	0	
ostances / Lead is present in to	ace quanti	ties.

Hazardous sub non hazardous pollutants:

Acrylamide
Benzene
Chlorinated solvents
Formaldehyde
Organometallics
Phenol
Styrene
Tri-butyl phosphate
Other organophosphates
Vinyl chloride
Arsenic

Barium..... Boron.....

Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
Complexing agents (%wt): No		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	0	
Potential for the waste to Ves Tools and stee	al fabricatio	one are likely to be included in this

Potential for the waste to contain discrete items:

Yes. Tools and steel fabrications are likely to be included in this waste stream.

### TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recyling / reuse Other / various None	Off-site	23.0 77.0

Comment on planned treatments:

Although there are no firm plans in place, based on current experience we have assumed the treatment methods set out in the table for the purposes of the 2022 UK Inventory.

### **Disposal Routes:**

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility	77.0	1.5
Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility	23.0	1.4
Expected to be consigned as Out of Scope Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %			
Disposal Noute	2022/23	2023/24	2024/25	
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known				

### Opportunities for alternative disposal routing: Yes

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
Authorised landfill	Recycle	~39.0	2045	Medium	Potential for the reuse of active concrete for infill in final site clearance is being investigated

#### Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO			
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information:

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation

Form (WCH):

\_

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

**RADIOACTIVITY** 

Source: The main sources of activity are plutonium isotopes.

Uncertainty: Waste within this waste stream is generated from a number of decommissioning projects

which will commence at a future date. The uncertainties quoted for each nuclide represent both the uncertainty in quantification without detailed sampling and the likely variation of

nuclide in different building consigned wastes under this waste stream. It is exceptionally unlikely that all the waste included in this waste stream will have the same variation in nuclide fingerprint. Also activity levels will depend on degree of decontamination achieved.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the

Measurement of radioactivities:

listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Other information:

	Mean radioactivity, TBq/m³			Mean radioa	eactivity, TBq/m³		
Nuclide	Waste at Bands and 1.4.2022 Code	Future Bands and arisings Code	Nuclide	Waste at Bands and 1.4.2022 Code	Future arisings	Bands and Code	
H 3		8	Gd 153				
Be 10		8	Ho 163				
C 14		8	Ho 166m				
Na 22			Tm 170				
Al 26			Tm 171				
CI 36		8	Lu 174				
Ar 39			Lu 176				
Ar 42			Hf 178n				
K 40			Hf 182				
Ca 41		8	Pt 193				
Mn 53			TI 204				
Mn 54		8	Pb 205				
Fe 55		8	Pb 210			8	
Co 60		8	Bi 208				
Ni 59		8	Bi 210m				
Ni 63		8	Po 210			8	
Zn 65		8	Ra 223				
Se 79		8	Ra 225				
Kr 81			Ra 226			8	
Kr 85			Ra 228				
Rb 87			Ac 227				
Sr 90		8	Th 227				
Zr 93		8	Th 228				
Nb 91		-	Th 229			8	
Nb 92			Th 230			8	
Nb 93m		8	Th 232			8	
Nb 94		8	Th 234			· ·	
Mo 93		8	Pa 231			8	
Tc 97		-	Pa 233			-	
Tc 99		8	U 232				
Ru 106		8	U 233			8	
Pd 107		8	U 234			8	
Ag 108m		8	U 235			8	
Ag 110m		· ·	U 236			8	
Cd 109			U 238			8	
Cd 113m			Np 237			8	
Sn 119m			Pu 236			· ·	
Sn 121m		8	Pu 238		1.05E-08	CC 2	
Sn 123		· ·	Pu 239		2.40E-08	CC 2	
Sn 126		8	Pu 240		2.40E-08	CC 2	
Sb 125		ŭ	Pu 241		1.10E-06	CC 2	
Sb 126			Pu 242		1.10L-00 1.27E-11	CC 2	
Te 125m			Am 241		2.69E-08	CC 2	
Te 127m			Am 242m		2.03L-00	8	
I 129		8	Am 242m Am 243			8	
Cs 134		8	Am 243 Cm 242			8	
Cs 135		8				8	
Cs 135		8	Cm 243				
Ba 133		Ö	Cm 244 Cm 245			8	
La 137						8	
La 137			Cm 246			8	
Ce 144		8	Cm 248				
		0	Cf 249				
Pm 145			Cf 250				
Pm 147		8	Cf 251				
Sm 147			Cf 252				
Sm 151		8	Other a			8	
Eu 152		8	Other b/g			8	
Eu 154		8	Total a	0	8.54E-08	CC 2	
Eu 155		8	Total b/g	0	1.10E-06	CC 2	

### Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

- Measured activity
   Derived activity (best estimate)
   Derived activity (upper limit)

- 4 Not present
  5 Present but not significant
  6 Likely to be present but not assessed
  7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity