SITE Sellafield

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Sellafield Limited

WASTE TYPE LLW

Is the waste subject to Scottish Policy:

No

WASTE VOLUMES

WASTE VOLUMES		Reported
Stocks:	At 1.4.2022	0 m³
Future arisings -	1.4.2022 - 31.3.2023	0 m³
	1.4.2023 - 31.3.2024	0 m³
	1.4.2024 - 31.3.2025	0 m³
	1.4.2025 - 31.3.2040	~0 m³
	1.4.2040 - 31.3.2041	~139.4 m³
	1.4.2041 - 31.3.2118	~0 m³
	1.4.2118 - 31.3.2123	~646.3 m³
	1.4.2123 - 31.3.2126	~0 m³
	1.4.2126 - 31.3.2130	~430.9 m³
Total future arisings:		1216.6 m ³
Total waste volume:		1216.6 m ³

Comment on volumes: Arisings are in line with current decommissioning programmes and strategy. Waste within

this waste stream is generated from a number of decommissioning projects which will commence at a future date. As a result of this, minimal characterisation of waste volumes and fingerprints has been carried out and hence there is a large uncertainty in the potential arisings. Preliminary assessments indicate that the volumes may vary from -50% to +300%

for LLW.

Uncertainty factors on

volumes:

Stock (upper): x Stock (lower): x Arisings (upper)
Arisings (lower)

x 4.0 x 0.5

WASTE SOURCE Demolition of plutonium product stores and plutonium contaminated material stores.

PHYSICAL CHARACTERISTICS

General description: Building structural materials and miscellaneous soft waste ie. rubber/PVC/paper. Most

items size reduced in-situ. Some large items may be present.

Physical components (%vol): Concrete, bricks and blockwork (69%), reinforcement steelwork (14%), structural steelwork

(1%), cladding and insulation (3%), roofing (5%), miscellaneous building materials (7%),

soft waste (1%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1

Comment on density: Density stated is an average for raw LLW from final decommissioning at the workface.

CHEMICAL COMPOSITION

General description and components (%wt):

Concrete, bricks and blockwork (69%), mild steel (25%), fibreglass (1.5%), wood (1.5%), glass (0.5%), plastic (1.5%), rubber (0.3%), cellulose (0.2%), others (0.5%). Percentages

are by volume.

Chemical state: Neutral

Chemical form of radionuclides:

H-3: Tritium is not expected to be present in significant quantity. C-14: Carbon-14 is not expected to be present in significant quantity. Cl-36: Chlorine-36 is not expected to be present in significant quantity. Se-79: Selenium is not expected to be present in significant quantity. Tc-99: Technetium is not expected to be present in significant quantity l-129: Iodine is not expected to be present in significant quantity. Ra: Radium is not expected to be present in significant quantity. Th: Thorium is not expected to be present in significant quantity. U: Uranium is not expected to be present in significant quantity. Np: Neptunium is not expected to be present in significant quantity.

Pu: The chemical form of plutonium has not been assessed.

Metals and alloys (%wt): Some sheet metal p	resent (~3	30%), bulk metal (70%).	
	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	TR	The most commonly used stainless steel is 304L.	donvity
Other ferrous metals	25.0		
Iron			
Aluminium	TR		
Beryllium	0		
Cobalt	0		
Copper	TR		
Lead	TR		
Magnox/Magnesium	0		
Nickel	0		
Titanium			
Uranium	0		
Zinc	0		
Zircaloy/Zirconium	0		
Other metals	0.25		
		other plastics, small amounts of rubber and PVC oversuits, Windscale suits, waste bags	
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	1.7		activity
Paper, cotton	0.20		
Wood	1.5		
Halogenated plastics	1.0		
Total non-halogenated plastics	0.50		
Condensation polymers	0.25		
Others	0.25		
Organic ion exchange materials	0		
Total rubber	0.30		
Halogenated rubber	Р		
Non-halogenated rubber	Р		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0.25		

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		acaray
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	Р		
Cementitious material	<69.0		
Sand			
Glass/Ceramics	~2.0		
Graphite	0		
Desiccants/Catalysts			
Asbestos	0	Asbestos is not expected to be present in this waste stream	
Non/low friable			
Moderately friable			
Highly friable			
Free aqueous liquids	0		
Free non-aqueous liquids	0		
Powder/Ash	0		
Inorganic anions (%wt): Inorganic anions no	ot expected	to be present.	
	(%wt)	Type(s) and comment	
Fluoride	0		
Chloride	0		
lodide	0		
Cyanide	0		
Carbonate	0		
Nitrate	0		
Nitrite	0		
Phosphate	0		
Sulphate	0		
Sulphide	0		
Materials of interest for -waste acceptance criteria:			
	(%wt)	Type(s) and comment	
Combustible metals	0		
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	0		
Hydrides	0		
Biological etc. materials	0		
Biodegradable materials	0		
Putrescible wastes	0		
Non-putrescible wastes	0		

2022 Inventory

Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles	0	
Soluble solids as bulk chemical compounds	0	
Hazardous substances / Lead is present in t non hazardous pollutants:	race quanti	ities.
	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE	Ξ)	
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		

Co	mplexing agents (%wt):	No					
	7 - 3 - 3 - 4 - 4 - 4		Type(s) and comm	nent			
	EDTA		, , , , , , , , , , , , , , , , , , ,				
	DPTA						
	NTA						
	Polycarboxylic a	cids					
	Other organic co	omplexants					
	Total complexing	g agents					
	ential for the waste to tain discrete items:	yes. Tools, steel fabrications a waste stream.	nd steel castings a	are likely t	o be pre	ser	nt in this
TRE	EATMENT, PACKAGING A	AND DISPOSAL					
	nned on-site / off-site atment(s):	Treatment		On-si		St	ream volume %
		Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recyling / reuse Other / various None		Off-	site		12.0 88.0
	nment on planned atments:	Although there are no firm plans assumed the treatment methods UK Inventory.					
Dis	posal Routes:	Disposal Route			Stream volume		Disposal density t/m3
		Expected to be consigned to the Expected to be consigned to a Expected to be consigned to an	Landfill Facility n On-Site Disposa	I Facility	88	.0	1.5
		Expected to be consigned to an Expected to be consigned to a Expected to be consigned as C Expected to be recycled / reuse Disposal route not known	Metal Treatment F Out of Scope	-	12	.0	1.4
	ssification codes for waste be consigned to a landfill fac				I		
Upo	coming (2022/23-2024/25)	Waste Routing (if expected to c	hange from abov	/e):			
	Disposal Route		2022/23	Stream 2023		%	2024/25
	Expected to be consigne	ed to the LLW Repository					

Disposal Route	Stream volume %				
Disposal Notice	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing: Yes

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
Authorised landfill	Recycle	~44.0	2045	Medium	Potential to reuse active concrete in final site clearance activities is being investigated

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO			
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information:

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation

Form (WCH):

_

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: Other information: -

RADIOACTIVITY

Source: The main sources of activity are plutonium isotopes.

Uncertainty: Waste within this waste stream is generated from a number of decommissioning projects

which will commence at a future date. The uncertainties quoted for each nuclide represent both the uncertainty in quantification without detailed sampling and the likely variation of nuclide in different building consigned wastes under this waste stream. It is exceptionally unlikely that all the waste included in this waste stream will have the same variation in nuclide fingerprint. Also activity levels will depend on degree of decontamination achieved.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

es:

Other information:

	Mean radioactivity, TBq/m³					Mean radioactivity, TBq/m³			
	Waste at Bands and	Future	Bands and		Waste at	Bands and	Future	Bands and	
Nuclide	1.4.2022 Code	arisings	Code	Nuclide	1.4.2022	Code	arisings	Code	
H 3			8	Gd 153					
Be 10			8	Ho 163					
C 14			8	Ho 166m					
Na 22				Tm 170					
AI 26				Tm 171					
CI 36			8	Lu 174					
Ar 39				Lu 176					
Ar 42				Hf 178n					
K 40				Hf 182					
Ca 41			8	Pt 193					
Mn 53				TI 204					
Mn 54			8	Pb 205					
Fe 55			8	Pb 210				8	
Co 60			8	Bi 208					
Ni 59			8	Bi 210m					
Ni 63			8	Po 210				8	
Zn 65			8	Ra 223					
Se 79			8	Ra 225					
Kr 81				Ra 226				8	
Kr 85				Ra 228					
Rb 87				Ac 227					
Sr 90		3.47E-12	CC 2	Th 227					
Zr 93			8	Th 228					
Nb 91				Th 229				8	
Nb 92				Th 230				8	
Nb 93m			8	Th 232				8	
Nb 94			8	Th 234					
Mo 93			8	Pa 231				8	
Tc 97				Pa 233					
Tc 99			8	U 232					
Ru 106			8	U 233				8	
Pd 107			8	U 234				8	
Ag 108m			8	U 235				8	
Ag 110m				U 236				8	
Cd 109				U 238				8	
Cd 113m				Np 237				8	
Sn 119m				Pu 236					
Sn 121m			8	Pu 238			1.99E-10	CC 2	
Sn 123				Pu 239			4.39E-10	CC 2	
Sn 126			8	Pu 240			4.70E-10	CC 2	
Sb 125				Pu 241			3.29E-08	CC 2	
Sb 126				Pu 242				8	
Te 125m				Am 241			1.10E-10	CC 2	
Te 127m				Am 242m				8	
l 129			8	Am 243				8	
Cs 134			8	Cm 242				8	
Cs 135			8	Cm 243				8	
Cs 137			8	Cm 244				8	
Ba 133				Cm 245				8	
La 137				Cm 246				8	
La 138				Cm 248					
Ce 144			8	Cf 249					
Pm 145				Cf 250					
Pm 147			8	Cf 251					
Sm 147				Cf 252					
Sm 151			8	Other a				8	
Eu 152			8	Other b/g				8	
Eu 154			8	Total a	0		1.22E-09	CC 2	
Eu 155			8	Total b/g	0		3.29E-08	CC 2	
-	l	l	-	.o.a.b/g	Ů		5.252 66		

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- Measured activity
 Derived activity (best estimate)
 Derived activity (upper limit)

- 4 Not present 5 Present but not significant
- 6 Likely to be present but not assessed 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity