

<b>WASTE STREAM</b>	<b>2D35.4</b>	<b>MSSS Compartment 22</b>
---------------------	---------------	----------------------------

**SITE** Sellafield

**SITE OWNER** Nuclear Decommissioning Authority

**WASTE CUSTODIAN** Sellafield Limited

**WASTE TYPE** ILW

Is the waste subject to Scottish Policy: No

**WASTE VOLUMES**

		Reported
Stocks:	At 1.4.2022.....	~296.0 m <sup>3</sup>
Total future arisings:		0 m <sup>3</sup>
Total waste volume:		296.0 m <sup>3</sup>
Comment on volumes:	No further arisings to this stream. Waste volume includes unreacted decannings and swarf/sludge. Quantities are estimates from fuel decanning campaigns and storage volume records.	
Uncertainty factors on volumes:	Stock (upper): x 1.5	Arisings (upper) x
	Stock (lower): x 0.66	Arisings (lower) x

**WASTE SOURCE** Waste associated with Magnox fuel decanning and its subsequent underwater storage.

**PHYSICAL CHARACTERISTICS**

**General description:** The waste is debris from the process of decanning Magnox reactor fuel elements and has been stored under water since processing. The waste includes pieces of the Magnox can, fins and all other fuel element components, including fuel. Much of the waste that was originally consigned has been retrieved by SRF (and processed through MEP). Recent camera surveys show a low level of corrosion has occurred to the waste that still resides in the compartment. Swarf and uranium from Magnox decanning has reacted with storage cover water to form corrosion products.

**Physical components (%wt):** Magnox swarf (21.58%), Magnox sludge (4.16%), Al/Al(OH)<sub>3</sub> (0%), U/UO<sub>2</sub>/U<sub>3</sub>O<sub>8</sub> (1.57%), MBGW (scrap, filters, cans, etc.) (0%), aggregate (limestone) (0%), water (72.19%), others (0.51%). Includes interstitial liquor and cover liquor. Total volume including cover liquor is 487 m<sup>3</sup>.

**Sealed sources:** Not yet determined.

**Bulk density (t/m<sup>3</sup>):** ~0.53

**Comment on density:** Bulk density is solids only - includes water content based on assumptions of draining characteristics. Bulk density including interstitial liquor = 1.26t/m<sup>3</sup>, bulk density with cover liquor and interstitial liquor = 1.16t/m<sup>3</sup>. Average decanning debris is ~1.6t/m<sup>3</sup> and average MBGW is ~3.2t/m<sup>3</sup>.

**CHEMICAL COMPOSITION**

**General description and components (%wt):** Magnox swarf (21.58%), Magnox sludge (4.16%), Al/Al(OH)<sub>3</sub> (0%), U/UO<sub>2</sub>/U<sub>3</sub>O<sub>8</sub> (1.57%), MBGW (scrap, filters, cans, etc.) (0%), aggregate (limestone) (0%), water (72.19%), others (0.51%). Includes interstitial liquor and cover liquor. Total volume including cover liquor is 487 m<sup>3</sup>.

**Chemical state:** Neutral

**Chemical form of radionuclides:**  
H-3: Present in elemental and reacted forms.  
C-14: Present in elemental and reacted forms.  
Cl-36: Present in elemental and reacted forms.  
Se-79: Present in elemental and reacted forms.  
Tc-99: Present in elemental and reacted forms.  
I-129: Present in elemental and reacted forms.  
Ra: Present in elemental forms.  
Th: Present in elemental and reacted forms.  
U: Present in metallic and reacted forms (oxides and possibly hydride).  
Np: Present in elemental and reacted forms.  
Pu: Present in metallic and mixed oxide forms.

**Metals and alloys (%wt):** No significant quantities of sheet metal. The waste is predominantly Magnox metal.

**WASTE STREAM      2D35.4      MSSS Compartment 22**

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	~0.04	Mainly SS316 and SS304.	
Other ferrous metals.....	0	Carbon steels.	
Iron.....	NE		
Aluminium.....	0		
Beryllium.....	NE		
Cobalt.....	NE		
Copper.....	NE		
Lead.....	NE		
Magnox/Magnesium.....	~21.6	Predominantly Magnox.	
Nickel.....	NE		
Titanium.....	NE		
Uranium.....	~0.42		
Zinc.....	NE		
Zircaloy/Zirconium.....	~0.04		
Other metals.....	~0.05		
Organics (%wt):	No organic materials are present in the waste.		
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	0		
Paper, cotton.....			
Wood.....			
Halogenated plastics .....	0		
Total non-halogenated plastics.....	0		
Condensation polymers.....			
Others.....			
Organic ion exchange materials....	NE		
Total rubber.....	NE		
Halogenated rubber .....			
Non-halogenated rubber.....			
Hydrocarbons.....			
Oil or grease .....	0		
Fuel.....	NE		
Asphalt/Tarmac (cont.coal tar)...	NE		
Asphalt/Tarmac (no coal tar)....	NE		
Bitumen.....	NE		
Others.....	NE		
Other organics.....	0		

Other materials (%wt):      -

<b>WASTE STREAM</b>	<b>2D35.4</b>	<b>MSSS Compartment 22</b>
---------------------	---------------	----------------------------

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	NE		
Inorganic sludges and flocs.....	~5.3		
Soil.....	NE		
Brick/Stone/Rubble.....	0		
Cementitious material.....	NE		
Sand.....	NE		
Glass/Ceramics.....	~0.37		
Graphite.....	0		
Desiccants/Catalysts.....	NE		
Asbestos.....	NE		
Non/low friable.....			
Moderately friable.....			
Highly friable.....			
Free aqueous liquids.....	~72.2	Includes interstitial liquor and cover liquor. Total volume including cover liquor is 487 m3.	
Free non-aqueous liquids.....	NE		
Powder/Ash.....	NE		

Inorganic anions (%wt):            Inorganic anion content is low but not quantified. Hydroxide is also present.

	(%wt)	Type(s) and comment
Fluoride.....	TR	
Chloride.....	TR	
Iodide.....	TR	
Cyanide.....	NE	
Carbonate.....	TR	
Nitrate.....	TR	
Nitrite.....	TR	
Phosphate.....	TR	
Sulphate.....	TR	
Sulphide.....	TR	

Materials of interest for waste acceptance criteria:            Combustible metals are magnesium and uranium. Uranium hydride is unlikely to be present in the waste as all the fuel has been passivated by water.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	P	Trace, passivated.
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	

<b>WASTE STREAM</b>	<b>2D35.4</b>	<b>MSSS Compartment 22</b>
---------------------	---------------	----------------------------

Non-putrescible wastes.....	0	
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	P	<26%.
Higher activity particles.....	P	Radioactive sludges and solids.
Soluble solids as bulk chemical compounds.....	P	Hydroxides, chlorides and carbonates.

Hazardous substances /  
non hazardous pollutants: -

	(%wt)	Type(s) and comment
Acrylamide.....		
Benzene.....	0	
Chlorinated solvents.....		
Formaldehyde.....		
Organometallics.....		
Phenol.....	0	
Styrene.....		
Tri-butyl phosphate.....	0	
Other organophosphates.....		
Vinyl chloride.....	0	
Arsenic.....	0	
Barium.....		
Boron.....	NE	
Boron (in Boral).....		
Boron (non-Boral).....		
Cadmium.....	0	
Caesium.....		
Selenium.....	0	
Chromium.....	P	In steels.
Molybdenum.....	P	In steels.
Thallium.....		
Tin.....	0	
Vanadium.....	P	In steels.
Mercury compounds.....		
Others.....	NE	
Electronic Electrical Equipment (EEE)		
EEE Type 1.....		
EEE Type 2.....		
EEE Type 3.....		
EEE Type 4.....		
EEE Type 5.....		

**WASTE STREAM      2D35.4      MSSS Compartment 22**

Complexing agents (%wt):      Not yet determined

(%wt)      Type(s) and comment

EDTA.....

DPTA.....

NTA.....

Polycarboxylic acids.....

Other organic complexants.....

Total complexing agents.....      NE

Potential for the waste to contain discrete items:      Not yet determined.

**PACKAGING AND CONDITIONING**

Conditioning method:      The waste will be retrieved from MSSS and stored in an unconditioned state for a period of 70 years. Following the period of storage it will be retrieved (from storage) and conditioned for ultimate disposal to the GDF.

Plant Name:      TBD

Location:      Sellafield

Plant startup date:      2070-2090

Total capacity (m<sup>3</sup>/y incoming waste):      -

Target start date for packaging this stream:      -

Throughput for this stream (m<sup>3</sup>/y incoming waste):      -

Other information:      The plant has not yet been designed. Hence, throughputs & capacities cannot be quoted at this time.

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m <sup>3</sup> )	Payload (m <sup>3</sup> )	Number of packages
	Sellafield enhanced 3m <sup>3</sup> box	100.0	0.555	2.15	533

Likely container type comment:      1 skip of retrieved waste (max 1,400 litres) in = 1 package out.

Range in container waste volume:      There will be considerable variability in unconditioned waste volume per package due to variations in skip loading and content. The actual number of packages produced is identified in the Sellafield Decommissioning Product and Secondary Waste Plan.533 Boxes = 468 Boxes plus 65 from residuals

Other information on containers:      Stainless Steel.

Likely conditioning matrix:      BFS/OPC;PFA/OPC

Other information:      -

Conditioned density (t/m<sup>3</sup>):      ~2.0

Conditioned density comment:      Density of conditioned waste will be fairly uniform.

Other information on conditioning:      Waste matrix (as retrieved) will be in-filled with grout. A second pour of capping grout will be added. Void spaces between Skip wall and Box wall will be filled with grout.

Opportunities for alternative disposal routing:      No

<b>WASTE STREAM</b>	<b>2D35.4</b>	<b>MSSS Compartment 22</b>
---------------------	---------------	----------------------------

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

### RADIOACTIVITY

Source:	Irradiated fuel and fuel components.
Uncertainty:	Accuracy is based on decanning records arisings, retrievals, retipping records and fuel carry over evaluations.
Definition of total alpha and total beta/gamma:	FISPIN generates data for approximately 2500 radionuclides. Only a proportion of these are considered in the UK inventory for this waste stream.
Measurement of radioactivities:	Isotopic specific activity (TBq/m <sup>3</sup> ) is derived by dividing the estimated total activity of the isotope by the total volume of the waste.
Other information:	Short-lived daughters are included in the "other" beta/gamma activity.

**WASTE STREAM 2D35.4 MSSS Compartment 22**

Nuclide	Mean radioactivity, TBq/m <sup>3</sup>				Nuclide	Mean radioactivity, TBq/m <sup>3</sup>			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	2.71E-07	AB 2			Gd 153	1.55E-17	AB 2		
Be 10	4.93E-07	AB 2			Ho 163	1.68E-11	AB 2		
C 14	4.57E-03	AB 2			Ho 166m	1.92E-07	AB 2		
Na 22					Tm 170	5.54E-32	AB 2		
Al 26					Tm 171	1.15E-09	AB 2		
Cl 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40	1.94E-08	AB 2			Hf 182	3.16E-16	AB 2		
Ca 41	2.10E-04	AB 2			Pt 193				
Mn 53	5.28E-12	AB 2			Tl 204	6.62E-14	AB 2		
Mn 54					Pb 205				
Fe 55	1.62E-03	AB 2			Pb 210	2.34E-10	AB 2		
Co 60	1.53E-01	AB 2			Bi 208				
Ni 59	7.74E-03	AB 2			Bi 210m	3.61E-23	AB 2		
Ni 63	7.77E-01	AB 2			Po 210	2.25E-10	AB 2		
Zn 65					Ra 223	9.76E-09	AB 2		
Se 79	1.13E-05	AB 2			Ra 225	1.03E-11	AB 2		
Kr 81					Ra 226	7.87E-10	AB 2		
Kr 85	2.14E-01	AB 2			Ra 228				
Rb 87	3.85E-21	AB 2			Ac 227	3.85E-09	AB 2		
Sr 90	5.98E+00	AB 2			Th 227	3.78E-09	AB 2		
Zr 93	3.46E-04	AB 2			Th 228	3.95E-07	AB 2		
Nb 91					Th 229	1.03E-11	AB 2		
Nb 92	1.94E-15	AB 2			Th 230	9.76E-08	AB 2		
Nb 93m	2.68E-04	AB 2			Th 232	6.69E-14	AB 2		
Nb 94	2.61E-08	AB 2			Th 234	3.32E-04	AB 2		
Mo 93	4.93E-06	AB 2			Pa 231	8.01E-09	AB 2		
Tc 97					Pa 233	2.07E-05	AB 2		
Tc 99	2.89E-03	AB 2			U 232	3.85E-07	AB 2		
Ru 106	5.41E-08	AB 2			U 233	3.35E-09	AB 2		
Pd 107	2.62E-05	AB 2			U 234	2.91E-04	AB 2		
Ag 108m	4.26E-09	AB 2			U 235	7.20E-06	AB 2		
Ag 110m	7.80E-15	AB 2			U 236	3.89E-05	AB 2		
Cd 109	6.66E-16	AB 2			U 238	3.32E-04	AB 2		
Cd 113m	3.03E-14	AB 2			Np 237	2.07E-05	AB 2		
Sn 119m					Pu 236	2.13E-09	AB 2		
Sn 121m	1.90E-07	AB 2			Pu 238	9.63E-02	AB 2		
Sn 123					Pu 239	1.95E-01	AB 2		
Sn 126	1.83E-04	AB 2			Pu 240	2.51E-01	AB 2		
Sb 125	9.36E-04	AB 2			Pu 241	6.32E+00	AB 2		
Sb 126	2.56E-05	AB 2			Pu 242	2.20E-04	AB 2		
Te 125m	2.28E-04	AB 2			Am 241	8.01E-01	AB 2		
Te 127m					Am 242m	1.41E-03	AB 2		
I 129	6.82E-06	AB 2			Am 243	5.27E-04	AB 2		
Cs 134	1.97E-04	AB 2			Cm 242	1.17E-03	AB 2		
Cs 135	1.49E-04	AB 2			Cm 243	2.72E-04	AB 2		
Cs 137	9.76E+00	AB 2			Cm 244	4.43E-03	AB 2		
Ba 133	2.75E-10	AB 2			Cm 245	3.82E-07	AB 2		
La 137					Cm 246	3.24E-08	AB 2		
La 138	2.23E-14	AB 2			Cm 248				
Ce 144	2.04E-10	AB 2			Cf 249	3.24E-14	AB 2		
Pm 145					Cf 250	2.32E-14	AB 2		
Pm 147	1.04E-02	AB 2			Cf 251	3.27E-16	AB 2		
Sm 147					Cf 252	7.91E-18	AB 2		
Sm 151	6.89E-02	AB 2			Other a	1.96E-01			
Eu 152	4.86E-04	AB 2			Other b/g	1.52E+01			
Eu 154	4.83E-02	AB 2			<b>Total a</b>	<b>1.55E+00</b>	<b>AB 2</b>	<b>0</b>	
Eu 155	5.41E-03	AB 2			<b>Total b/g</b>	<b>3.86E+01</b>	<b>AB 2</b>	<b>0</b>	

**Bands (Upper and Lower)**

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

**Code**

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity