

WASTE STREAM 2D95.4 Decanner Settling Tank Sludge

| | | | |
|---|---|-------------------------------------|-------------------------|
| SITE | Sellafield | | |
| SITE OWNER | Nuclear Decommissioning Authority | | |
| WASTE CUSTODIAN | Sellafield Limited | | |
| WASTE TYPE | ILW | | |
| Is the waste subject to Scottish Policy: | No | | |
| WASTE VOLUMES | Reported | | |
| Stocks: | At 1.4.2022..... | 35.0 m ³ | |
| Total future arisings: | | 0 m ³ | |
| Total waste volume: | | 35.0 m ³ | |
| Comment on volumes: | The pond is no longer an operational plant. The pond sludge volumes are only estimates based on crude sludge depth measurements taken at a number of points across the pond. No routine measurements of the sludge are taken. | | |
| Uncertainty factors on volumes: | Stock (upper): x 1.3 | Arisings (upper) x | |
| | Stock (lower): x 0.7 | Arisings (lower) x | |
| WASTE SOURCE | The waste originates as sludge from the corrosion of Magnox cladding. | | |
| PHYSICAL CHARACTERISTICS | | | |
| General description: | Magnesium hydroxide sludge, containing quantities of corroded uranium. No items require special handling. | | |
| Physical components (%vol): | Sludge (100%). | | |
| Sealed sources: | Not yet determined. | | |
| Bulk density (t/m ³): | 1.5 | | |
| Comment on density: | The density has been estimated as: 1.5 t/m ³ wet, 2.5 t/m ³ dry solid. | | |
| CHEMICAL COMPOSITION | | | |
| General description and components (%wt): | Magnesium hydroxide with quantities of uranium. | | |
| Chemical state: | Alkali | | |
| Chemical form of radionuclides: | Ra: Present in less than trace amounts in fuel. U: Present in metallic and reacted forms (oxides and possibly hydride). Pu: Present in metallic and mixed oxide forms. | | |
| Metals and alloys (%wt): | Metal only present as small particles. | | |
| | (%wt) | Type(s) / Grade(s) with proportions | % of total C14 activity |
| Stainless steel..... | 0 | | |
| Other ferrous metals..... | 0 | | |
| Iron..... | | | |
| Aluminium..... | | | |
| Beryllium..... | | | |
| Cobalt..... | 0 | | |
| Copper..... | | | |
| Lead..... | 0 | | |
| Magnox/Magnesium..... | P | | |
| Nickel..... | | | |
| Titanium..... | | | |
| Uranium..... | P | | |

WASTE STREAM 2D95.4 Decanner Settling Tank Sludge

Zinc..... 0
 Zircaloy/Zirconium..... 0
 Other metals.....

Organics (%wt): Organic materials are unlikely to be present.

| | (%wt) | Type(s) and comment | % of total C14 activity |
|------------------------------------|-------|---------------------|-------------------------|
| Total cellulosics..... | 0 | | |
| Paper, cotton..... | 0 | | |
| Wood..... | 0 | | |
| Halogenated plastics | 0 | | |
| Total non-halogenated plastics.... | 0 | | |
| Condensation polymers..... | 0 | | |
| Others..... | 0 | | |
| Organic ion exchange materials.... | 0 | | |
| Total rubber..... | 0 | | |
| Halogenated rubber | 0 | | |
| Non-halogenated rubber..... | 0 | | |
| Hydrocarbons..... | | | |
| Oil or grease | | | |
| Fuel..... | | | |
| Asphalt/Tarmac (cont.coal tar)... | | | |
| Asphalt/Tarmac (no coal tar).... | | | |
| Bitumen..... | | | |
| Others..... | | | |
| Other organics..... | 0 | | |

Other materials (%wt): -

| | (%wt) | Type(s) and comment | % of total C14 activity |
|------------------------------------|-------|---------------------|-------------------------|
| Inorganic ion exchange materials.. | 0 | | |
| Inorganic sludges and flocs..... | 100.0 | | |
| Soil..... | 0 | | |
| Brick/Stone/Rubble..... | 0 | | |
| Cementitious material..... | TR | | |
| Sand..... | TR | | |
| Glass/Ceramics..... | | | |
| Graphite..... | 0 | | |
| Desiccants/Catalysts..... | | | |
| Asbestos..... | 0 | | |
| Non/low friable..... | | | |
| Moderately friable..... | | | |
| Highly friable..... | | | |
| Free aqueous liquids..... | NE | | |
| Free non-aqueous liquids..... | 0 | | |

WASTE STREAM 2D95.4 Decanner Settling Tank Sludge

Powder/Ash.....

Inorganic anions (%wt): Magnesium hydroxide is present.

| | (%wt) | Type(s) and comment |
|----------------|-------|---------------------|
| Fluoride..... | TR | |
| Chloride..... | TR | |
| Iodide..... | TR | |
| Cyanide..... | | |
| Carbonate..... | TR | |
| Nitrate..... | TR | |
| Nitrite..... | | |
| Phosphate..... | TR | |
| Sulphate..... | TR | |
| Sulphide..... | TR | |

Materials of interest for waste acceptance criteria: There are no hazardous materials in the waste except for possible traces of uranium hydride. Uranium and Magnox corrosion evolves hydrogen at slow rates in pond water.

| | (%wt) | Type(s) and comment |
|--|-------|---------------------|
| Combustible metals..... | 0 | |
| Low flash point liquids..... | 0 | |
| Explosive materials..... | 0 | |
| Phosphorus..... | 0 | |
| Hydrides..... | | |
| Biological etc. materials..... | 0 | |
| Biodegradable materials..... | 0 | |
| Putrescible wastes..... | 0 | |
| Non-putrescible wastes..... | 0 | |
| Corrosive materials..... | 0 | |
| Pyrophoric materials..... | 0 | |
| Generating toxic gases..... | 0 | |
| Reacting with water..... | 0 | |
| Higher activity particles..... | NE | |
| Soluble solids as bulk chemical compounds..... | NE | |

Hazardous substances / -
non hazardous pollutants:

| | (%wt) | Type(s) and comment |
|---------------------------|-------|---------------------|
| Acrylamide..... | | |
| Benzene..... | NE | |
| Chlorinated solvents..... | | |
| Formaldehyde..... | | |
| Organometallics..... | | |
| Phenol..... | NE | |
| Styrene..... | | |

WASTE STREAM 2D95.4 Decanner Settling Tank Sludge

| | |
|---------------------------------------|----|
| Tri-butyl phosphate..... | NE |
| Other organophosphates..... | |
| Vinyl chloride..... | NE |
| Arsenic..... | NE |
| Barium..... | |
| Boron..... | NE |
| Boron (in Boral)..... | |
| Boron (non-Boral)..... | |
| Cadmium..... | NE |
| Caesium..... | |
| Selenium..... | NE |
| Chromium..... | NE |
| Molybdenum..... | NE |
| Thallium..... | |
| Tin..... | NE |
| Vanadium..... | NE |
| Mercury compounds..... | |
| Others..... | NE |
| Electronic Electrical Equipment (EEE) | |
| EEE Type 1..... | |
| EEE Type 2..... | |
| EEE Type 3..... | |
| EEE Type 4..... | |
| EEE Type 5..... | |

Complexing agents (%wt): No

| | (%wt) | Type(s) and comment |
|--------------------------------|-------|-------------------------|
| EDTA..... | | |
| DPTA..... | | |
| NTA..... | | |
| Polycarboxylic acids..... | | |
| Other organic complexants..... | | Unlikely to be present. |
| Total complexing agents..... | 0 | |

Potential for the waste to No.
contain discrete items:

PACKAGING AND CONDITIONING

| | |
|---|---|
| Conditioning method: | No conditioning route identified due to presence of oil/grease. |
| Plant Name: | Not identified. |
| Location: | Sellafield |
| Plant startup date: | - |
| Total capacity (m ³ /y incoming waste): | - |
| Target start date for packaging this stream: | - |

WASTE STREAM 2D95.4 Decanner Settling Tank Sludge

Throughput for this stream
(m³/y incoming waste):

Other information:

| Likely container type: | Container | Waste packaged (%vol) | Waste loading (m ³) | Payload (m ³) | Number of packages |
|------------------------|------------|-----------------------|---------------------------------|---------------------------|--------------------|
| | 500 l drum | 100.0 | ~0.149 | 0.472 | 235 |

Likely container type
comment:

Range in container waste
volume:

Other information on
containers:

Likely conditioning matrix:

Other information:

Conditioned density (t/m³):

Conditioned density
comment:

Other information on
conditioning:

Opportunities for alternative
disposal routing:

Packaging plans are being developed.

Stainless Steel

Not specified

-

NE

-

-

Not yet determined

| Baseline Management Route | Opportunity Management Route | Stream volume (%) | Estimated Date that Opportunity will be realised | Opportunity Confidence | Comment |
|---------------------------|------------------------------|-------------------|--|------------------------|---------|
| - | - | - | - | - | - |

RADIOACTIVITY

Source:

The main source of activity is mixed fission products, uranium and plutonium.

Uncertainty:

The accuracy of activity for some sludges is fairly good as they have been sampled. From the best available data an overall average has been derived.

Definition of total alpha
and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of
radioactivities:

-

Other information:

-

WASTE STREAM 2D95.4 Decanner Settling Tank Sludge

| Nuclide | Mean radioactivity, TBq/m³ | | | Nuclide | Mean radioactivity, TBq/m³ | | |
|---------|----------------------------|-------------------|--------------------|-----------|----------------------------|-------------------|--------------------|
| | Waste at 1.4.2022 | Bands and Code | Future arisings | | Waste at 1.4.2022 | Bands and Code | Future arisings |
| H 3 | | | | Gd 153 | | | |
| Be 10 | | | | Ho 163 | | | |
| C 14 | | | | Ho 166m | | | |
| Na 22 | | | | Tm 170 | | | |
| Al 26 | | | | Tm 171 | | | |
| Cl 36 | 1.04E-04 | BB 2 | | Lu 174 | | | |
| Ar 39 | | | | Lu 176 | | | |
| Ar 42 | | | | Hf 178n | | | |
| K 40 | | | | Hf 182 | | | |
| Ca 41 | | | | Pt 193 | | | |
| Mn 53 | | | | Tl 204 | | | |
| Mn 54 | | | | Pb 205 | | | |
| Fe 55 | | | | Pb 210 | 1.46E-10 | BB 2 | |
| Co 60 | 2.92E-04 | A 3 | | Bi 208 | | | |
| Ni 59 | | | | Bi 210m | | | |
| Ni 63 | | | | Po 210 | 1.36E-10 | BB 2 | |
| Zn 65 | | | | Ra 223 | 3.10E-09 | BB 2 | |
| Se 79 | 1.72E-05 | BB 2 | | Ra 225 | 3.52E-13 | BB 2 | |
| Kr 81 | | | | Ra 226 | 7.94E-10 | BB 2 | |
| Kr 85 | | | | Ra 228 | | | |
| Rb 87 | | | | Ac 227 | 3.13E-09 | BB | |
| Sr 90 | 1.02E+01 | BB 2 | | Th 227 | 3.07E-09 | BB 2 | |
| Zr 93 | 8.00E-04 | BB 2 | | Th 228 | | | |
| Nb 91 | | | | Th 229 | 3.55E-13 | BB 2 | |
| Nb 92 | | | | Th 230 | 1.76E-07 | BB 2 | |
| Nb 93m | 4.68E-04 | BB 2 | | Th 232 | 1.90E-16 | BB 2 | |
| Nb 94 | 5.00E-07 | BB 2 | | Th 234 | 1.00E-03 | BB 2 | |
| Mo 93 | | | | Pa 231 | 1.16E-08 | BB 2 | |
| Tc 97 | | | | Pa 233 | 1.24E-05 | BB 2 | |
| Tc 99 | 1.30E-02 | A 3 | | U 232 | | | |
| Ru 106 | 5.84E-10 | A 3 | | U 233 | 5.49E-10 | BB 2 | |
| Pd 107 | | | | U 234 | 9.20E-04 | BB 2 | |
| Ag 108m | | | | U 235 | 2.60E-05 | BB 2 | |
| Ag 110m | | | | U 236 | 3.67E-07 | BB 2 | |
| Cd 109 | | | | U 238 | 1.00E-03 | BB 2 | |
| Cd 113m | | | | Np 237 | 1.25E-05 | BB 2 | |
| Sn 119m | | | | Pu 236 | | | |
| Sn 121m | | | | Pu 238 | 3.12E-01 | BB 2 | |
| Sn 123 | | | | Pu 239 | 4.70E-01 | BB 2 | |
| Sn 126 | 1.30E-04 | BB 2 | | Pu 240 | 5.89E-01 | BB 2 | |
| Sb 125 | | | | Pu 241 | 6.66E+00 | BB 2 | |
| Sb 126 | 1.83E-05 | BB 2 | | Pu 242 | | | |
| Te 125m | | | | Am 241 | 1.97E+00 | BB 2 | |
| Te 127m | | | | Am 242m | | | |
| I 129 | 1.00E-05 | BB 2 | | Am 243 | | | |
| Cs 134 | 1.96E-06 | BB 2 | | Cm 242 | | | |
| Cs 135 | 7.00E-05 | BB 2 | | Cm 243 | | | |
| Cs 137 | 2.87E+00 | BB 2 | | Cm 244 | | | |
| Ba 133 | | | | Cm 245 | | | |
| La 137 | | | | Cm 246 | | | |
| La 138 | | | | Cm 248 | | | |
| Ce 144 | 1.22E-12 | A 3 | | Cf 249 | | | |
| Pm 145 | | | | Cf 250 | | | |
| Pm 147 | | | | Cf 251 | | | |
| Sm 147 | | | | Cf 252 | | | |
| Sm 151 | | | | Other a | 1.20E-01 | BB 2 | |
| Eu 152 | 6.21E-03 | A 3 | | Other b/g | 2.06E-19 | BB 2 | |
| Eu 154 | 2.78E-02 | A 3 | | Total a | 3.46E+00 | BB 2 | 0 |
| Eu 155 | 2.83E-03 | A 3 | | Total b/g | 1.98E+01 | BB 2 | 0 |

Bands (Upper and Lower)

A a factor of 1.5

B a factor of 3

C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

1 Measured activity

2 Derived activity (best estimate)

3 Derived activity (upper limit)

4 Not present

5 Present but not significant

6 Likely to be present but not assessed

7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity