

**WASTE STREAM      2D95.5      Sludge in SPP1 Buffer**

|   |   |  |                         |
|---|---|--|-------------------------|
| <b>SITE</b>                               | Sellafield  |  |                         |
| <b>SITE OWNER</b>                         | Nuclear Decommissioning Authority   |  |                         |
| <b>WASTE CUSTODIAN</b>                    | Sellafield Limited  |  |                         |
| <b>WASTE TYPE</b>                         | ILW   |  |                         |
| Is the waste subject to Scottish Policy:  | No  |  |                         |
| <b>WASTE VOLUMES</b>                      | Reported  |  |                         |
| Stocks:                                   | At 1.4.2022.....  | 193.1 m <sup>3</sup>                     |                         |
| Total future arisings:                    |   | 0 m <sup>3</sup>                         |                         |
| Total waste volume:                       |   | 193.1 m <sup>3</sup>                     |                         |
| Comment on volumes:                       | Arisings will occur as the sludge is being pumped across from the main pond to SPP1. SPP1 volumes are estimates based on the main pond sludge volumes which are only estimates based on crude sludge depth measurements taken at a number of points across the pond. When we start to have 'enough' sludge in SPP1 the ultrasonic device and future sonar devices will provide a more accurate means of estimating sludge volume within SPP1. |  |                         |
| Uncertainty factors on volumes:           | Stock (upper): x 1.3<br>Stock (lower): x 0.7  | Arisings (upper) x<br>Arisings (lower) x |                         |
| <b>WASTE SOURCE</b>                       | The waste originates as sludge from the corrosion of Magnox cladding.   |  |                         |
| <b>PHYSICAL CHARACTERISTICS</b>           |   |  |                         |
| General description:                      | Magnesium hydroxide sludge, containing quantities of corroded uranium. No items require special handling.   |  |                         |
| Physical components (%vol):               | Sludge (100%).  |  |                         |
| Sealed sources:                           | Not yet determined.   |  |                         |
| Bulk density (t/m <sup>3</sup> ):         | 1.5   |  |                         |
| Comment on density:                       | The density has been estimated as: 1.5 t/m <sup>3</sup> wet, 2.5 t/m <sup>3</sup> dry solid.  |  |                         |
| <b>CHEMICAL COMPOSITION</b>               |   |  |                         |
| General description and components (%wt): | Magnesium hydroxide with quantities of uranium.   |  |                         |
| Chemical state:                           | Alkali  |  |                         |
| Chemical form of radionuclides:           | Ra: Present in less than trace amounts in fuel.<br>U: Present in metallic and reacted forms (oxides and possibly hydride).<br>Pu: Present in metallic and mixed oxide forms.  |  |                         |
| Metals and alloys (%wt):                  | Metal only present as small particles.  |  |                         |
|   | (%wt)   | Type(s) / Grade(s) with proportions      | % of total C14 activity |
| Stainless steel.....                      | 0   |  |                         |
| Other ferrous metals.....                 | 0   |  |                         |
| Iron.....                                 |   |  |                         |
| Aluminium.....                            |   |  |                         |
| Beryllium.....                            |   |  |                         |
| Cobalt.....                               | 0   |  |                         |
| Copper.....                               |   |  |                         |
| Lead.....                                 | 0   |  |                         |
| Magnox/Magnesium.....                     | P   |  |                         |
| Nickel.....                               |   |  |                         |

## **WASTE STREAM      2D95.5      Sludge in SPP1 Buffer**

## Titanium.....

Uranium..... P

Zinc..... 0

Zircaloy/Zirconium..... 0

Other metals Uranium

Organics (%wt):                      Organic materials are unlikely to be present.

|                                    | (%wt) | Type(s) and comment | % of total C14 activity |
|------------------------------------|-------|---------------------|-------------------------|
| Total cellulosics.....             | 0     |                     |                         |
| Paper, cotton.....                 | 0     |                     |                         |
| Wood.....                          | 0     |                     |                         |
| Halogenated plastics .....         | 0     |                     |                         |
| Total non-halogenated plastics.... | 0     |                     |                         |
| Condensation polymers.....         | 0     |                     |                         |
| Others.....                        | 0     |                     |                         |
| Organic ion exchange materials.... | 0     |                     |                         |
| Total rubber.....                  | 0     |                     |                         |
| Halogenated rubber .....           | 0     |                     |                         |
| Non-halogenated rubber.....        | 0     |                     |                         |
| Hydrocarbons.....                  |       |                     |                         |
| Oil or grease .....                |       |                     |                         |
| Fuel.....                          |       |                     |                         |
| Asphalt/Tarmac (cont.coal tar)...  |       |                     |                         |
| Asphalt/Tarmac (no coal tar).....  |       |                     |                         |
| Bitumen.....                       |       |                     |                         |
| Others.....                        |       |                     |                         |
| Other organics.....                | 0     |                     |                         |

Other materials (%wt):

|                                    | (%wt) | Type(s) and comment | % of total C14 activity |
|------------------------------------|-------|---------------------|-------------------------|
| Inorganic ion exchange materials.. | 0     |                     |                         |
| Inorganic sludges and flocs.....   | 100.0 |                     |                         |
| Soil.....                          | 0     |                     |                         |
| Brick/Stone/Rubble.....            | 0     |                     |                         |
| Cementitious material.....         | TR    |                     |                         |
| Sand.....                          | TR    |                     |                         |
| Glass/Ceramics.....                |       |                     |                         |
| Graphite.....                      | 0     |                     |                         |
| Desiccants/Catalysts.....          |       |                     |                         |
| Asbestos.....                      | 0     |                     |                         |
| Non/low friable.....               |       |                     |                         |
| Moderately friable.....            |       |                     |                         |
| Highly friable.....                |       |                     |                         |

**WASTE STREAM      2D95.5      Sludge in SPP1 Buffer**

Free aqueous liquids..... NE

Free non-aqueous liquids..... 0

Powder/Ash.....

Inorganic anions (%wt):      Magnesium hydroxide is present.

(%wt)      Type(s) and comment

Fluoride..... TR

Chloride..... TR

Iodide..... TR

Cyanide.....

Carbonate..... TR

Nitrate..... TR

Nitrite.....

Phosphate..... TR

Sulphate..... TR

Sulphide..... TR

Materials of interest for waste acceptance criteria:      There are no hazardous materials in the waste except for possible traces of uranium hydride. Uranium and Magnox corrosion evolves hydrogen at slow rates in pond water.

(%wt)      Type(s) and comment

Combustible metals..... 0

Low flash point liquids..... 0

Explosive materials..... 0

Phosphorus..... 0

Hydrides.....

Biological etc. materials..... 0

Biodegradable materials..... 0

Putrescible wastes..... 0

Non-putrescible wastes.....

Corrosive materials..... 0

Pyrophoric materials..... 0

Generating toxic gases..... 0

Reacting with water..... 0

Higher activity particles..... NE

Soluble solids as bulk chemical compounds..... NE

Hazardous substances / non hazardous pollutants: -

(%wt)      Type(s) and comment

Acrylamide.....

Benzene..... NE

Chlorinated solvents.....

Formaldehyde.....

Organometallics.....

**WASTE STREAM      2D95.5      Sludge in SPP1 Buffer**

|                             |    |
|-----------------------------|----|
| Phenol.....                 | NE |
| Styrene.....                |    |
| Tri-butyl phosphate.....    | NE |
| Other organophosphates..... |    |
| Vinyl chloride.....         | NE |
| Arsenic.....                | NE |
| Barium.....                 |    |
| Boron.....                  | NE |
| Boron (in Boral).....       |    |
| Boron (non-Boral).....      |    |
| Cadmium.....                | NE |
| Caesium.....                |    |
| Selenium.....               | NE |
| Chromium.....               | NE |
| Molybdenum.....             | NE |
| Thallium.....               |    |
| Tin.....                    | NE |
| Vanadium.....               | NE |
| Mercury compounds.....      |    |
| Others.....                 | NE |

**Electronic Electrical Equipment (EEE)**

|                 |  |
|-----------------|--|
| EEE Type 1..... |  |
| EEE Type 2..... |  |
| EEE Type 3..... |  |
| EEE Type 4..... |  |
| EEE Type 5..... |  |

Complexing agents (%wt):      Not yet determined

|                                | (%wt) | Type(s) and comment     |
|--------------------------------|-------|-------------------------|
| EDTA.....                      |       |                         |
| DPTA.....                      |       |                         |
| NTA.....                       |       |                         |
| Polycarboxylic acids.....      |       |                         |
| Other organic complexants..... |       | Unlikely to be present. |
| Total complexing agents.....   | 0     |                         |

Potential for the waste to      No.  
contain discrete items:

**PACKAGING AND CONDITIONING**

|                      |   |
|----------------------|---|
| Conditioning method: | The waste will be transported to SPP1 buffer and then exported to WEP for final conditioning via the Sludge handling and Export Plant (SHEP). |
| Plant Name:          | Sludge Packaging Plant 1  |
| Location:            | Sellafield  |
| Plant startup date:  | April 2016 (for buffer storage) / April 2029 Sludge Handling & Export Plant (SHEP)  |

**WASTE STREAM**

2D95.5

**Sludge in SPP1 Buffer**

Total capacity  
(m<sup>3</sup>/y incoming waste):

Target start date for  
packaging this stream:

Throughput for this stream  
(m<sup>3</sup>/y incoming waste):

Other information:  
The waste will be stored in the Sludge Packaging Plant buffer store until the treatment plant is available.

Likely container  
type:

| Container  | Waste<br>packaged<br>(%vol) | Waste<br>loading (m <sup>3</sup> ) | Payload<br>(m <sup>3</sup> ) | Number of<br>packages |
|------------|-----------------------------|------------------------------------|------------------------------|-----------------------|
| 500 l drum | 100.0                       | 0.149                              | 0.472                        | 1296                  |

Likely container type  
comment:

Range in container waste  
volume:

Other information on  
containers:

Likely conditioning matrix:

Not specified

Other information:

-

Conditioned density (t/m<sup>3</sup>):

NE

Conditioned density  
comment:

-

Other information on  
conditioning:

-

Opportunities for alternative  
disposal routing:

| Baseline<br>Management Route | Opportunity<br>Management Route | Stream<br>volume (%) | Estimated<br>Date that<br>Opportunity<br>will be realised | Opportunity<br>Confidence | Comment |
|------------------------------|---------------------------------|----------------------|---|---------------------------|---------|
| -                            | -                               | -                    | -   | -                         | -       |

**RADIOACTIVITY**

Source:

The main source of activity is mixed fission products, uranium and plutonium.

Uncertainty:

The accuracy of activity for some sludges is fairly good as they have been sampled. From the best available data an overall average has been derived.

Definition of total alpha  
and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of  
radioactivities:

-

Other information:

-

**WASTE STREAM      2D95.5      Sludge in SPP1 Buffer**

| Nuclide | Mean radioactivity, TBq/m³ |                   |                    |                   | Nuclide   | Mean radioactivity, TBq/m³ |                   |                    |                   |
|---------|----------------------------|-------------------|--------------------|-------------------|-----------|----------------------------|-------------------|--------------------|-------------------|
|         | Waste at<br>1.4.2022       | Bands and<br>Code | Future<br>arisings | Bands and<br>Code |           | Waste at<br>1.4.2022       | Bands and<br>Code | Future<br>arisings | Bands and<br>Code |
| H 3     |                            |                   |                    |                   | Gd 153    |                            |                   |                    |                   |
| Be 10   |                            |                   |                    |                   | Ho 163    |                            |                   |                    |                   |
| C 14    |                            |                   |                    |                   | Ho 166m   |                            |                   |                    |                   |
| Na 22   |                            |                   |                    |                   | Tm 170    |                            |                   |                    |                   |
| Al 26   |                            |                   |                    |                   | Tm 171    |                            |                   |                    |                   |
| Cl 36   | 1.04E-04                   | BB 2              |                    |                   | Lu 174    |                            |                   |                    |                   |
| Ar 39   |                            |                   |                    |                   | Lu 176    |                            |                   |                    |                   |
| Ar 42   |                            |                   |                    |                   | Hf 178n   |                            |                   |                    |                   |
| K 40    |                            |                   |                    |                   | Hf 182    |                            |                   |                    |                   |
| Ca 41   |                            |                   |                    |                   | Pt 193    |                            |                   |                    |                   |
| Mn 53   |                            |                   |                    |                   | Tl 204    |                            |                   |                    |                   |
| Mn 54   |                            |                   |                    |                   | Pb 205    |                            |                   |                    |                   |
| Fe 55   |                            |                   |                    |                   | Pb 210    | 1.46E-10                   | BB 2              |                    |                   |
| Co 60   | 2.92E-04                   | A 3               |                    |                   | Bi 208    |                            |                   |                    |                   |
| Ni 59   |                            |                   |                    |                   | Bi 210m   |                            |                   |                    |                   |
| Ni 63   |                            |                   |                    |                   | Po 210    | 1.36E-10                   | BB 2              |                    |                   |
| Zn 65   |                            |                   |                    |                   | Ra 223    | 3.10E-09                   | BB 2              |                    |                   |
| Se 79   | 1.72E-05                   | BB 2              |                    |                   | Ra 225    | 3.52E-13                   | BB 2              |                    |                   |
| Kr 81   |                            |                   |                    |                   | Ra 226    | 7.94E-10                   | BB 2              |                    |                   |
| Kr 85   |                            |                   |                    |                   | Ra 228    |                            |                   |                    |                   |
| Rb 87   |                            |                   |                    |                   | Ac 227    | 3.13E-09                   | BB                |                    |                   |
| Sr 90   | 1.02E+01                   | BB 2              |                    |                   | Th 227    | 3.07E-09                   | BB 2              |                    |                   |
| Zr 93   | 8.00E-04                   | BB 2              |                    |                   | Th 228    |                            |                   |                    |                   |
| Nb 91   |                            |                   |                    |                   | Th 229    | 3.55E-13                   | BB 2              |                    |                   |
| Nb 92   |                            |                   |                    |                   | Th 230    | 1.76E-07                   | BB 2              |                    |                   |
| Nb 93m  | 4.68E-04                   | BB 2              |                    |                   | Th 232    | 1.90E-16                   | BB 2              |                    |                   |
| Nb 94   | 5.00E-07                   | BB 2              |                    |                   | Th 234    | 1.00E-03                   | BB 2              |                    |                   |
| Mo 93   |                            |                   |                    |                   | Pa 231    | 1.16E-08                   | BB 2              |                    |                   |
| Tc 97   |                            |                   |                    |                   | Pa 233    | 1.24E-05                   | BB 2              |                    |                   |
| Tc 99   | 1.30E-02                   | A 3               |                    |                   | U 232     |                            |                   |                    |                   |
| Ru 106  | 5.84E-10                   | A 3               |                    |                   | U 233     | 5.49E-10                   | BB 2              |                    |                   |
| Pd 107  |                            |                   |                    |                   | U 234     | 9.20E-04                   | BB 2              |                    |                   |
| Ag 108m |                            |                   |                    |                   | U 235     | 2.60E-05                   | BB 2              |                    |                   |
| Ag 110m |                            |                   |                    |                   | U 236     | 3.67E-07                   | BB 2              |                    |                   |
| Cd 109  |                            |                   |                    |                   | U 238     | 1.00E-03                   | BB 2              |                    |                   |
| Cd 113m |                            |                   |                    |                   | Np 237    | 1.25E-05                   | BB 2              |                    |                   |
| Sn 119m |                            |                   |                    |                   | Pu 236    |                            |                   |                    |                   |
| Sn 121m |                            |                   |                    |                   | Pu 238    | 3.12E-01                   | BB 2              |                    |                   |
| Sn 123  |                            |                   |                    |                   | Pu 239    | 4.70E-01                   | BB 2              |                    |                   |
| Sn 126  | 1.30E-04                   | BB 2              |                    |                   | Pu 240    | 5.89E-01                   | BB 2              |                    |                   |
| Sb 125  |                            |                   |                    |                   | Pu 241    | 6.66E+00                   | BB 2              |                    |                   |
| Sb 126  | 1.83E-05                   | BB 2              |                    |                   | Pu 242    |                            |                   |                    |                   |
| Te 125m |                            |                   |                    |                   | Am 241    | 1.97E+00                   | BB 2              |                    |                   |
| Te 127m |                            |                   |                    |                   | Am 242m   |                            |                   |                    |                   |
| I 129   | 1.00E-05                   | BB 2              |                    |                   | Am 243    |                            |                   |                    |                   |
| Cs 134  | 1.96E-06                   | BB 2              |                    |                   | Cm 242    |                            |                   |                    |                   |
| Cs 135  | 7.00E-05                   | BB 2              |                    |                   | Cm 243    |                            |                   |                    |                   |
| Cs 137  | 2.87E+00                   | BB 2              |                    |                   | Cm 244    |                            |                   |                    |                   |
| Ba 133  |                            |                   |                    |                   | Cm 245    |                            |                   |                    |                   |
| La 137  |                            |                   |                    |                   | Cm 246    |                            |                   |                    |                   |
| La 138  |                            |                   |                    |                   | Cm 248    |                            |                   |                    |                   |
| Ce 144  | 1.22E-12                   | A 3               |                    |                   | Cf 249    |                            |                   |                    |                   |
| Pm 145  |                            |                   |                    |                   | Cf 250    |                            |                   |                    |                   |
| Pm 147  |                            |                   |                    |                   | Cf 251    |                            |                   |                    |                   |
| Sm 147  |                            |                   |                    |                   | Cf 252    |                            |                   |                    |                   |
| Sm 151  |                            |                   |                    |                   | Other a   | 1.20E-01                   | BB 2              |                    |                   |
| Eu 152  | 6.21E-03                   | A 3               |                    |                   | Other b/g | 2.06E-19                   | BB 2              |                    |                   |
| Eu 154  | 2.78E-02                   | A 3               |                    |                   | Total a   | 3.46E+00                   | BB 2              | 0                  |                   |
| Eu 155  | 2.83E-03                   | A 3               |                    |                   | Total b/g | 1.98E+01                   | BB 2              | 0                  |                   |

**Bands (Upper and Lower)**

A a factor of 1.5

B a factor of 3

C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

**Code**

1 Measured activity

2 Derived activity (best estimate)

3 Derived activity (upper limit)

4 Not present

5 Present but not significant

6 Likely to be present but not assessed

7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity