

WASTE STREAM**2E15****Drummed Waste for Disposal at LLW Repository**

SITE Springfield
SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Springfield Fuels Limited

WASTE TYPE LLW

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	~2.0m ³
Future arisings -	1.4.2022 - 31.3.2025.....	<5.0m ³
	1.4.2025 - 31.3.2030.....	<10.0m ³
Total future arisings:		15.0m ³
Total waste volume:		17.0m ³

Comment on volumes: This stream covers existing legacy materials and there are expected to be limited arisings in this category. No LLW has been disposed of at LLWR since 2007. SFL minimise disposals of LLW by pursuing alternative processing routes. However future arisings unsuitable for decontamination may require disposal as LLW. The stock volumes within this waste stream have reduced since the 2010 inventory due to the work done in re-evaluating material against the new disposal authorisation at Clifton Marsh Landfill Site (CMLFS). There are a small number of drums that, after assessment, will still need to take advantage of this route.

Uncertainty factors on volumes:

Stock (upper):	x 2.0	Arisings (upper)	x 10.0
Stock (lower):	x 0.1	Arisings (lower)	x 0.1

WASTE SOURCE Made up of items including: rubble and Building type wastes, some inert process wastes . Some of the uranium is enriched, estimated average ~ 3% U235; contaminated with mainly uranium oxides.

PHYSICAL CHARACTERISTICS

General description: The waste is comprised of inert materials - plastic, glassware/ceramic, asbestos, rubble and building waste in addition to the radioactive contaminant. The waste has not undergone any change since it was generated.

Physical components (%wt): Asbestos (50%), ceramic/glass (1%), plastic (5%) Rubble (44%) and radioactive contaminant (5%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1.25

Comment on density: The density is that of the drummed waste in storage and is based on nuclear material inventory data and the type of containment.

CHEMICAL COMPOSITION

General description and components (%wt): Asbestos (50%), ceramic/glass (1%), plastic (5%) Rubble (44%) and radioactive contaminant (5%).

Chemical state: Neutral

Chemical form of radionuclides:
H-3: Not expected to be present.
C-14: Not expected to be present.
Cl-36: Not expected to be present.
Se-79: Not expected to be present.
Tc-99: Not expected to be present.
I-129: Not expected to be present.
Ra: Not expected to be present.
Th: Not expected to be present.
U: Oxides of uranium.
Np: Not expected to be present.
Pu: Not expected to be present.

Metals and alloys (%wt): There is the potential that the 200 litre metal drum in which the waste is currently stored may become part of the waste stream. However, this is not currently accounted for in the composition.

WASTE STREAM

2E15

Drummed Waste for Disposal at LLW Repository

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	0		
Other ferrous metals.....	0		
Iron.....	0		
Aluminium.....	0		
Beryllium.....	0		
Cobalt.....	0		
Copper.....	0		
Lead.....	0		
Magnox/Magnesium.....	0		
Nickel.....	0		
Titanium.....	0		
Uranium.....	<1.0		
Zinc.....	0		
Zircaloy/Zirconium.....	0		
Other metals.....	0		
Organics (%wt):	-		
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	0		
Total non-halogenated plastics.....	<5.0		
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	0		
Total rubber.....	0		
Halogenated rubber	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....	0		
Oil or grease	0		
Fuel.....	0		
Asphalt/Tarmac (cont.coal tar)...	0		
Asphalt/Tarmac (no coal tar)....	0		
Bitumen.....	0		
Others.....	0		
Other organics.....	0		

Other materials (%wt): The ceramic material is broken silica crucibles.

WASTE STREAM

2E15

Drummed Waste for Disposal at LLW Repository

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	44.0		
Cementitious material.....	0		
Sand.....	0		
Glass/Ceramics.....	1.0		
Graphite.....	0		
Desiccants/Catalysts.....	0		
Asbestos.....	50.0		
Non/low friable.....	~25.0		
Moderately friable.....	~25.0		
Highly friable.....	0		
Free aqueous liquids.....	0		
Free non-aqueous liquids.....	0		
Powder/Ash.....	0		

Inorganic anions (%wt): No inorganic anions are expected to be present.

	(%wt)	Type(s) and comment
Fluoride.....	0	
Chloride.....	0	
Iodide.....	0	
Cyanide.....	0	
Carbonate.....	0	
Nitrate.....	0	
Nitrite.....	0	
Phosphate.....	0	
Sulphate.....	0	
Sulphide.....	0	

Materials of interest for waste acceptance criteria: -

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....	0	

WASTE STREAM**2E15****Drummed Waste for Disposal at LLW Repository**

Corrosive materials.....	0
Pyrophoric materials.....	0
Generating toxic gases.....	0
Reacting with water.....	0
Higher activity particles.....	0
Soluble solids as bulk chemical compounds.....	0

Hazardous substances / The waste contains asbestos.
non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	0	
Benzene.....	0	
Chlorinated solvents.....	0	
Formaldehyde.....	0	
Organometallics.....	0	
Phenol.....	0	
Styrene.....	0	
Tri-butyl phosphate.....	0	
Other organophosphates.....	0	
Vinyl chloride.....	0	
Arsenic.....	0	
Barium.....	0	
Boron.....	0	
Boron (in Boral).....	0	
Boron (non-Boral).....	0	
Cadmium.....	0	
Caesium.....	0	
Selenium.....	0	
Chromium.....	0	
Molybdenum.....	0	
Thallium.....	0	
Tin.....	0	
Vanadium.....	0	
Mercury compounds.....	0	
Others.....	0	
Electronic Electrical Equipment (EEE)		
EEE Type 1.....	0	
EEE Type 2.....	0	
EEE Type 3.....	0	
EEE Type 4.....	0	
EEE Type 5.....	0	

WASTE STREAM**2E15****Drummed Waste for Disposal at LLW Repository**

Complexing agents (%wt): No

(%wt) Type(s) and comment

EDTA.....

DPTA.....

NTA.....

Polycarboxylic acids.....

Other organic complexants.....

None expected to be present.

Total complexing agents..... 0

Potential for the waste to contain discrete items: No.

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None	On-site	100.0

Comment on planned treatments:

The waste will be decontaminated in the onsite facilities to minimise contamination levels in accordance with site BAT case for this waste stream.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	~1.3

Classification codes for waste expected to be consigned to a landfill facility: -

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Opportunities for alternative disposal routing: Not yet determined

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other			

Other information: As yet not defined.

Waste Planned for Disposal at the LLW Repository:

Container voidage: Not yet defined.

Waste Characterisation Form (WCH): It is not yet determined if the waste meets LLWR's Waste Acceptance Criteria (WAC).

Waste consigned for disposal to LLWR in year of generation: No. Until an economic volume is available to make up a full shipment approximately five years.

Non-Containerised Waste for In-Vault Grouting:

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: The main source of activity is contamination by uranium and its daughters. The waste becomes contaminated from contact with intermediate uranium compounds during the fuel manufacturing process.

Uncertainty: Activities are estimated on the basis that site processes a mixture of natural and enriched material.

Definition of total alpha and total beta/gamma: The waste stream is contaminated by coming in contact with Uranium and its intermediate products (oxides). The uranium is from a series of enrichments with a Site mean of 3.2%U235, it is assumed that the uranium is not irradiated therefore contains no reactor products and is aged to a point of equilibrium. This waste stream typically has an activity concentration of 3000Bq/g therefore this is split equally between alpha and beta/ gamma activity.

Measurement of radioactivities: The estimated activity concentration values for uranium (the main radiological component) have been confirmed by an data audit review conducted in 2002 for the Company Waste Inventory.

Other information: -

WASTE STREAM

2E15

Drummed Waste for Disposal at LLW Repository

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3					Gd 153				
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60					Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90					Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106					U 233				
Pd 107					U 234				
Ag 108m					U 235				
Ag 110m					U 236				
Cd 109					U 238				
Cd 113m					Np 237				
Sn 119m					Pu 236				
Sn 121m					Pu 238				
Sn 123					Pu 239				
Sn 126					Pu 240				
Sb 125					Pu 241				
Sb 126					Pu 242				
Te 125m					Am 241				
Te 127m					Am 242m				
I 129					Am 243				
Cs 134					Cm 242				
Cs 135					Cm 243				
Cs 137					Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Other a				
Eu 152					Other b/g				
Eu 154					Total a	1.8E-03	AA 1	~1.8E-03	BB 2
Eu 155					Total b/g	1.8E-03	AA 1	~1.8E-03	BB 2

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity