SITE Sellafield

SITE OWNER **Nuclear Decommissioning Authority**

WASTE CUSTODIAN Sellafield Limited

LLW **WASTE TYPE**

Is the waste subject to Scottish Policy:

Nο

WASTE VOLUMES

WASTE VOLUMES		Reported
Stocks:	At 1.4.2022	0 m³
Future arisings -	1.4.2022 - 31.3.2023	140.7 m ³
	1.4.2023 - 31.3.2024	140.7 m ³
	1.4.2024 - 31.3.2025	140.7 m ³
	1.4.2025 - 31.3.2026	140.7 m³
	1.4.2026 - 31.3.2027	140.7 m³
	1.4.2027 - 31.3.2028	140.7 m ³
	1.4.2028 - 31.3.2029	140.7 m ³
	1.4.2029 - 31.3.2030	140.7 m ³
	1.4.2030 - 31.3.2031	140.7 m ³
	1.4.2031 - 31.3.2032	140.7 m ³
	1.4.2032 - 31.3.2033	140.7 m ³
	1.4.2033 - 31.3.2034	140.7 m ³
	1.4.2034 - 31.3.2035	140.7 m ³
	1.4.2035 - 31.3.2036	140.7 m ³
Total future arisings:		1970.2 m³
Total waste volume:		1970.2 m³

Arisings are sourced from REM_TP_0116A and are based on the latest five-year forecasts Comment on volumes:

from the Waste Forecasting database. The overall timescale for waste arising are informed

by the Sellafield Site Master Timeline. Uncertainty information is notional.

Uncertainty factors on Stock (upper):

Arisings (upper) x 1.5 Stock (lower): Arisings (lower) x 0.5

WASTE SOURCE Waste arises as a result of POCO and maintenance at the facility.

PHYSICAL CHARACTERISTICS

volumes:

Waste will generally consist of small and redundant plant items and PPE as well as wastes General description:

from general building maintenance. The waste has not undergone any changes since it

was generated.

Metals (64.1%), Concrete/Rubble (6%), Soil (1%), Wood (1%), Rubber (1%), Halogenated Physical components (%wt):

Plastics (16%), Non-Halogenated Plastics (1.2%), Hydrocarbons (3.8%), Other Organics

(3.3%), Asbestos (2.3%) and Other (0.3%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 0.352

Comment on density: The total bulk density is derived from REM_TP_0116A and is based on the five-year

forecast from the Waste Forecasting Database.

CHEMICAL COMPOSITION

General description and

components (%wt):

Metals (64.1%), Concrete/Rubble (6%), Soil (1%), Wood (1%), Rubber (1%), Halogenated Plastics (16%), Non-Halogenated Plastics (1.2%), Hydrocarbons (3.8%), Other Organics

(3.3%), Asbestos (2.3%) and Other (0.3%).

Chemical state: Neutral

Chemical form of radionuclides:

Pu: Most likely to be present as oxide and/or nitrate.

Metals and alloys (%wt): Metal thickness not specified.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	25.0		activity
Other ferrous metals	1.9		
Iron	20.6		
Aluminium	1.7		
Beryllium	0		
Cobalt	0		
Copper	2.4		
Lead	11.9		
Magnox/Magnesium	0		
Nickel	0		
Titanium	0		
Uranium	0		
Zinc	0.57		
Zircaloy/Zirconium	0		
Other metals	0		
Organics (%wt):			
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics	1.00		activity
Paper, cotton	0		
Wood	1.00		
Halogenated plastics	16.0		
Total non-halogenated plastics	1.2		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	1.00		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons	3.8		
Oil or grease	0.17		
Fuel	0		
Asphalt/Tarmac (cont.coal tar)	2.4		
Asphalt/Tarmac (no coal tar)	1.2		
Bitumen	0.05		
Others	0		
Other organics	3.3		
Other materials (%wt):			

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		
Inorganic sludges and flocs	0		
Soil	1.00		
Brick/Stone/Rubble	6.0		
Cementitious material	0		
Sand	0		
Glass/Ceramics	0.31		
Graphite	0		
Desiccants/Catalysts	0		
Asbestos	2.3		
Non/low friable	1.1		
Moderately friable	0.76		
Highly friable	0.41		
Free aqueous liquids	0		
Free non-aqueous liquids	0		
Powder/Ash	0		
Inorganic anions (%wt):			
	(%wt)	Type(s) and comment	
Fluoride	0		
Chloride	0		
lodide	0		
Cyanide	0		
Carbonate	0		
Nitrate	0		
Nitrite	0		
Phosphate	0		
Sulphate	0		
Sulphide	0		
Materials of interest for - waste acceptance criteria:			
	(%wt)	Type(s) and comment	
Combustible metals	0		
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	0		
Hydrides	0		
Biological etc. materials	0		
Biodegradable materials	1.00		
Putrescible wastes	1.00		
Non-putrescible wastes	0		

	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	2.2	Aluminium and Zinc
	Higher activity particles	0	
	Soluble solids as bulk chemical compounds	0	
Hazardous su			
		(%wt)	Type(s) and comment
	Acrylamide	0	
	Benzene	0	
	Chlorinated solvents	0	
	Formaldehyde	0	
	Organometallics	0	
	Phenol	0	
	Styrene	0	
	Tri-butyl phosphate	0	
	Other organophosphates	0	
	Vinyl chloride	0	
	Arsenic	0	
	Barium	0	
	Boron	0	
	Boron (in Boral)	0	
	Boron (non-Boral)	0	
	Cadmium	0	
	Caesium	0	
	Selenium	0	
	Chromium	0	
	Molybdenum	0	
	Thallium	0	
	Tin	0	
	Vanadium	0	
	Mercury compounds	0	
	Others	0	
	Electronic Electrical Equipment (EEE)	-	
	EEE Type 1		300 items every 5 years
	EEE Type 2		100 items every 5 years
	EEE Type 3		200 items every 5 years
	EEE Type 4		50 items every 5 years
	EEE Type 5		50 items every 5 years
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		oo nomo overy o years

Complexing agents (%wt): Yes

Potential for the waste to contain discrete items:

Yes. Contains pumps, motors etc.

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	On-site	59.8
Incineration	Off-site	22.2
Solidification		
Decontamination		
Metal treatment	Off-site	6.5
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		11.4

Comment on planned treatments:

All high force compaction takes place in WAMAC. For Inventory purposes, it is assumed that supercompaction will continue after the closure of WAMAC in 2028. Metal treatment will take place off-site. Waste not requiring treatment is mostly 'out of scope' metal, VLLW and direct disposal to LLWR.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	66.9	0.25
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility	4.2	1.5
Expected to be consigned to an Incineration Facility	22.2	0.14
Expected to be consigned to a Metal Treatment Facility	6.5	1.4
Expected to be consigned as Out of Scope	0.20	1.4
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %			
Disposal Notice	2022/23	2023/24	2024/25	
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known				

Opportunities for alternative disposal routing:

Estimated Date that

Baseline Opportunity Stream Opportunity Opportunity Comment Management Route Management Route volume (%) Confidence will be realised

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO	59.8	59.28	20
1/2 Height IP-2 Disposal/Re-usable ISO	7.1	10	14
2m box (no shielding)			
4m box (no shielding)			
Other (VLLW to on-site landfill - no packages)	4.2		

Other information:

Waste Planned for Disposal at the LLW Repository:

Container voidage:

Waste Characterisation

Form (WCH): The waste has a current WCH.

Differences exist between Inventory information and current WCH.

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

Materials and radioactivity data has been taken from the current WCH, but data on waste volumes and waste routes is based on the Waste Forecasting database as

this information is more recent.

Waste consigned for disposal to LLWR in year of generation:

Yes.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage:

Other information:

RADIOACTIVITY

Source: The activity arises as a result of operations to convert the chemical form of plutonium plus

the storage of plutonium oxide. The waste is primarily that which has become

contaminated during routine operations.

The uncertainty associated with the fingerprinting analysis is likely to be low, however the Uncertainty:

volumes and total activity information (and possibly some other assumptions) are likely to

be more notional and thus more uncertain.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Specific activity data is based on data in the corresponding WCH, which in turn maps an

estimated total activity to an analytically derived radionuclide fingerprint.

Other information: The radionuclides have been taken from REM_TP_0116A and are based on the current

WCH (LLWR Ref: 1S-1S-0-WCH-0-4697 Version 4.0).

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³		
N. P.	Waste at Bands and	Future Bands and	N. P.	Waste at Bands and	Future	Bands and
Nuclide	1.4.2022 Code	arisings Code	Nuclide	1.4.2022 Code	arisings	Code
H 3			Gd 153			
Be 10			Ho 163			
C 14			Ho 166m			
Na 22			Tm 170			
AI 26			Tm 171			
CI 36			Lu 174			
Ar 39			Lu 176			
Ar 42			Hf 178n			
K 40			Hf 182			
Ca 41			Pt 193			
Mn 53			TI 204			
Mn 54			Pb 205			
Fe 55			Pb 210			
Co 60			Bi 208			
Ni 59			Bi 210m			
Ni 63			Po 210			
Zn 65			Ra 223			
Se 79			Ra 225			
Kr 81			Ra 226			
Kr 85			Ra 228			
Rb 87			Ac 227			
Sr 90			Th 227			
Zr 93			Th 228			
Nb 91			Th 229			
Nb 92			Th 230			
Nb 93m			Th 232			
Nb 94			Th 234			
Mo 93			Pa 231		1.68E-11	CC 2
Tc 97			Pa 233			
Tc 99			U 232			
Ru 106			U 233			
Pd 107			U 234			
Ag 108m			U 235			
Ag 110m			U 236			
Cd 109			U 238			
Cd 113m			Np 237		1.68E-11	CC 2
Sn 119m			Pu 236			
Sn 121m			Pu 238		8.64E-07	CC 2
Sn 123			Pu 239		1.36E-06	CC 2
Sn 126			Pu 240		1.63E-06	CC 2
Sb 125	ĺ		Pu 241		2.22E-05	CC 2
Sb 126	ĺ		Pu 242		6.73E-10	CC 2
Te 125m	1		Am 241		3.66E-06	CC 2
Te 127m	ĺ		Am 242m			
I 129]		Am 243			
Cs 134	ĺ		Cm 242			
Cs 135]		Cm 243			
Cs 137	ĺ		Cm 244			
Ba 133	ĺ		Cm 245			
La 137]		Cm 246			
La 138	ĺ		Cm 248			
Ce 144]		Cf 249			
Pm 145	ĺ		Cf 250			
Pm 147	1		Cf 251			
Sm 147	ĺ		Cf 252			
Sm 151]		Other a			
Eu 152	ĺ		Other b/g			
Eu 154	ĺ		Total a	0	7.51E-06	CC 2
Eu 155	1	3.36E-11 CC 2	Total b/g	0	2.22E-05	CC 2
	<u> </u>	ı	l	l -	<u> </u>	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
 4 Not present
 5 Present but not significant
 6 Likely to be present but not account.

- 6 Likely to be present but not assessed 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity