

WASTE STREAM	2X05	Solid LLW from Separation Area
---------------------	-------------	---------------------------------------

SITE Sellafield

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Sellafield Limited

WASTE TYPE LLW

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

Stocks:	At 1.4.2022.....	Reported 144.7 m ³
---------	------------------	----------------------------------

Total future arisings:		0 m ³
------------------------	--	------------------

Total waste volume:		144.7 m ³
---------------------	--	----------------------

Comment on volumes: There are no future arisings for this waste stream. Uncertainty information is notional.

Uncertainty factors on volumes:	Stock (upper):	x 1.5	Arisings (upper)	x
	Stock (lower):	x 0.5	Arisings (lower)	x

WASTE SOURCE The waste arises as a result of general operations and maintenance within the Separation Area. Note that this waste is specific to the area itself and is not associated with any individual plants.

PHYSICAL CHARACTERISTICS

General description: The wastes are predominately hard wastes from excavation work. The waste has not undergone any changes since it was generated.

Physical components (%wt): Metals (48.1%), Wood (6.4%), Rubber (1%), Halogenated Plastics (4.5%), Non-Halogenated Plastics (22.5%), Hydrocarbons (15.8%), Asbestos (0.9%) and Other (0.7%)

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 0.307

Comment on density: The total bulk density is derived from REM_TP_0116A and is based on lifetime mass and volume.

CHEMICAL COMPOSITION

General description and components (%wt): Metals (48.1%), Wood (6.4%), Rubber (1%), Halogenated Plastics (4.5%), Non-Halogenated Plastics (22.5%), Hydrocarbons (15.8%), Asbestos (0.9%) and Other (0.7%)

Chemical state: Neutral

Chemical form of radionuclides: -

Metals and alloys (%wt): Metal thickness not specified.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	9.0		
Other ferrous metals.....	18.7		
Iron.....	9.0		
Aluminium.....	4.5		
Beryllium.....	0		
Cobalt.....	0		
Copper.....	4.5		
Lead.....	2.3		
Magnox/Magnesium.....	0		
Nickel.....	0		
Titanium.....	0		

WASTE STREAM	2X05	Solid LLW from Separation Area
---------------------	-------------	---------------------------------------

Uranium..... 0
 Zinc..... 0.11
 Zircaloy/Zirconium..... 0
 Other metals..... 0

Organics (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	6.4		
Paper, cotton.....	0		
Wood.....	6.4		
Halogenated plastics	4.5		
Total non-halogenated plastics.....	22.5		
Condensation polymers.....			
Others.....			
Organic ion exchange materials....	0		
Total rubber.....	1.0		
Halogenated rubber			
Non-halogenated rubber.....			
Hydrocarbons.....	15.8		
Oil or grease	0		
Fuel.....	0		
Asphalt/Tarmac (cont.coal tar)...	11.3		
Asphalt/Tarmac (no coal tar).....	0		
Bitumen.....	4.5		
Others.....	0		
Other organics.....	0		

Other materials (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....	0		
Glass/Ceramics.....	0.70		
Graphite.....	0		
Desiccants/Catalysts.....	0		
Asbestos.....	0.90		
Non/low friable.....	0.23		
Moderately friable.....	0.45		
Highly friable.....	0.23		
Free aqueous liquids.....	0		

WASTE STREAM**2X05****Solid LLW from Separation Area**

Free non-aqueous liquids..... 0

Powder/Ash..... 0

Inorganic anions (%wt): -

(%wt) Type(s) and comment

Fluoride..... 0

Chloride..... 0

Iodide..... 0

Cyanide..... 0

Carbonate..... 0

Nitrate..... 0

Nitrite..... 0

Phosphate..... 0

Sulphate..... 0

Sulphide..... 0

Materials of interest for
waste acceptance criteria: -

(%wt) Type(s) and comment

Combustible metals..... 0

Low flash point liquids..... 0

Explosive materials..... 0

Phosphorus..... 0

Hydrides..... 0

Biological etc. materials..... 0

Biodegradable materials..... 0

Putrescible wastes..... 0

Non-putrescible wastes..... 0

Corrosive materials..... 0

Pyrophoric materials..... 0

Generating toxic gases..... 0

Reacting with water..... 4.6

Higher activity particles..... 0

Soluble solids as bulk chemical
compounds..... 0Hazardous substances /
non hazardous pollutants: -

(%wt) Type(s) and comment

Acrylamide..... 0

Benzene..... 0

Chlorinated solvents..... 0

Formaldehyde..... 0

Organometallics..... 0

Phenol..... 0

WASTE STREAM**2X05****Solid LLW from Separation Area**

Styrene.....	0
Tri-butyl phosphate.....	0
Other organophosphates.....	0
Vinyl chloride.....	0
Arsenic.....	0
Barium.....	0
Boron.....	0
Boron (in Boral).....	0
Boron (non-Boral).....	0
Cadmium.....	0
Caesium.....	0
Selenium.....	0
Chromium.....	0
Molybdenum.....	0
Thallium.....	0
Tin.....	0
Vanadium.....	0
Mercury compounds.....	0
Others.....	0

Electronic Electrical Equipment (EEE)

EEE Type 1.....	43 items every 5 years
EEE Type 2.....	10 items every 5 years
EEE Type 3.....	20 items every 5 years
EEE Type 4.....	10 items every 5 years
EEE Type 5.....	10 items every 5 years

Complexing agents (%wt): Yes

	(%wt)	Type(s) and comment
EDTA.....	<0.01	
DPTA.....	0	
NTA.....	0	
Polycarboxylic acids.....	0	
Other organic complexants.....	0	
Total complexing agents.....	<0.01	

Potential for the waste to contain discrete items: Yes. Pumps, motors, hand tools.

TREATMENT, PACKAGING AND DISPOSAL

WASTE STREAM

2X05

Solid LLW from Separation Area

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	On-site	55.5
Incineration	Off-site	30.8
Solidification		
Decontamination		
Metal treatment	Off-site	10.5
Size reduction		
Decay storage		
Recycling / reuse		
Other / various		
None		3.2

Comment on planned treatments:

All high force compaction takes place in WAMAC. Waste not requiring treatment is VLLW and direct disposal to LLWR.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	57.0	0.16
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility	1.7	1.5
Expected to be consigned to an Incineration Facility	30.8	0.14
Expected to be consigned to a Metal Treatment Facility	10.5	1.4
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility: -

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be consigned to an On-Site Disposal Facility			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be consigned as Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

Waste Packaging for Disposal:

WASTE STREAM**2X05****Solid LLW from Separation Area**

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO	55.5	59.28	2
1/2 Height IP-2 Disposal/Re-usable ISO	1.5	10	< 1
2m box (no shielding)			
4m box (no shielding)			
Other (VLLW to on site landfill - no packages)	1.7		

Other information: -

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation Form (WCH): The waste meets the LLWR's Waste Acceptance Criteria (WAC). The waste has a current WCH. Differences exist between Inventory information and current WCH. Materials and radioactivity data have been taken from the current WCH, but data on waste volumes and waste routes are based on the Waste Forecasting database as this information is more recent.

Waste consigned for disposal to LLWR in year of generation: Yes.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: The activity arises from contamination of wastes associated with various operations on the Sellafield site.

Uncertainty: The uncertainty associated with the derived fingerprint is likely to be relatively low, however the volumes and total activity information (and possibly some other assumptions) are likely to be more notional and thus more uncertain.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: Specific activity data is based on data in the corresponding WCH, which in turn maps an estimated total activity to a derived radionuclide fingerprint (which is based on a combination of various streams within the Separation Area).

Other information: The radionuclides have been taken from REM_TP_0116A and are based on the current WCH.

WASTE STREAM

2X05

Solid LLW from Separation Area

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	2.79E-08	CC 2			Gd 153				
Be 10					Ho 163				
C 14	6.01E-09	CC 2			Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36	2.76E-10	CC 2			Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54	5.31E-12	CC 2			Pb 205				
Fe 55	8.43E-09	CC 2			Pb 210				
Co 60	2.70E-09	CC 2			Bi 208				
Ni 59					Bi 210m				
Ni 63	1.02E-08	CC 2			Po 210				
Zn 65	3.46E-15	CC 2			Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90	6.97E-07	CC 2			Th 227				
Zr 93					Th 228	7.83E-12	CC 2		
Nb 91					Th 229				
Nb 92					Th 230	1.55E-11	CC 2		
Nb 93m					Th 232	4.41E-11	CC 2		
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99	9.88E-09	CC 2			U 232	2.76E-10	CC 2		
Ru 106	8.99E-10	CC 2			U 233	1.64E-11	CC 2		
Pd 107					U 234	6.66E-08	CC 2		
Ag 108m					U 235	2.42E-09	CC 2		
Ag 110m	2.56E-14	CC 2			U 236	7.19E-09	CC 2		
Cd 109					U 238	7.50E-08	CC 2		
Cd 113m					Np 237	3.59E-09	CC 2		
Sn 119m					Pu 236				
Sn 121m					Pu 238	2.76E-08	CC 2		
Sn 123					Pu 239	4.29E-08	CC 2		
Sn 126					Pu 240	4.68E-08	CC 2		
Sb 125	3.59E-09	CC 2			Pu 241	3.74E-07	CC 2		
Sb 126					Pu 242	5.37E-12	CC 2		
Te 125m					Am 241	1.27E-07	CC 2		
Te 127m					Am 242m				
I 129	2.76E-10	CC 2			Am 243	5.16E-11	CC 2		
Cs 134	1.52E-09	CC 2			Cm 242	1.45E-14	CC 2		
Cs 135					Cm 243	2.69E-11	CC 2		
Cs 137	1.42E-06	CC 2			Cm 244	2.07E-09	CC 2		
Ba 133					Cm 245	8.13E-12	CC 2		
La 137					Cm 246	7.98E-13	CC 2		
La 138					Cm 248				
Ce 144	6.91E-11	CC 2			Cf 249				
Pm 145					Cf 250				
Pm 147	1.02E-08	CC 2			Cf 251				
Sm 147					Cf 252				
Sm 151	1.53E-08	CC 2			Other a				
Eu 152	2.53E-11	CC 2			Other b/g	1.57E-13	CC 2		
Eu 154	4.49E-09	CC 2			Total a	4.02E-07	CC 2		0
Eu 155	1.52E-09	CC 2			Total b/g	2.60E-06	CC 2		0

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity