SITE Sellafield

SITE OWNER Nuclear Decommissioning Authority

Nο

WASTE CUSTODIAN Sellafield Limited

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

ject to

WASTE VOLUMES

Reported

At 1.4.2022..... Stocks: $0 \, \text{m}^3$ Future arisings -1.4.2022 - 31.3.2023...... 9.8 m³ 1.4.2023 - 31.3.2024...... $9.8 \, \text{m}^3$ 1.4.2024 - 31.3.2025...... 9.8 m³ 1.4.2025 - 31.3.2026....... 9.8 m³ 1.4.2026 - 31.3.2027...... 9.8 m³ 1.4.2027 - 31.3.2028....... 9.8 m³ 1.4.2028 - 31.3.2029...... 9.8 m³ 1.4.2029 - 31.3.2030...... 9.8 m³ 1.4.2030 - 31.3.2031...... $9.8 \, \text{m}^3$ 1.4.2031 - 31.3.2032...... 9.8 m³ 1.4.2032 - 31.3.2033...... 9.8 m³

Total future arisings: 108.1 m³
Total waste volume: 108.1 m³

Comment on volumes: Arisings are sourced from REM_TP_0116A and are based on the latest five-year forecasts

from the Waste Forecasting database. The overall timescale for waste arising are informed

by the Sellafield Site Master Timeline. Uncertainty information is notional.

Uncertainty factors on Stock (upper): x Arisings (upper) x 1.5 volumes: Stock (lower): x Arisings (lower) x 0.5

WASTE SOURCE Waste produced from the redundant NNL facilities.

PHYSICAL CHARACTERISTICS

General description: The waste is mostly metallic waste. There will also be significant quantities of organic

waste. The waste has not undergone any changes since it was generated.

Physical components (%vol): Metals (61.2%), Wood (1%), Rubber (1%), Halogenated Plastics (6.75%), Non-

Halogenated Plastics (6.75%), Hydrocarbons (1.1%), Other Organics (21%) and Other

(1.2%)

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 0.464

Comment on density: The total bulk density is derived from REM_TP_0116A and is based on the five-year

forecast from the Waste Forecasting Database.

CHEMICAL COMPOSITION

General description and

components (%wt):

Metals (61.2%), Wood (1%), Rubber (1%), Halogenated Plastics (6.75%), Non-

Halogenated Plastics (6.75%), Hydrocarbons (1.1%), Other Organics (21%) and Other

(1.2%).

Chemical state: Neutral

Chemical form of

radionuclides:

-

Metals and alloys (%wt): Metal thickness not specified.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	0		donvity
Other ferrous metals	12.6		
Iron	4.8		
Aluminium	1.4		
Beryllium	0		
Cobalt	0		
Copper	0.13		
Lead	42.1		
Magnox/Magnesium	. 0		
Nickel	0		
Titanium	0		
Uranium	0		
Zinc	0.10		
Zircaloy/Zirconium	0		
Other metals	0		
Organics (%wt):			
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics	1.0		activity
Paper, cotton	0		
Wood	1.0		
Halogenated plastics	6.7		
Total non-halogenated plastics	6.7		
Condensation polymers			
Others			
Organic ion exchange materials	0		
Total rubber	1.0		
Halogenated rubber			
Non-halogenated rubber			
Hydrocarbons	1.1		
Oil or grease	1.1		
Fuel	0		
Asphalt/Tarmac (cont.coal tar)	0		
Asphalt/Tarmac (no coal tar)	0		
Bitumen	0		
Others	0		
Other organics	21.0		
Other materials (%wt):			

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		•
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand	0		
Glass/Ceramics	1.2		
Graphite	0		
Desiccants/Catalysts	0		
Asbestos	0		
Non/low friable	0		
Moderately friable	0		
Highly friable	0		
Free aqueous liquids	0		
Free non-aqueous liquids	0		
Powder/Ash	0		
Inorganic anions (%wt):			
	(%wt)	Type(s) and comment	
Fluoride	0		
Chloride	0		
lodide	0		
Cyanide	0		
Carbonate	0		
Nitrate	0		
Nitrite	0		
Phosphate	0		
Sulphate	0		
Sulphide	0		
Materials of interest for - waste acceptance criteria:			
	(%wt)	Type(s) and comment	
Combustible metals	0		
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	0		
Hydrides	0		
Biological etc. materials	0		
Biodegradable materials	21.0		
Putrescible wastes	0		
Non-putrescible wastes	21.0		

	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	1.5	
	Higher activity particles	0	
	Soluble solids as bulk chemical compounds	0	
Hazardous s	ubstances / - us pollutants:		
	40 ponutumo.	(%wt)	Type(s) and comment
	Acrylamide	(/owt)	rype(s) and comment
	Benzene	0	
	Chlorinated solvents		
		0	
	Formaldehyde	0	
	Organometallics	0	
	Phenol	0	
	Styrene	0	
	Tri-butyl phosphate	0	
	Other organophosphates	0	
	Vinyl chloride	0	
	Arsenic	0	
	Barium	0	
	Boron	0	
	Boron (in Boral)	0	
	Boron (non-Boral)	0	
	Cadmium	0	
	Caesium	0	
	Selenium	0	
	Chromium	0	
	Molybdenum	0	
	Thallium	0	
	Tin	0	
	Vanadium	0	
	Mercury compounds	0	
	Others	0	
	Electronic Electrical Equipment (EEE)		
	EEE Type 1		100 items every 5 years.
	EEE Type 2		100 items every 5 years.
	EEE Type 3		100 items every 5 years.
	EEE Type 4		
	EEE Type 5		25 items every 5 years.

Complexing agents (9	%wt):	Yes				
			(%wt)	Type(s) and comm	nent	
EDTA			<0.01			
DPTA						
NTA						
Polycarl	boxylic ad	oids				
_	-	mplexants				
	•	•	-0.01			
Total co	mpiexing	agents	<0.01			
Potential for the waste contain discrete items		Not yet determined	d.			
TREATMENT, PACK	AGING A	ND DISPOSAL				
Planned on-site / off-s treatment(s):	ite	Treatment			On-site / Off site	Stream volume
		Low force compac	ction			
		Supercompaction			On-site	72.4
		Incineration				
		Solidification				
		Decontamination				
		Metal treatment			Off-site	17.4
		Size reduction				
		Decay storage				
		Recyling / reuse				
		Other / various				
		None				10.2

Comment on planned treatments:

All high force compaction takes place in WAMAC. For Inventory purposes, it is assumed that supercompaction will continue after the closure of WAMAC in 2028 $\,$

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	82.6	0.27
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility		
Expected to be consigned to a Metal Treatment Facility	17.4	1.4
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Notice	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing: No

Baseline Opportunity Stream Date that Opportunity
Management Route Management Route volume (%)

We stimated Date that Opportunity Opportunity Confidence will be realised

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO	72.4	59.28	2
1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding)	10.2	10	2
4m box (no shielding)			
Other			

Other information: -

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation

Form (WCH):

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

The waste has a current WCH.

Differences exist between Inventory information and current WCH.

Materials and radioactivity data has been taken from the current WCH, but data on waste volumes and waste routes is based on the Waste Forecasting database as

this information is more recent.

Waste consigned for disposal to LLWR in year of generation:

Yes.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: The activity will have arisen due to historical operations in the laboratories.

Uncertainty: The uncertainty associated with the fingerprinting analysis is likely to be low, however the

volumes and total activity information (and possibly some other assumptions) are likely to

be more notional and thus more uncertain.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Specific activity data is based on data in the corresponding WCH, which in turn maps an

estimated total activity to an analytically derived radionuclide fingerprint.

Other information: The radionuclides have been taken from REM_TP_0116A and are based on the current

WCH (1S-1S-WCH-0-4602).

		Mean radioac	tivity, TBq/m³			Mean radioactivity, TBq/m³			
Nuclide	Waste at	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at	Bands and Code	Future arisings	Bands and Code
H 3	1.4.2022	Code	ansings	Code	Gd 153	1.4.2022	Code	ansings	Code
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
CI 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					TI 204				
Mn 54					Pb 205				
Fe 55			5.97E-08	CC 2	Pb 210				
Co 60	İ		3.44E-09	CC 2	Bi 208				
Ni 59					Bi 210m				
Ni 63			3.58E-06	CC 2	Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90			2.61E-05	CC 2	Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99			5.97E-08	CC 2	U 232				
Ru 106					U 233				
Pd 107					U 234			1.19E-06	CC 2
Ag 108m					U 235			5.97E-08	CC 2
Ag 110m					U 236			1.13E-08	CC 2
Cd 109					U 238			1.79E-07	CC 2
Cd 113m					Np 237				
Sn 119m					Pu 236				
Sn 121m					Pu 238			1.17E-05	CC 2
Sn 123					Pu 239			8.70E-05	CC 2
Sn 126					Pu 240			8.69E-05	CC 2
Sb 125					Pu 241			2.84E-04	CC 2
Sb 126					Pu 242				
Te 125m					Am 241			7.40E-05	CC 2
Te 127m					Am 242m				
I 129					Am 243				
Cs 134					Cm 242				
Cs 135			0.00= 05	00.0	Cm 243				
Cs 137			2.22E-05	CC 2	Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Other a				
Eu 152			E 07E 00	00.0	Other b/g	_		0.045.51	00.0
Eu 154			5.97E-08	CC 2	Total a	0		2.61E-04	CC 2
Eu 155	<u> </u>		<u> </u>		Total b/g	0		3.36E-04	CC 2

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity