SITE Sellafield

SITE OWNER **Nuclear Decommissioning Authority**

WASTE CUSTODIAN Sellafield Limited

LLW **WASTE TYPE**

Is the waste subject to

Scottish Policy:

Nο

WASTE VOLUMES

Reported At 1.4.2022..... Stocks: $0 \, \text{m}^3$ Future arisings -1.4.2022 - 31.3.2023...... 22.7 m³ 1.4.2023 - 31.3.2024...... 22.7 m³ 1.4.2024 - 31.3.2025...... 22.7 m³ 1.4.2025 - 31.3.2026....... 22.7 m³ 1.4.2026 - 31.3.2027...... 22.7 m³ Total future arisings: 113.4 m³ Total waste volume: 113.4 m³

Comment on volumes: Arisings are sourced from REM_TP_0116A and are based on the latest five-year forecasts

from the Waste Forecasting database. The overall timescale for waste arising are informed

by the Sellafield Site Master Timeline. Uncertainty information is notional.

Arisings (upper) x 1.5 Uncertainty factors on Stock (upper): Х volumes: Stock (lower): Arisings (lower) x 0.5

WASTE SOURCE Waste arises as a result of routine operations and maintenance at the facility.

PHYSICAL CHARACTERISTICS

General description: The waste will include secondary wastes (such as PPE) and redundant plant items. Small

quantities of putrescible waste may also arise. The waste has not undergone any change

since it was generated.

Physical components (%wt): Metals (48.6%), Concrete/Rubble (13.1%), Soil (1%), Wood (1%), Rubber (1%),

Halogenated Plastics (12.3%), Non-Halogenated Plastics (5.9%), Hydrocarbons (5.3%),

Other Organics (8%), Asbestos (1.9%) and Other (1.9%)

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m3): 0.463

The total bulk density is derived from REM_TP_0116A and is based on lifetime mass and Comment on density:

volume.

CHEMICAL COMPOSITION

General description and

components (%wt):

Metals (48.6%), Concrete/Rubble (13.1%), Soil (1%), Wood (1%), Rubber (1%),

Halogenated Plastics (12.3%), Non-Halogenated Plastics (5.9%), Hydrocarbons (5.3%),

Other Organics (8%), Asbestos (1.9%) and Other (1.9%)

Chemical state: Neutral

Chemical form of radionuclides:

Metals and alloys (%wt): Metal thickness not specified.

> Type(s) / Grade(s) with proportions % of total C14 (%wt) activity Stainless steel..... 10.6 Other ferrous metals..... 21.9 Iron..... 11.8 Aluminium...... 1.2 Beryllium...... 0 Cobalt.....

Lead
Nickel
Titanium
Uranium
Zinc
Zircaloy/Zirconium
Other metals
Organics (%wt): - Total cellulosics 1.0 Paper, cotton 0 Wood 1.0 Halogenated plastics 12.3 Total non-halogenated plastics 5.9 Condensation polymers 0 Others 0 Organic ion exchange materials 0 Total rubber 1.0 Halogenated rubber 0 Non-halogenated rubber 0 Hydrocarbons 5.3 Oil or grease 0 Fuel 0 Asphalt/Tarmac (cont.coal tar) 2.4 Asphalt/Tarmac (no coal tar) 1.9 Bitumen 0.98 Other organics 0 Other organics 8.0
Total cellulosics
Total cellulosics
Total cellulosics
Wood
Halogenated plastics
Total non-halogenated plastics 5.9 Condensation polymers
Condensation polymers
Others
Organic ion exchange materials 0 Total rubber
Total rubber
Halogenated rubber 0 Non-halogenated rubber 0 Hydrocarbons 5.3 Oil or grease 0 Fuel 0 Asphalt/Tarmac (cont.coal tar) 2.4 Asphalt/Tarmac (no coal tar) 1.9 Bitumen 0.98 Others 0 Other organics 8.0
Non-halogenated rubber
Hydrocarbons 5.3 Oil or grease 0 Fuel 0 Asphalt/Tarmac (cont.coal tar) 2.4 Asphalt/Tarmac (no coal tar) 1.9 Bitumen 0.98 Others 0 Other organics 8.0 Other materials (%wt):
Oil or grease 0 Fuel 0 Asphalt/Tarmac (cont.coal tar) 2.4 Asphalt/Tarmac (no coal tar) 1.9 Bitumen 0.98 Others 0 Other organics 8.0 Other materials (%wt): -
Fuel
Asphalt/Tarmac (cont.coal tar) 2.4 Asphalt/Tarmac (no coal tar) 1.9 Bitumen
Asphalt/Tarmac (no coal tar) 1.9 Bitumen
Bitumen
Others
Other organics
Other materials (%wt):
(% wt) Type(c) and comment % of total C14
Inorganic ion exchange materials 0
Inorganic sludges and flocs 0
Soil 1.0
Brick/Stone/Rubble13.1
Cementitious material 0
Sand 0
Glass/Ceramics 0.89
Graphite 0
Desiccants/Catalysts 0

	Asbestos	1.9	
	Non/low friable	0.89	
	Moderately friable	0.69	
	Highly friable	0.30	
	Free aqueous liquids	0	
	Free non-aqueous liquids	0	
	Powder/Ash	1.0	
Inorganic ani	ons (%wt):		
-		(0/.va/t)	Type(s) and comment
		(%wt)	Type(s) and comment
	Fluoride	0	
	Chloride	0	
	lodide	0	
	Cyanide	0	
	Carbonate	0	
	Nitrate	0	
	Nitrite	0	
	Phosphate	0	
	Sulphate	0	
	Sulphide	0	
Materials of in			
-			
		(%wt)	Type(s) and comment
	Combustible metals	(%wt) 0	Type(s) and comment
·	Combustible metals		Type(s) and comment
•		0	Type(s) and comment
	Low flash point liquids	0	Type(s) and comment
	Low flash point liquids Explosive materials	0 0 0	Type(s) and comment
	Low flash point liquids Explosive materials Phosphorus	0 0 0	Type(s) and comment
	Low flash point liquids Explosive materials Phosphorus Hydrides	0 0 0 0	Type(s) and comment
	Low flash point liquids Explosive materials Phosphorus Hydrides Biological etc. materials	0 0 0 0 0	Type(s) and comment
	Low flash point liquids Explosive materials Phosphorus Hydrides Biological etc. materials Biodegradable materials	0 0 0 0 0 0 0 8.0	Type(s) and comment
	Low flash point liquids Explosive materials Phosphorus Hydrides Biological etc. materials Biodegradable materials Putrescible wastes	0 0 0 0 0 0 0 8.0 1.0	Type(s) and comment
	Low flash point liquids Explosive materials Phosphorus Hydrides Biological etc. materials Biodegradable materials Putrescible wastes Non-putrescible wastes	0 0 0 0 0 0 8.0 1.0	Type(s) and comment
	Low flash point liquids Explosive materials Phosphorus Hydrides Biological etc. materials Biodegradable materials Putrescible wastes Non-putrescible wastes Corrosive materials	0 0 0 0 0 0 8.0 1.0 7.0	Type(s) and comment
	Low flash point liquids Explosive materials Phosphorus Hydrides Biological etc. materials Biodegradable materials Putrescible wastes Non-putrescible wastes Corrosive materials Pyrophoric materials	0 0 0 0 0 0 8.0 1.0 7.0	Type(s) and comment
	Low flash point liquids Explosive materials Phosphorus Hydrides Biological etc. materials Biodegradable materials Putrescible wastes Non-putrescible wastes Corrosive materials Pyrophoric materials Generating toxic gases	0 0 0 0 0 0 8.0 1.0 7.0 0	Type(s) and comment
	Low flash point liquids Explosive materials Phosphorus Hydrides Biological etc. materials Biodegradable materials Putrescible wastes Non-putrescible wastes Corrosive materials Pyrophoric materials Generating toxic gases Reacting with water	0 0 0 0 0 0 8.0 1.0 7.0 0 0	Type(s) and comment
Hazardous si	Low flash point liquids Explosive materials	0 0 0 0 0 0 8.0 1.0 7.0 0 0 1.8	Type(s) and comment
	Low flash point liquids Explosive materials	0 0 0 0 0 0 8.0 1.0 7.0 0 0 1.8	Type(s) and comment

E	Benzene	0	
(Chlorinated solvents	0	
F	Formaldehyde	0	
(Organometallics	0	
F	Phenol	0	
9	Styrene	0	
7	Fri-butyl phosphate	0	
(Other organophosphates	0	
\	/inyl chloride	0	
A	Arsenic	0	
E	Barium	0	
E	Boron	0	
	Boron (in Boral)	0	
	Boron (non-Boral)	0	
(Cadmium	0	
(Caesium	0	
9	Selenium	0	
(Chromium	0	
N	Molybdenum	0	
Т	Fhallium	0	
Т	Fin	0.59	
\	/anadium	0	
N	Mercury compounds	0	
(Others	0	
E	Electronic Electrical Equipment (EEE)		
	EEE Type 1		300 items every 5 years.
	EEE Type 2		300 items every 5 years.
	EEE Type 3		300 items every 5 years.
	EEE Type 4		100 items every 5 years.
	EEE Type 5		300 items every 5 years.
Complexing ag	gents (%wt): Yes		
		(%wt)	Type(s) and comment
Е	EDTA	<0.01	
E	DPTA	0	
١	NTA	0	
F	Polycarboxylic acids	0	
(Other organic complexants	0	
Т	Total complexing agents	<0.01	
5			

Potential for the waste to contain discrete items:

Yes. Pumps, motors, handtools

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	On-site	72.4
Incineration		
Solidification		
Decontamination		
Metal treatment	Off-site	16.9
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		10.7

Comment on planned treatments:

All high force compaction takes place in WAMAC. Metal treatment will take place offsite. Waste not requiring treatment is direct disposal to LLWR.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	83.1	0.27
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility		
Expected to be consigned to a Metal Treatment Facility	16.9	1.4
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Route	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
_	_				

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO	72.4	59.28	2
1/2 Height IP-2 Disposal/Re-usable ISO	10.7	10	2
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information: -

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation Form (WCH):

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

The waste has a current WCH.

Differences exist between Inventory information and current WCH.

Materials and radioactivity data have been taken from the current WCH, but data on waste volumes and waste routes are based on the Waste Forecasting database as

this information is more recent.

Waste consigned for disposal to LLWR in year of generation:

Yes.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: The activity arises from the reprocessing of Magnox fuel. The waste is contaminated as a

result of routine operations and maintenance.

Uncertainty: The uncertainty associated with the fingerprinting analysis is likely to be low, however the

volumes and total activity information (and possibly some other assumptions) are likely to

be more notional and thus more uncertain.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Specific activity data is based on data in the corresponding WCH, which in turn maps an

estimated total activity to an analytically derived radionuclide fingerprint.

Other information: The radionuclides have been taken from REM_TP_0116A and are based on the current

WCH.

	Mean radio	activity, TBq/m³				Mean radioa	ctivity, TBq/m³	
Nuclide	Waste at Bands and 1.4.2022 Code	d Future arisings	Bands and Code	Nuclide	Waste at	Bands and Code	Future arisings	Bands and Code
H 3	1.4.2022 Code	2.20E-07	CC 2	Gd 153	1.4.2022	Code	ansings	Code
Be 10		2.201-07	00 2	Ho 163				
C 14				Ho 166m				
Na 22				Tm 170				
Al 26				Tm 171				
CI 36				Lu 174				
Ar 39				Lu 176				
Ar 42				Hf 178n				
K 40				Hf 182				
Ca 41				Pt 193				
Mn 53				TI 204				
Mn 54				Pb 205				
Fe 55		8.37E-08	CC 2	Pb 210				
Co 60		2.09E-08	CC 2	Bi 208				
Ni 59				Bi 210m				
Ni 63		5.76E-08	CC 2	Po 210				
Zn 65				Ra 223				
Se 79				Ra 225				
Kr 81				Ra 226				
Kr 85				Ra 228				
Rb 87				Ac 227				
Sr 90		1.81E-06	CC 2	Th 227 Th 228			1.60E-09	CC 2
Zr 93				Th 229			1.60E-09	CC 2
Nb 91				Th 230				
Nb 92 Nb 93m				Th 232				
Nb 94				Th 234				
Mo 93				Pa 231				
Tc 97				Pa 233				
Tc 99		1.06E-06	CC 2	U 232				
Ru 106		5.22E-06	CC 2	U 233				
Pd 107		0.222 00	00 2	U 234			1.05E-08	CC 2
Ag 108m				U 235			4.56E-10	CC 2
Ag 110m				U 236			2.23E-09	CC 2
Cd 109				U 238			1.05E-08	CC 2
Cd 113m				Np 237			2.09E-08	CC 2
Sn 119m				Pu 236				
Sn 121m				Pu 238			2.41E-07	CC 2
Sn 123				Pu 239			2.93E-07	CC 2
Sn 126				Pu 240			2.93E-07	CC 2
Sb 125		7.85E-08	CC 2	Pu 241			3.93E-05	CC 2
Sb 126				Pu 242			0.0== -=	00.0
Te 125m				Am 241			2.35E-07	CC 2
Te 127m I 129		2 40E 40	CC 2	Am 242m Am 243				
Cs 134		3.19E-10 2.09E-08	CC 2	Am 243 Cm 242			1 145 00	CC 2
Cs 134 Cs 135		2.03L-00	00 2	Cm 242			1.14E-09	00 2
Cs 133		3.16E-06	CC 2	Cm 243			1.57E-08	CC 2
Ba 133		0.102 00	J	Cm 245			1.07 = 00	55 2
La 137				Cm 246				
La 138				Cm 248				
Ce 144		2.09E-08	CC 2	Cf 249				
Pm 145				Cf 250				
Pm 147		9.94E-08	CC 2	Cf 251				
Sm 147				Cf 252				
Sm 151		1.05E-08	CC 2	Other a				
Eu 152				Other b/g				
Eu 154	[2.62E-08	CC 2	Total a	0		1.13E-06	CC 2
Eu 155		1.05E-08	CC 2	Total b/g	0		5.12E-05	CC 2
<u> </u>	1	ı		1				

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

- Measured activity
 Derived activity (best estimate)
 Derived activity (upper limit)
- 4 Not present 5 Present but not significant
- 6 Likely to be present but not assessed 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity