

WASTE STREAM**2X137****Disposal of low level waste arising from the Interim Storage Facility (ISF)**

SITE	Sellafield
SITE OWNER	Nuclear Decommissioning Authority
WASTE CUSTODIAN	Sellafield Limited
WASTE TYPE	LLW
Is the waste subject to Scottish Policy:	No

WASTE VOLUMES

	Reported
Stocks:	At 1.4.2022.....
Future arisings -	0 m ³
1.4.2022 - 31.3.2023.....	1.7 m ³
1.4.2023 - 31.3.2024.....	1.7 m ³
1.4.2024 - 31.3.2025.....	1.7 m ³
1.4.2025 - 31.3.2026.....	1.7 m ³
1.4.2026 - 31.3.2027.....	1.7 m ³
1.4.2027 - 31.3.2028.....	1.7 m ³
1.4.2028 - 31.3.2029.....	1.7 m ³
1.4.2029 - 31.3.2030.....	1.7 m ³
1.4.2030 - 31.3.2031.....	1.7 m ³
1.4.2031 - 31.3.2032.....	1.7 m ³
1.4.2032 - 31.3.2033.....	1.7 m ³
1.4.2033 - 31.3.2034.....	1.7 m ³
1.4.2034 - 31.3.2035.....	1.7 m ³
1.4.2035 - 31.3.2036.....	1.7 m ³
1.4.2036 - 31.3.2037.....	1.7 m ³
1.4.2037 - 31.3.2038.....	1.7 m ³
1.4.2038 - 31.3.2039.....	1.7 m ³
1.4.2039 - 31.3.2040.....	1.7 m ³
1.4.2040 - 31.3.2041.....	1.7 m ³
1.4.2041 - 31.3.2042.....	1.7 m ³
1.4.2042 - 31.3.2043.....	1.7 m ³
1.4.2043 - 31.3.2044.....	1.7 m ³
1.4.2044 - 31.3.2045.....	1.7 m ³
1.4.2045 - 31.3.2046.....	1.7 m ³
1.4.2046 - 31.3.2047.....	1.7 m ³
1.4.2047 - 31.3.2048.....	1.7 m ³
1.4.2048 - 31.3.2049.....	1.7 m ³
1.4.2049 - 31.3.2050.....	1.7 m ³
1.4.2050 - 31.3.2051.....	1.7 m ³
1.4.2051 - 31.3.2052.....	1.7 m ³
1.4.2052 - 31.3.2053.....	1.7 m ³
1.4.2053 - 31.3.2054.....	1.7 m ³
1.4.2054 - 31.3.2055.....	1.7 m ³
1.4.2055 - 31.3.2056.....	1.7 m ³
1.4.2056 - 31.3.2057.....	1.7 m ³
1.4.2057 - 31.3.2058.....	1.7 m ³
1.4.2058 - 31.3.2059.....	1.7 m ³
1.4.2059 - 31.3.2060.....	1.7 m ³
1.4.2060 - 31.3.2061.....	1.7 m ³
1.4.2061 - 31.3.2062.....	1.7 m ³
1.4.2062 - 31.3.2063.....	1.7 m ³
1.4.2063 - 31.3.2064.....	1.7 m ³
1.4.2064 - 31.3.2065.....	1.7 m ³
1.4.2065 - 31.3.2066.....	1.7 m ³
1.4.2066 - 31.3.2067.....	1.7 m ³
1.4.2067 - 31.3.2068.....	1.7 m ³
1.4.2068 - 31.3.2069.....	1.7 m ³
1.4.2069 - 31.3.2070.....	1.7 m ³

WASTE STREAM

2X137

Disposal of low level waste arising from the Interim Storage Facility (ISF)

Total future arisings:	81.1 m ³	
Total waste volume:	81.1 m ³	
Comment on volumes:	Arisings are sourced from REM_TP_0116A and are based on the latest five-year forecasts from the Waste Forecasting database. The overall timescale for waste arising are informed by the Sellafield Site Master Timeline. Arisings are sourced from REM_TP_0116A and are based on the latest five-year forecasts from the Waste Forecasting database. The overall timescale for waste arising are informed by the Sellafield Site Master Timeline.	
Uncertainty factors on volumes:	Stock (upper): x	Arisings (upper) x 1.5
	Stock (lower): x	Arisings (lower) x 0.5
WASTE SOURCE	Low level waste will arise from normal operations within the Interim Storage Facility (ISF) from carrying out inspections of self shielded boxes which contain Zeolite skips that have been despatched from the First Generation Magnox Storage Pond (FGMSP).	

PHYSICAL CHARACTERISTICS

General description:	Waste generated is expected to be from inspections of the self shielding boxes only. There is no expected changes to the waste since it was generated.	
Physical components (%wt):	Metals (0.7%), Rubber (1%), Halogenated Plastics (31.9%), Non-Halogenated Plastics (31.9%), Other Organics (34%), and Other (0.5%).	
Sealed sources:	The waste does not contain sealed sources.	
Bulk density (t/m ³):	0.270	
Comment on density:	The total bulk density is derived from REM_TP_0116A and is based on the five-year forecast from the Waste Forecasting Database.	

CHEMICAL COMPOSITION

General description and components (%wt):	Metals (0.7%), Rubber (1%), Halogenated Plastics (31.9%), Non-Halogenated Plastics (31.9%), Other Organics (34%), and Other (0.5%).		
Chemical state:	Neutral		
Chemical form of radionuclides:	-		
Metals and alloys (%wt):	Metal thickness not specified		

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	0.66		
Other ferrous metals.....	0		
Iron.....	0		
Aluminium.....	0		
Beryllium.....	0		
Cobalt.....	0		
Copper.....	0		
Lead.....	0		
Magnox/Magnesium.....	0		
Nickel.....	0		
Titanium.....	0		
Uranium.....	0		
Zinc.....	0		
Zircaloy/Zirconium.....	0		
Other metals.....	0		

Organics (%wt): -

WASTE STREAM**2X137****Disposal of low level waste arising from the Interim Storage Facility (ISF)**

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	31.9		
Total non-halogenated plastics....	31.9		
Condensation polymers.....			
Others.....			
Organic ion exchange materials....	0		
Total rubber.....	1.0		
Halogenated rubber			
Non-halogenated rubber.....			
Hydrocarbons.....	0		
Oil or grease	0		
Fuel.....	0		
Asphalt/Tarmac (cont.coal tar)...	0		
Asphalt/Tarmac (no coal tar).....	0		
Bitumen.....	0		
Others.....	0		
Other organics.....	34.0		

Other materials (%wt):

-

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....	0		
Glass/Ceramics.....	0.53		
Graphite.....	0		
Desiccants/Catalysts.....	0		
Asbestos.....	0		
Non/low friable.....	0		
Moderately friable.....	0		
Highly friable.....	0		
Free aqueous liquids.....	0		
Free non-aqueous liquids.....	0		
Powder/Ash.....	0		

Inorganic anions (%wt):

-

WASTE STREAM**2X137****Disposal of low level waste arising from the Interim Storage Facility (ISF)**

	(%wt)	Type(s) and comment
Fluoride.....	0	
Chloride.....	0	
Iodide.....	0	
Cyanide.....	0	
Carbonate.....	0	
Nitrate.....	0	
Nitrite.....	0	
Phosphate.....	0	
Sulphate.....	0	
Sulphide.....	0	

Materials of interest for
waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	33.0	
Putrescible wastes.....	0	
Non-putrescible wastes.....	33.0	
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Higher activity particles.....	0	
Soluble solids as bulk chemical compounds.....	0	

Hazardous substances /
non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	0	
Benzene.....	0	
Chlorinated solvents.....	0	
Formaldehyde.....	0	
Organometallics.....	0	
Phenol.....	0	
Styrene.....	0	
Tri-butyl phosphate.....	0	
Other organophosphates.....	0	

WASTE STREAM

2X137

Disposal of low level waste arising from the Interim Storage Facility (ISF)

Vinyl chloride.....	0
Arsenic.....	0
Barium.....	0
Boron.....	0
Boron (in Boral).....	0
Boron (non-Boral).....	0
Cadmium.....	0
Caesium.....	0
Selenium.....	0
Chromium.....	0
Molybdenum.....	0
Thallium.....	0
Tin.....	0
Vanadium.....	0
Mercury compounds.....	0
Others.....	0
Electronic Electrical Equipment (EEE)	
EEE Type 1.....	
EEE Type 2.....	
EEE Type 3.....	
EEE Type 4.....	
EEE Type 5.....	

Complexing agents (%wt): Yes

	(%wt)	Type(s) and comment
EDTA.....	<0.01	
DPTA.....	0	
NTA.....	0	
Polycarboxylic acids.....	0	
Other organic complexants.....	0	
Total complexing agents.....	<0.01	

Potential for the waste to No.
contain discrete items:**TREATMENT, PACKAGING AND DISPOSAL**

WASTE STREAM

2X137

Disposal of low level waste arising from the Interim Storage Facility (ISF)

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	On-site	52.6
Incineration	Off-site	35.1
Solidification		
Decontamination		
Metal treatment	Off-site	1.5
Size reduction		
Decay storage		
Recycling / reuse		
Other / various		
None		10.8

Comment on planned treatments:

All high force compaction takes place in WAMAC. For Inventory purposes, it is assumed that supercompaction will continue after the closure of WAMAC in 2028. Waste not requiring treatment is direct disposal to LLWR.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	63.4	0.32
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility	35.1	0.14
Expected to be consigned to an Incineration Facility	1.5	1.4
Expected to be consigned to a Metal Treatment Facility		
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be consigned to an On-Site Disposal Facility			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be consigned as Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-

Waste Packaging for Disposal:

WASTE STREAM**2X137****Disposal of low level waste arising from the Interim Storage Facility (ISF)**

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO	52.6	59.28	< 1
1/2 Height IP-2 Disposal/Re-usable ISO	10.8	10	< 1
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information:

-

Waste Planned for Disposal at the LLW Repository:

Container voidage:

-

Waste Characterisation Form (WCH):

The waste meets the LLWR's Waste Acceptance Criteria (WAC).
The waste has a current WCH.
Differences exist between Inventory information and current WCH.
Materials and radioactivity data have been taken from the current WCH, but data on waste volumes and waste routes are based on the Waste Forecasting database as this information is more recent.

Waste consigned for disposal to LLWR in year of generation:

Yes.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

-

Waste stream variation:

-

Bounding cuboidal volume:

-

Inaccessible voidage:

-

Other information:

-

RADIOACTIVITY

Source:

The waste has arisen from inspections of self shielding boxes which originated from the First Generation Magnox Storage Pond (FGMSP).

Uncertainty:

The uncertainty associated with the derived fingerprint is likely to be relatively low, however the volumes and total activity information (and possibly some other assumptions) are likely to be more notional and thus more uncertain.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Specific activity data is based on data in the corresponding WCH, which in turn maps an estimated total activity to an analytically derived radionuclide fingerprint.

Other information:

The radionuclides have been taken from REM_TP_0116A and are based on the current WCH.

WASTE STREAM

2X137

Disposal of low level waste arising from the Interim Storage Facility (ISF)

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			6.03E-08	CC 2	Gd 153				
Be 10					Ho 163				
C 14			1.24E-08	CC 2	Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60			3.55E-08	CC 2	Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90			3.79E-05	CC 2	Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97			2.48E-08	CC 2	Pa 233				
Tc 99					U 232				
Ru 106					U 233				
Pd 107					U 234		1.24E-08	CC 2	
Ag 108m					U 235				
Ag 110m					U 236				
Cd 109					U 238		1.24E-08	CC 2	
Cd 113m					Np 237		3.03E-07	CC 2	
Sn 119m					Pu 236				
Sn 121m					Pu 238		1.25E-06	CC 2	
Sn 123					Pu 239		2.72E-06	CC 2	
Sn 126					Pu 240		2.76E-06	CC 2	
Sb 125			1.77E-09	CC 2	Pu 241		1.91E-05	CC 2	
Sb 126					Pu 242		3.55E-09	CC 2	
Te 125m					Am 241		8.04E-06	CC 2	
Te 127m					Am 242m				
I 129					Am 243				
Cs 134			7.63E-11	CC 2	Cm 242		4.12E-18	CC 2	
Cs 135			3.18E-10	CC 2	Cm 243				
Cs 137					Cm 244		4.79E-08	CC 2	
Ba 133			4.75E-05	CC 2	Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145			1.24E-08	CC 2	Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151			9.92E-07	CC 2	Other a				
Eu 152			6.03E-08	CC 2	Other b/g				
Eu 154			1.81E-07	CC 2	Total a	0	1.51E-05	CC 2	
Eu 155			3.55E-08	CC 2	Total b/g	0	1.06E-04	CC 2	

Bands (Upper and Lower)

A a factor of 1.5

B a factor of 3

C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

1 Measured activity

2 Derived activity (best estimate)

3 Derived activity (upper limit)

4 Not present

5 Present but not significant

6 Likely to be present but not assessed

7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity