

WASTE STREAM	2X18	Low Active Effluent Management Group: LA Treatment LLW
---------------------	-------------	---

SITE Sellafield
SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Sellafield Limited

WASTE TYPE LLW

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	0 m ³
Future arisings -	1.4.2022 - 31.3.2023.....	3.6 m ³
	1.4.2023 - 31.3.2024.....	3.6 m ³
	1.4.2024 - 31.3.2025.....	3.6 m ³
	1.4.2025 - 31.3.2026.....	3.6 m ³
	1.4.2026 - 31.3.2027.....	3.6 m ³
	1.4.2027 - 31.3.2028.....	3.6 m ³
	1.4.2028 - 31.3.2029.....	3.6 m ³
	1.4.2029 - 31.3.2030.....	3.6 m ³
Total future arisings:		28.8 m ³
Total waste volume:		28.8 m ³

Comment on volumes: Arisings are sourced from REM_TP_0116A and are based on the latest five-year forecasts from the Waste Forecasting database. The overall timescale for waste arising are informed by the Sellafield Site Master Timeline. Uncertainty information is notional.

Uncertainty factors on volumes: Stock (upper): x Arisings (upper) x 1.5
 Stock (lower): x Arisings (lower) x 0.5

WASTE SOURCE Waste arises as a result of routine operations at the facility.

PHYSICAL CHARACTERISTICS

General description: Waste will be comprised of metallic wastes from redundant plant items plus compactable secondary wastes. The waste has not undergone any changes since it was generated.

Physical components (%wt): Metals (43.8%), Concrete/Rubble (5%), Soil (1%), Wood (4.1%), Rubber (1%), Halogenated Plastics (8.5%), Non-Halogenated Plastics (8.5%), Hydrocarbons (0.6%), Other Organics (25%), Asbestos (0.3%) and Other (2.2%)

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 0.135

Comment on density: The total bulk density is derived from REM_TP_0116A and is based on the five-year forecast from the Waste Forecasting database.

CHEMICAL COMPOSITION

General description and components (%wt): Metals (43.8%), Concrete/Rubble (5%), Soil (1%), Wood (4.1%), Rubber (1%), Halogenated Plastics (8.5%), Non-Halogenated Plastics (8.5%), Hydrocarbons (0.6%), Other Organics (25%), Asbestos (0.3%) and Other (2.2%)

Chemical state: Neutral

Chemical form of radionuclides: -

Metals and alloys (%wt): Metal thickness not specified.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	10.6		
Other ferrous metals.....	21.3		
Iron.....	8.5		
Aluminium.....	2.1		
Beryllium.....	0		

WASTE STREAM	2X18	Low Active Effluent Management Group: LA Treatment LLW
---------------------	-------------	---

Cobalt.....	0
Copper.....	0.43
Lead.....	0.21
Magnox/Magnesium.....	0
Nickel.....	0
Titanium.....	0
Uranium.....	0
Zinc.....	0.64
Zircaloy/Zirconium.....	0
Other metals.....	0

Organics (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	4.0		
Paper, cotton.....	0		
Wood.....	4.0		
Halogenated plastics	8.5		
Total non-halogenated plastics.....	8.5		
Condensation polymers.....			
Others.....			
Organic ion exchange materials....	0		
Total rubber.....	1.0		
Halogenated rubber			
Non-halogenated rubber.....			
Hydrocarbons.....	0.64		
Oil or grease	0.21		
Fuel.....	0		
Asphalt/Tarmac (cont.coal tar)...	0		
Asphalt/Tarmac (no coal tar)....	0		
Bitumen.....	0.43		
Others.....	0		
Other organics.....	25.0		

Other materials (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	1.0		
Brick/Stone/Rubble.....	5.0		
Cementitious material.....	0		
Sand.....	0		
Glass/Ceramics.....	2.2		
Graphite.....	0		

WASTE STREAM	2X18	Low Active Effluent Management Group: LA Treatment LLW	
---------------------	-------------	---	--

Desiccants/Catalysts.....	0	
Asbestos.....	0.34	
Non/low friable.....	0.17	CAF gaskets
Moderately friable.....	0.13	Sheeting
Highly friable.....	0.04	Lagging
Free aqueous liquids.....	0	
Free non-aqueous liquids.....	0	
Powder/Ash.....	0	

Inorganic anions (%wt): -

	(%wt)	Type(s) and comment
Fluoride.....	0	
Chloride.....	0	
Iodide.....	0	
Cyanide.....	0	
Carbonate.....	0	
Nitrate.....	0	
Nitrite.....	0	
Phosphate.....	0	
Sulphate.....	0	
Sulphide.....	0	

Materials of interest for waste acceptance criteria: -

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	25.0	
Putrescible wastes.....	8.0	Vegetation, guano and carcasses.
Non-putrescible wastes.....	17.0	
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	2.8	Aluminium and Zinc
Higher activity particles.....	0	
Soluble solids as bulk chemical compounds.....	0	

WASTE STREAM

2X18

**Low Active Effluent Management Group: LA Treatment
LLW**

Hazardous substances /
non hazardous pollutants: -

	(%wt)	Type(s) and comment
Acrylamide.....	0	
Benzene.....	0	
Chlorinated solvents.....	0	
Formaldehyde.....	0	
Organometallics.....	0	
Phenol.....	0	
Styrene.....	0	
Tri-butyl phosphate.....	0	
Other organophosphates.....	0	
Vinyl chloride.....	0	
Arsenic.....	0	
Barium.....	0	
Boron.....	0	
Boron (in Boral).....	0	
Boron (non-Boral).....	0	
Cadmium.....	0	
Caesium.....	0	
Selenium.....	0	
Chromium.....	<0.01	
Molybdenum.....	0	
Thallium.....	0	
Tin.....	0	
Vanadium.....	<0.01	
Mercury compounds.....	0	
Others.....	0	

Electronic Electrical Equipment (EEE)

EEE Type 1.....	1 item every 5 years
EEE Type 2.....	
EEE Type 3.....	
EEE Type 4.....	5 items every 5 years
EEE Type 5.....	

Complexing agents (%wt): Yes

	(%wt)	Type(s) and comment
EDTA.....	<0.01	
DPTA.....	0	
NTA.....	0	
Polycarboxylic acids.....	0	
Other organic complexants.....	0	
Total complexing agents.....	<0.01	

WASTE STREAM

2X18

Low Active Effluent Management Group: LA Treatment LLW

Potential for the waste to contain discrete items:

Yes. Handtools

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None	On-site	100.0

Comment on planned treatments:

All high force compaction takes place in WAMAC. For Inventory purposes, it is assumed that supercompaction will continue after the closure of WAMAC in 2028.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	0.14

Classification codes for waste expected to be consigned to a landfill facility: -

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Opportunities for alternative disposal routing: Not yet determined

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

Waste Packaging for Disposal:

WASTE STREAM**2X18****Low Active Effluent Management Group: LA Treatment
LLW**

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	59.28	< 1

Other information: -

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation Form (WCH): The waste meets the LLWR's Waste Acceptance Criteria (WAC). The waste has a current WCH. Differences exist between Inventory information and current WCH. Materials and radioactivity data has been taken from the current WCH, but data on waste volumes and waste routes is based on the Waste Forecasting database as this information is more recent.

Waste consigned for disposal to LLWR in year of generation: Yes.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: The source of the activity is the Al/Fe floc in the storage and buffer tanks, which in turn is largely comprised of waste actinides from reprocessing. The waste arises from contamination as a result of general operations and maintenance.

Uncertainty: The uncertainty associated with the fingerprinting analysis is likely to be low, however the volumes and total activity information (and possibly some other assumptions) are likely to be more notional and thus more uncertain.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: Specific activity data is based on data in the corresponding WCH, which in turn maps an estimated total activity to an analytically derived radionuclide fingerprint.

Other information: The radionuclides are based on the current WCH.

WASTE STREAM

2X18

Low Active Effluent Management Group: LA Treatment LLW

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3					Gd 153				
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60			4.02E-10	CC 2	Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90			1.18E-07	CC 2	Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99			1.26E-08	CC 2	U 232				
Ru 106					U 233				
Pd 107					U 234		4.02E-10	CC 2	
Ag 108m					U 235				
Ag 110m					U 236				
Cd 109					U 238		4.59E-10	CC 2	
Cd 113m					Np 237		1.15E-09	CC 2	
Sn 119m					Pu 236				
Sn 121m					Pu 238		4.71E-08	CC 2	
Sn 123					Pu 239		2.72E-07	CC 2	
Sn 126					Pu 240		1.63E-07	CC 2	
Sb 125			1.15E-10	CC 2	Pu 241		1.30E-06	CC 2	
Sb 126					Pu 242		5.74E-11	CC 2	
Te 125m					Am 241		9.57E-06	CC 2	
Te 127m					Am 242m				
I 129					Am 243				
Cs 134					Cm 242				
Cs 135					Cm 243				
Cs 137			3.45E-09	CC 2	Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Other a				
Eu 152			1.15E-09	CC 2	Other b/g				
Eu 154			5.17E-10	CC 2	Total a	0	1.01E-05	CC 2	
Eu 155			5.74E-11	CC 2	Total b/g	0	1.43E-06	CC 2	

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity