SITE Sellafield

SITE OWNER **Nuclear Decommissioning Authority**

Nο

WASTE CUSTODIAN Sellafield Limited

LLW **WASTE TYPE**

Is the waste subject to Scottish Policy:

WASTE VOLUMES

Stocks:

Reported

 $0 \, \text{m}^3$

At 1.4.2022..... Future arisings -1.4.2022 - 31.3.2023...... 89.9 m³ 1.4.2023 - 31.3.2024...... 89.9 m³ 1.4.2024 - 31.3.2025...... 89.9 m³ 1.4.2025 - 31.3.2026....... 89.9 m³

1.4.2026 - 31.3.2027...... 89.9 m³ 1.4.2027 - 31.3.2028....... 89.9 m³ 1.4.2028 - 31.3.2029...... 89.9 m³ 1.4.2029 - 31.3.2030...... 89.9 m³ 1.4.2030 - 31.3.2031...... 89 9 m³ 1.4.2031 - 31.3.2032...... 89.9 m³ 1.4.2032 - 31.3.2033....... 89.9 m³

Total future arisings: 1078.5 m³ Total waste volume: 1078.5 m³

1.4.2033 - 31.3.2034......

Comment on volumes: Arisings are sourced from REM_TP_0116A and are based on the latest five-year forecasts

from the Waste Forecasting database. The overall timescale for waste arising are informed

89.9 m³

by the Sellafield Site Master Timeline. Uncertainty information is notional.

Uncertainty factors on Stock (upper): Arisings (upper) x 1.5 volumes: Stock (lower): Arisings (lower) x 0.5

WASTE SOURCE The waste arises as a result of routine operations and maintenance in the Waste

Vitrification Plant and the Vitrified Product Stores (VPS) and VPS Export Facility.

PHYSICAL CHARACTERISTICS

General description: The waste is mostly comprised of secondary waste (PPE). The waste has not undergone

any change since it was generated.

Physical components (%wt): Metals (58.4%), Concrete/Rubble (1.6%), Soil (1%), Wood (2%), Rubber (1%),

Halogenated Plastics (26.2%), Non-Halogenated Plastics (6.5%), Hydrocarbons (1.5%),

Other Organics (1%), Asbestos (0.2%) and Other (0.6%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 0.231

Comment on density: The total bulk density is derived from REM_TP_0116A and is based on lifetime mass and

volume.

CHEMICAL COMPOSITION

General description and

components (%wt):

Metals (58.4%), Concrete/Rubble (1.6%), Soil (1%), Wood (2%), Rubber (1%),

Halogenated Plastics (26.2%), Non-Halogenated Plastics (6.5%), Hydrocarbons (1.5%),

Other Organics (1%), Asbestos (0.2%) and Other (0.6%).

Chemical state: Neutral

Chemical form of

radionuclides:

Metals and alloys (%wt): Metal thickness not specified.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14
Stainless steel	12.0		activity
Other ferrous metals	42.0		
Iron	0.37		
Aluminium	1.9		
Beryllium	0		
Cobalt	0		
Copper	1.2		
Lead	0.75		
Magnox/Magnesium	. 0		
Nickel	0		
Titanium	0		
Uranium	0		
Zinc	0.19		
Zircaloy/Zirconium	0		
Other metals	0.01		
Organics (%wt):			
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	2.0		activity
Paper, cotton	0		
Wood	2.0		
Halogenated plastics	26.2		
Total non-halogenated plastics	6.5		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	1.0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons	1.5		
Oil or grease	0.37		
Fuel	0		
Asphalt/Tarmac (cont.coal tar)	0.75		
Asphalt/Tarmac (no coal tar)	0.37		
Bitumen	0		
Others	0		
Other organics	1.0		
Other materials (%wt):			

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		
Inorganic sludges and flocs	0		
Soil	1.0		
Brick/Stone/Rubble	1.6		
Cementitious material	0		
Sand	0		
Glass/Ceramics	0.19		
Graphite	0		
Desiccants/Catalysts	0		
Asbestos	0.19		
Non/low friable	0.07		
Moderately friable	0.07		
Highly friable	0.04		
Free aqueous liquids	0		
Free non-aqueous liquids	0		
Powder/Ash	0.37		
Inorganic anions (%wt):			
	(%wt)	Type(s) and comment	
Fluoride	0		
Chloride	0		
lodide	0		
Cyanide	0		
Carbonate	0		
Nitrate	0		
Nitrite	0		
Phosphate	0		
Sulphate	0		
Sulphide	0		
Materials of interest for - waste acceptance criteria:			
	(%wt)	Type(s) and comment	
Combustible metals	0		
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	0		
Hydrides	0		
Biological etc. materials	0		
Biodegradable materials	1.0		
Putrescible wastes	0		
Non-putrescible wastes	1.0		

	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	2.1	
	Higher activity particles	0	
	Soluble solids as bulk chemical compounds	0	
Hazardous s non hazardo	ubstances / - us pollutants:		
		(%wt)	Type(s) and comment
	Acrylamide	0	
	Benzene	0	
	Chlorinated solvents	0	
	Formaldehyde	0	
	Organometallics	0	
	Phenol	0	
	Styrene	0	
	Tri-butyl phosphate	0	
	Other organophosphates	0	
	Vinyl chloride	0	
	Arsenic	0	
	Barium	0	
	Boron	0	
	Boron (in Boral)	0	
	Boron (non-Boral)	0	
	Cadmium	0	
	Caesium	0	
	Selenium	0	
	Chromium	0	
	Molybdenum	0	
	Thallium	0	
	Tin	0.07	
	Vanadium	0	
	Mercury compounds	0	
	Others	0	
	Electronic Electrical Equipment (EEE)		
	EEE Type 1		3800 items every 5 years
	EEE Type 2		300 items every 5 years
	EEE Type 3		500 items every 5 years
	EEE Type 4		oco nomo ovory o yours
	EEE Type 5		50 items every 5 years
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		oo nomo every o years

Complexing agents (%wt): Yes

Potential for the waste to contain discrete items:

Yes. Machinery parts, pumps, plant equipment.

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	On-site	12.1
Incineration	Off-site	80.0
Solidification		
Decontamination		
Metal treatment	Off-site	4.5
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		3.4

Comment on planned treatments:

All high force compaction takes place in WAMAC. For Inventory purposes, it is assumed that supercompaction will continue after the closure of WAMAC in 2028. Waste not requiring treatment is mostly 'out of scope' metal and direct disposal to LLWR.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	14.0	0.29
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility	80.0	0.14
Expected to be consigned to a Metal Treatment Facility	4.5	1.4
Expected to be consigned as Out of Scope	1.4	1.4
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %			
Disposal Notice	2022/23	2023/24	2024/25	
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known				

Opportunities for alternative disposal routing: No

Estimated

Date that

Baseline Opportunity Stream Opportunity Opportunity Opportunity Confidence Comment

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO	12.1	59.28	3
1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	2.0	10	3

Other information: -

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation

Form (WCH):

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

The waste has a current WCH.

Differences exist between Inventory information and current WCH.

Materials and radioactivity data have been taken from the current WCH, but data on waste volumes and waste routes are based on the Waste Forecasting database as

this information is more recent.

Waste consigned for disposal to LLWR in year of generation:

Yes.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: The activity originates from HA raffinates arising from Magnox and Thorp reprocessing

operations. The waste arises as a result of routine operations and maintenance.

Uncertainty: The uncertainty associated with the fingerprinting analysis is likely to be low, however the

volumes and total activity information (and possibly some other assumptions) are likely to

be more notional and thus more uncertain.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Specific activity data is based on data in the corresponding WCH, which in turn maps an

estimated total activity to an analytically derived radionuclide fingerprint.

Other information: The radionuclides have been taken from REM_TP_0116A and are based on the current

WCH.

	Mean radioactivity, TBq/m³				Mean radioactivity, TBq/m³				
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.1.2022		5.52E-09	CC 2	Gd 153	1.1.2022			
Be 10			0.022 00	00 2	Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
CI 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					TI 204				
Mn 54					Pb 205				
Fe 55			2.76E-09	CC 2	Pb 210				
Co 60			2.76E-09	CC 2	Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90			6.87E-06	CC 2	Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230			3.11E-10	CC 2
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99			1.38E-08	CC 2	U 232				
Ru 106			1.41E-07	CC 2	U 233				
Pd 107					U 234			2.76E-09	CC 2
Ag 108m					U 235			4.33E-11	CC 2
Ag 110m					U 236			1.90E-10	CC 2
Cd 109					U 238			1.52E-07	CC 2
Cd 113m					Np 237			3.31E-08	CC 2
Sn 119m					Pu 236				
Sn 121m					Pu 238			5.52E-09	CC 2
Sn 123					Pu 239			2.76E-09	CC 2
Sn 126					Pu 240			2.76E-09	CC 2
Sb 125			6.07E-08	CC 2	Pu 241			1.10E-07	CC 2
Sb 126					Pu 242				
Te 125m					Am 241			1.46E-07	CC 2
Te 127m					Am 242m				
l 129	[1.65E-08	CC 2	Am 243	1			
Cs 134	<u> </u>		5.52E-08	CC 2	Cm 242			1.25E-09	CC 2
Cs 135					Cm 243				
Cs 137	[1.94E-05	CC 2	Cm 244	1		5.79E-08	CC 2
Ba 133	[Cm 245	1			
La 137	[Cm 246	1			
La 138					Cm 248				
Ce 144	1		4.69E-08	CC 2	Cf 249	1			
Pm 145	1				Cf 250	1			
Pm 147			2.84E-07	CC 2	Cf 251				
Sm 147	1				Cf 252	1			
Sm 151	1		5.79E-08	CC 2	Other a	1			
Eu 152	1				Other b/g	1			
Eu 154	1		8.55E-08	CC 2	Total a	0		4.05E-07	CC 2
Eu 155	1		3.31E-08	CC 2	Total b/g	0		2.72E-05	CC 2
-	I			·		<u> </u>		<u> </u>	-

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- Measured activity
 Derived activity (best estimate)
 Derived activity (upper limit)

- 4 Not present 5 Present but not significant
- 6 Likely to be present but not assessed 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity