Sellafield SITE SITE OWNER **Nuclear Decommissioning Authority WASTE CUSTODIAN** Sellafield Limited LLW **WASTE TYPE** Is the waste subject to Nο Scottish Policy: **WASTE VOLUMES** Reported At 1.4.2022..... Stocks: 172.8 m³ Total future arisings: $0 \, \text{m}^3$ Total waste volume: 172.8 m³ Comment on volumes: There are no future arisings for this waste stream. Uncertainty information is notional. Uncertainty factors on Stock (upper): Arisings (upper) volumes: Stock (lower): x 0.9 Arisings (lower) **WASTE SOURCE** Secondary waste from PCM operations which has been recategorised as LLW. PHYSICAL CHARACTERISTICS The waste is contained in 205 litre drums which have an average weight of 50kg each. The General description: waste has not undergone any changes since it was generated. Metals (44%), Rubber (1%), Halogenated Plastics (36%), Non-Halogenated Plastics (1%) Physical components (%wt): and Other Organics (18%). Sealed sources: The waste does not contain sealed sources. Bulk density (t/m3): 0.244 Comment on density: Mean bulk density based on total weight and total volume. CHEMICAL COMPOSITION General description and Metals (44%), Rubber (1%), Halogenated Plastics (36%), Non-Halogenated Plastics (1%) components (%wt): and Other Organics (18%). Chemical state: Neutral Chemical form of radionuclides: Metals and alloys (%wt): (%wt) Type(s) / Grade(s) with proportions % of total C14 activity Stainless steel..... Other ferrous metals..... 44.0 Iron..... Aluminium..... Beryllium..... Cobalt..... Copper..... Lead..... Magnox/Magnesium..... Nickel..... Titanium..... Uranium..... Zinc.....

	Zircaloy/Zirconium			
	Other metals			
Organics	s (%wt):			
		(%wt)	Type(s) and comment	% of total C14
	Total cellulosics			activity
	Paper, cotton			
	Wood			
	Halogenated plastics	36.0		
	Total non-halogenated plastics	1.0		
	Condensation polymers			
	Others			
	Organic ion exchange materials			
	Total rubber	1.0		
	Halogenated rubber			
	Non-halogenated rubber			
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	18.0		
Other ma	aterials (%wt):			
		(%wt)	Type(s) and comment	% of total C14
	Inorganic ion exchange materials			activity
	Inorganic sludges and flocs			
	Soil			
	Brick/Stone/Rubble			
	Cementitious material			
	Sand			
	Glass/Ceramics			
	Graphite			
	Desiccants/Catalysts			
	Asbestos			
	Non/low friable			
	Moderately friable			
	Highly friable			
	Free aqueous liquids			
	Free non-aqueous liquids			
	Powder/Ash			

Inorganic ar	ions (%wt):		
		(%wt)	Type(s) and comment
	Fluoride	0	
	Chloride	0	
	lodide	0	
	Cyanide	0	
	Carbonate	0	
	Nitrate	0	
	Nitrite	0	
	Phosphate	0	
	Sulphate	0	
	Sulphide	0	
Materials of		s are preve	ented from being drummed PCM by Engineered Drum Stores
waste accep	otance criteria: CFA		
		(%wt)	Type(s) and comment
	Combustible metals	0	
	Low flash point liquids	0	
	Explosive materials	0	
	Phosphorus	0	
	Hydrides	0	
	Biological etc. materials	0	
	Biodegradable materials	0	
	Putrescible wastes	0	
	Non-putrescible wastes	0	
	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	0	
	Higher activity particles	0	
	Soluble solids as bulk chemical compounds	0	
Hazardous s	substances / - ous pollutants:		
		(%wt)	Type(s) and comment
	Acrylamide	0	
	Benzene	0	
	Chlorinated solvents	0	
	Formaldehyde	0	
	Organometallics	0	
	Phenol	0	
	Styrene	0	

Tri-butyl phosphate.....

Other organophosphates	0	
Vinyl chloride	0	
Arsenic	0	
Barium	0	
Boron	0	
Boron (in Boral)		
Boron (non-Boral)		
Cadmium	0	
Caesium	0	
Selenium	0	
Chromium	0	
Molybdenum	0	
Thallium	0	
Tin	0	
Vanadium	0	
Mercury compounds	0	
Others	0	
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
Complexing agents (%wt): No		
	(%wt)	Type(s) and comment
EDTA	0	
DPTA	0	
NTA	0	
Polycarboxylic acids	0	
Other organic complexants	0	
Total complexing agents	0	
Potential for the waste to Yes. Hand Tools.		

TREATMENT, PACKAGING AND DISPOSAL

contain discrete items:

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	On-Site	100.0
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		

Comment on planned treatments:

Waste will be supercompacted in WAMAC before being disposed to LLWR.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	0.24

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Noute	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing: N

			Estimated		
Baseline Management Route	Opportunity Management Route	Stream volume (%)	Date that Opportunity will be realised	Opportunity Confidence	Comment

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	59.28	3

Other information: -

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation

Form (WCH):

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

The waste has a current WCH.

Differences exist between Inventory information and current WCH.

Materials and radioactivity data have been taken from the current WCH, but stock is

taken from latest estimates

Waste consigned for disposal to LLWR in year of generation:

Yes.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: The waste was generated as secondary waste from operations in historic locations at

LLWR.

Uncertainty: The uncertainty associated with the derived fingerprint is likely to be relatively low, however

the volumes and total activity information (and possibly some other assumptions) are likely

to be more notional and thus more uncertain.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

-

Other information: Radionuclide information is sourced from the latest WCH (Ref: 1S-1S-0-WCH-0-3893

Version 10).

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide		nds and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
Н3					Gd 153			İ	
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
CI 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					TI 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60					Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226	1.30E-07	CC 2	1	
Kr 85					Ra 228		00 -		
Rb 87					Ac 227				
Sr 90					Th 227				
Zr 93					Th 228	1 565 07	CC 2		
						1.56E-07	CC 2		
Nb 91					Th 229	4 505 07	00.0		
Nb 92					Th 230	1.56E-07	CC 2		
Nb 93m					Th 232	1.56E-07	CC 2		
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106					U 233				
Pd 107					U 234	3.45E-06	CC 2		
Ag 108m					U 235	1.56E-07	CC 2		
Ag 110m					U 236	2.60E-08	CC 2		
Cd 109					U 238	4.67E-07	CC 2		
Cd 113m					Np 237				
Sn 119m					Pu 236				
Sn 121m					Pu 238	2.41E-06	CC 2		
Sn 123					Pu 239	1.20E-04	CC 2		
Sn 126					Pu 240	9.21E-06	CC 2		
Sb 125					Pu 241	8.40E-05	CC 2	1	
Sb 126					Pu 242	0.102 00	00 2	1	
Te 125m					Am 241	3.90E-05	CC 2		
Te 125m					Am 242m	J.30L-03	00 2	1	
						1		1	
I 129					Am 243	1.045.07	00 0		
Cs 134					Cm 242	1.04E-07	CC 2	1	
Cs 135					Cm 243	1		1	
Cs 137	1.04E-07	CC 2			Cm 244	1		1	
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248	1		1	
Ce 144					Cf 249	1		1	
Pm 145					Cf 250				
Pm 147					Cf 251	1		1	
Sm 147					Cf 252	1		1	
Sm 151					Other a	[1	
Eu 152					Other b/g	[1	
Eu 154					Total a	1.75E-04	CC 2	0	
Eu 155					Total b/g	8.41E-05	CC 2	0	
Lu 100	<u> </u>				Total b/g	1 0.415-03		<u>!</u>	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in

mean radioactivity.

Code

- 1 Measured activity
 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
 4 Not present
 5 Present but not significant
 6 Likely to be present but not assessed
 7 Present in significant quantities but not determined
 8 Not expected to be present in significant quantity
- 8 Not expected to be present in significant quantity