SITE Sellafield

SITE OWNER **Nuclear Decommissioning Authority** 

**WASTE CUSTODIAN** Sellafield Limited

LLW **WASTE TYPE** 

Is the waste subject to

Nο

Scottish Policy:

**WASTE VOLUMES** 

WASIL VOLUMES		Reported
Stocks:	At 1.4.2022	0 m³
Future arisings -	1.4.2022 - 31.3.2023	12.2 m³
	1.4.2023 - 31.3.2024	12.2 m³
	1.4.2024 - 31.3.2025	12.2 m³
	1.4.2025 - 31.3.2026	12.2 m³
	1.4.2026 - 31.3.2027	12.2 m³
	1.4.2027 - 31.3.2028	12.2 m³
	1.4.2028 - 31.3.2029	12.2 m³
	1.4.2029 - 31.3.2030	12.2 m³
Total future arisings:		97.8 m³
Total waste volume:		97.8 m <sup>3</sup>

Arisings are sourced from REM\_TP\_0116A and are based on the latest five-year forecasts Comment on volumes:

from the Waste Forecasting database. The overall timescale for waste arising are informed

by the Sellafield Site Master Timeline. Uncertainty information is notional.

Uncertainty factors on Stock (upper): Arisings (upper) x 1.5 volumes: Stock (lower): Х Arisings (lower) x 0.5

Waste arises as a result of routine operations and maintenance in WAMAC. **WASTE SOURCE** 

#### PHYSICAL CHARACTERISTICS

General description: The waste consists of compactable secondary waste, metallic wastes associated with

redundant plant items and HFC residues absorbed onto cementitious blocks. The waste

has not undergone any change since it was generated.

Metals (33.2%), Concrete/Rubble (2%), Soil (2%), Wood (7%), Rubber (8%), Halogenated Physical components (%wt):

Plastics (12.3%), Non-Halogenated Plastics (12.3%), Hydrocarbons (7.6%), Other

Organics (13%), Asbestos (1.1%) and Other (1.5%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m3): 0.458

Comment on density: The bulk density data is derived from REM\_TP\_0116A and is based on lifetime mass and

volume.

#### **CHEMICAL COMPOSITION**

General description and

Metals (33.2%), Concrete/Rubble (2%), Soil (2%), Wood (7%), Rubber (8%), Halogenated components (%wt):

Plastics (12.3%), Non-Halogenated Plastics (12.3%), Hydrocarbons (7.6%), Other

Organics (13%), Asbestos (1.1%) and Other (1.5%).

Chemical state: Neutral

Chemical form of radionuclides:

Metals and alloys (%wt): Metal thickness not specified.

> (%wt) Type(s) / Grade(s) with proportions % of total C14 activity

10.0 Stainless steel..... Other ferrous metals..... 13 2 Iron..... 4.9 Aluminium.....

Beryllium	0		
Cobalt	0		
Copper	1.9		
Lead	0.38		
Magnox/Magnesium	0		
Nickel	0.38		
Titanium	0.38		
Uranium	0		
Zinc	0.38		
Zircaloy/Zirconium	0		
Other metals	0		
Organics (%wt):			
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	7.0		activity
Paper, cotton	0		
Wood	7.0		
Halogenated plastics	12.3		
Total non-halogenated plastics	12.3		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	8.0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons	7.6		
Oil or grease	7.6		
Fuel	0		
Asphalt/Tarmac (cont.coal tar)	0		
Asphalt/Tarmac (no coal tar)	0		
Bitumen	0		
Others	0		
Other organics	13.0		
Other materials (%wt):			
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	1.0		•
Inorganic sludges and flocs	0		
Soil	2.0		
Brick/Stone/Rubble	2.0		
Cementitious material	0		
Sand	0		
Glass/Ceramics	0.38		

	Graphite	0	
	Desiccants/Catalysts	0	
	Asbestos	1.1	
	Non/low friable	0.38	
	Moderately friable	0.38	
	Highly friable	0.38	
	Free aqueous liquids	0	
	Free non-aqueous liquids	0	
	Powder/Ash	0	
Inorganic an	ions (%wt): -		
		(%wt)	Type(s) and comment
	Fluoride	0.02	
	Chloride	0	
	lodide	0	
	Cyanide	0	
	Carbonate	0	
	Nitrate	0	
	Nitrite	0	
	Phosphate	0	
	Sulphate	0	
	Sulphide	0	
Materials of i	nterest for - tance criteria:		
		(%wt)	Type(s) and comment
	Combustible metals	0	
	Low flash point liquids	0	
	Explosive materials	0	
	Phosphorus	0	
	Hydrides	0	
	Biological etc. materials	0	
	Biodegradable materials	13.0	
	Putrescible wastes	2.0	
	Non-putrescible wastes	11.0	
	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	2.1	
	Higher activity particles	0	
	Soluble solids as bulk chemical compounds	0	

Hazardous substances / non hazardous pollutants:

Complexing

	(%wt)	Type(s) and comment
Acrylamide	0	
Benzene	0	
Chlorinated solvents	0	
Formaldehyde	0	
Organometallics	0	
Phenol	0	
Styrene	0	
Tri-butyl phosphate	0	
Other organophosphates	0	
Vinyl chloride	0	
Arsenic	0	
Barium	0	
Boron	0	
Boron (in Boral)	0	
Boron (non-Boral)	0	
Cadmium	0	
Caesium	0	
Selenium	0	
Chromium	0.57	
Molybdenum	0	
Thallium	0	
Tin	1.9	
Vanadium	0	
Mercury compounds	0	
Others	0	
Electronic Electrical Equipment (EEE)		
EEE Type 1		500 items every 5 years
EEE Type 2		15 items every 5 years
EEE Type 3		200 items every 5 years
EEE Type 4		11 items every 5 years
EEE Type 5		55 items every 5 years
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA	<0.01	
DPTA	0	
NTA	0	
Polycarboxylic acids	0	
Other organic complexants	0	
Total complexing agents	<0.01	

Potential for the waste to contain discrete items:

Yes. Pumps & motors.

### TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	On-site	22.1
Incineration	Off-site	51.7
Solidification		
Decontamination		
Metal treatment	Off-site	8.1
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		18.1

Comment on planned treatments:

All high force compaction takes place in WAMAC. For Inventory purposes, it is assumed that Supercompaction will continue after the closure of WAMAC in 2028. Waste not requiring treatment is mostly 'out of scope' metal and direct disposal to LLWR.

#### **Disposal Routes:**

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	26.2	0.30
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility	51.7	0.14
Expected to be consigned to a Metal Treatment Facility	8.1	1.4
Expected to be consigned as Out of Scope	14.0	1.4
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

### Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Notice	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

#### Opportunities for alternative disposal routing: No

will be realised	Baseline Opportunity Management Route Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
------------------	--	----------------------	--	---------------------------	---------

Container	Stream volume %	Waste loading m <sup>3</sup>	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	22.1 4.1	59.28 10	<1 <1

Other information: -

#### Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation Form (WCH):

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

The waste has a current WCH.

Differences exist between Inventory information and current WCH.

Materials and radioactivity data has been taken from the current WCH, but data on waste volumes and waste routes is based on the Waste Forecasting database as

this information is more recent.

Waste consigned for disposal to LLWR in year of generation:

Yes.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

#### **RADIOACTIVITY**

Source: The activity is associated with operations in the WAMAC facility.

Uncertainty: The uncertainty associated with the derived fingerprint is likely to be relatively low, however

the volumes and total activity information (and possibly some other assumptions) are likely

to be more notional and thus more uncertain.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of

radioactivities:

Specific activity data is based on data in the corresponding WCH, which in turn maps an

estimated total activity to a derived radionuclide fingerprint (which is based on the analysis

of various feed streams into WAMAC).

Other information: The radionuclides have been taken from REM\_TP\_0116A and are based on the current

WCH (LLWR Ref: 1S-1S-0-WCH-0-4610 version 5).

#### **WASTE STREAM LLW arising from WAMAC** 2X61

		Mean radioac	tivity, TBq/m³				Mean radioa	ctivity, TBq/m³	
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			1.39E-06	CC 2	Gd 153				
Be 10					Ho 163				
C 14			3.01E-07	CC 2	Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
CI 36			4.63E-08	CC 2	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					TI 204				
Mn 54			2.08E-07	CC 2	Pb 205				
Fe 55			6.00E-06	CC 2	Pb 210				
Co 60			8.34E-07	CC 2	Bi 208				
Ni 59					Bi 210m				
Ni 63			2.13E-06	CC 2	Po 210				
Zn 65			2.32E-08	CC 2	Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226			9.38E-11	CC 2
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90			2.48E-05	CC 2	Th 227			0.005.00	00.0
Zr 93					Th 228	] ]		2.32E-08	CC 2
Nb 91					Th 229			0.055.00	00.0
Nb 92					Th 230	] ]		2.95E-09	CC 2
Nb 93m					Th 232			1.39E-09	CC 2
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97			4 405 00	00.0	Pa 233 U 232			2.32E-08	CC 2
Tc 99	<u> </u>		1.48E-06	CC 2	U 233				CC 2
Ru 106			9.27E-06	CC 2	U 234			3.47E-10 4.89E-06	CC 2
Pd 107					U 235				CC 2
Ag 108m			1.17E-11	CC 2	U 236	I Ī		1.39E-07 6.26E-07	CC 2
Ag 110m Cd 109			1.176-11	00 2	U 238			3.96E-06	CC 2
Cd 109					Np 237			9.27E-08	CC 2
Sn 119m					Pu 236			3.27 L-00	00 2
Sn 121m					Pu 238			3.48E-06	CC 2
Sn 123					Pu 239			4.38E-06	CC 2
Sn 126					Pu 240			4.47E-06	CC 2
Sb 125			1.23E-06	CC 2	Pu 241			9.72E-05	CC 2
Sb 126	i			3 <b>.</b>	Pu 242			1.39E-09	CC 2
Te 125m					Am 241			8.29E-06	CC 2
Te 127m					Am 242m			1.202 00	
I 129			2.32E-08	CC 2	Am 243			5.37E-09	CC 2
Cs 134			6.72E-07	CC 2	Cm 242			4.63E-08	CC 2
Cs 135					Cm 243			1.08E-10	CC 2
Cs 137			5.10E-05	CC 2	Cm 244			2.08E-07	CC 2
Ba 133	Ī				Cm 245			1.10E-10	CC 2
La 137					Cm 246			2.43E-11	CC 2
La 138					Cm 248			]	<del>-</del>
Ce 144			5.10E-07	CC 2	Cf 249				
Pm 145	Ī				Cf 250				
Pm 147			2.78E-06	CC 2	Cf 251				
Sm 147					Cf 252				
Sm 151			5.56E-07	CC 2	Other a				
Eu 152			6.93E-10	CC 2	Other b/g			7.11E-09	CC 2
Eu 154	Ī		3.94E-07	CC 2	Total a	0		3.06E-05	CC 2
Eu 155			2.32E-07	CC 2	Total b/g	0		2.01E-04	CC 2
	Inner and Law				Codo	i		i	

### Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

#### Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity