

<b>WASTE STREAM</b>	<b>3K03</b>	<b>Miscellaneous Contaminated Items</b>
---------------------	-------------	---

**SITE** Hartlepool

**SITE OWNER** EDFE NGL

**WASTE CUSTODIAN** EDFE NGL

**WASTE TYPE** ILW; SPD1

Is the waste subject to Scottish Policy: No

**WASTE VOLUMES**

		Reported
Stocks:	At 1.4.2022.....	0 m <sup>3</sup>
Future arisings -	1.4.2022 - 31.3.2024.....	0.2 m <sup>3</sup>
	1.4.2024 - 31.3.2026.....	4.0 m <sup>3</sup>
Total future arisings:		4.2 m <sup>3</sup>
Total waste volume:		4.2 m <sup>3</sup>

Comment on volumes: Waste volumes will be variable depending on station operating conditions.

Uncertainty factors on volumes: Stock (upper): x Arisings (upper) x 1.5  
 Stock (lower): x Arisings (lower) x 0.5

**WASTE SOURCE** Redundant contaminated plant items and other materials contaminated beyond the limits for LLW.

**PHYSICAL CHARACTERISTICS**

General description: Expected to be primarily metal items. Other items such as HEPA filters and bags of vacuum cleaner waste may also be present.

Physical components (%vol): No stock currently present therefore breakdown is not assessed.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m<sup>3</sup>): ~1.5

Comment on density: As cut for packaging. Density is expected to lie between 1t/m<sup>3</sup> and 2t/m<sup>3</sup>

**CHEMICAL COMPOSITION**

General description and components (%wt): No stock currently present therefore breakdown is not assessed. The waste is expected to be principally steel but may include other components.

Chemical state: Neutral

Chemical form of radionuclides: -

Metals and alloys (%wt): -

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	P		
Other ferrous metals.....	P		
Iron.....	P		
Aluminium.....	NE		
Beryllium.....	NE		
Cobalt.....	NE		
Copper.....	NE		
Lead.....	NE		
Magnox/Magnesium.....	0		
Nickel.....	NE		
Titanium.....	NE		
Uranium.....	NE		

**WASTE STREAM**

**3K03**

**Miscellaneous Contaminated Items**

Zinc..... NE

Zircaloy/Zirconium..... 0

Other metals..... NE

Organics (%wt):                      There may be traces of oil. Note that items may be wrapped in plastic. HEPA filters may be either wooden or plastic framed.

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics.....	NE		
Paper, cotton.....	NE		
Wood.....	NE		
Halogenated plastics .....	NE		
Total non-halogenated plastics.....	NE		
Condensation polymers.....	NE		
Others.....	NE		
Organic ion exchange materials....	NE		
Total rubber.....	NE		
Halogenated rubber .....	NE		
Non-halogenated rubber.....	NE		
Hydrocarbons.....			
Oil or grease .....			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	TR		

Other materials (%wt):                      -

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....	0		
Glass/Ceramics.....	0		
Graphite.....	0		
Desiccants/Catalysts.....	0		
Asbestos.....	NE		
Non/low friable.....			
Moderately friable.....			
Highly friable.....			
Free aqueous liquids.....	0		
Free non-aqueous liquids.....	0		

**WASTE STREAM****3K03****Miscellaneous Contaminated Items**

Powder/Ash..... 0

Inorganic anions (%wt): None of the listed inorganic anions are expected to be present at greater than 1%.

	(%wt)	Type(s) and comment
Fluoride.....	<1.0	
Chloride.....	<1.0	
Iodide.....	<1.0	
Cyanide.....	NE	
Carbonate.....	<1.0	
Nitrate.....	<1.0	
Nitrite.....	NE	
Phosphate.....	<1.0	
Sulphate.....	<1.0	
Sulphide.....	<1.0	

Materials of interest for waste acceptance criteria: The possible presence of materials likely to represent a fire or other non-radiological hazard has not been fully assessed.

	(%wt)	Type(s) and comment
Combustible metals.....	NE	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	NE	
Biological etc. materials.....	NE	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....	0	
Corrosive materials.....	NE	
Pyrophoric materials.....	0	
Generating toxic gases.....	NE	
Reacting with water.....	0	
Higher activity particles.....	P	May be present
Soluble solids as bulk chemical compounds.....	0	

Hazardous substances / non hazardous pollutants: -

	(%wt)	Type(s) and comment
Acrylamide.....	NE	
Benzene.....	NE	
Chlorinated solvents.....	NE	
Formaldehyde.....	NE	
Organometallics.....	NE	
Phenol.....	NE	
Styrene.....	NE	

**WASTE STREAM****3K03****Miscellaneous Contaminated Items**

Tri-butyl phosphate.....	NE
Other organophosphates.....	NE
Vinyl chloride.....	NE
Arsenic.....	NE
Barium.....	NE
Boron.....	NE
Boron (in Boral).....	NE
Boron (non-Boral).....	NE
Cadmium.....	NE
Caesium.....	NE
Selenium.....	NE
Chromium.....	NE
Molybdenum.....	NE
Thallium.....	TR
Tin.....	NE
Vanadium.....	NE
Mercury compounds.....	NE
Others.....	NE
Electronic Electrical Equipment (EEE)	
EEE Type 1.....	NE
EEE Type 2.....	NE
EEE Type 3.....	NE
EEE Type 4.....	NE
EEE Type 5.....	NE

Complexing agents (%wt): Not yet determined

	(%wt)	Type(s) and comment
EDTA.....	NE	
DPTA.....	NE	
NTA.....	NE	
Polycarboxylic acids.....	NE	
Other organic complexants.....	NE	May be present in trace quantities.
Total complexing agents.....	NE	

Potential for the waste to contain discrete items: Not yet determined.

**PACKAGING AND CONDITIONING**

Conditioning method: The waste is expected to be encapsulated without being supercompacted.

Plant Name: None.

Location: Hartlepool Power Station.

Plant startup date: Probably between 2024 and 2034.

Total capacity (m<sup>3</sup>/y incoming waste): ~500.0

Target start date for packaging this stream: -

**WASTE STREAM****3K03****Miscellaneous Contaminated Items**

Throughput for this stream (m<sup>3</sup>/y incoming waste): ~

Other information: All waste will be retrieved when a conditioning campaign is undertaken. There may be more than one campaign.

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m <sup>3</sup> )	Payload (m <sup>3</sup> )	Number of packages
	500 l drum	100.0	0.23	0.47	19

Likely container type comment: -

Range in container waste volume: -

Other information on containers: Waste will be packaged in 500L drums with a conditioning factor of ~2.0

Likely conditioning matrix: BFS/OPC

Other information: PFA/OPC is another matrix that may be adopted.

Conditioned density (t/m<sup>3</sup>): ~3.0

Conditioned density comment: Expected to be between 2 and 4 t/m<sup>3</sup>. The maximum density of the conditioned waste will be less than 7.5 t/m<sup>3</sup>.

Other information on conditioning: Appropriate plant will be provided at the Station in accordance with EDF Energy strategy. Decontamination followed by cutting to reduce volumes may be appropriate for some wastes.

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

**RADIOACTIVITY**

Source: Redundant contaminated plant items and materials, contaminated beyond the limits for LLW.

Uncertainty: The values quoted are indicative of the activities that might be expected.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: Estimates on limited data.

Other information: Specific activity is a function of station operating history. Figures were derived by estimation based upon available information. Other beta/gamma nuclides of arisings (in TBq/m<sup>3</sup>) include S35 (2E-2), Ca45 (8E-4), Cr51 (1E-3), Co58 (2E-4), Sr89 (6E-9), Y91 (5E-8), Zr95 (2E-4), Nb95 (1E-4), Ru103 (3E-4), Ta182 (7E-3), Sc46 (2E-5), Fe59 (4E-5), Se75 (6E-4) and Sb124 (2E-5).

**WASTE STREAM**

**3K03**

**Miscellaneous Contaminated Items**

Nuclide	Mean radioactivity, TBq/m <sup>3</sup>				Nuclide	Mean radioactivity, TBq/m <sup>3</sup>			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			9E-03	CC 2	Gd 153				
Be 10				8	Ho 163				
C 14			6E-04	CC 2	Ho 166m				
Na 22				4	Tm 170				
Al 26				4	Tm 171				
Cl 36			3E-03	CC 2	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41				8	Pt 193				
Mn 53					Tl 204				
Mn 54			3E-03	CC 2	Pb 205				
Fe 55			4E-02	CC 2	Pb 210				8
Co 60			1E-02	CC 2	Bi 208				
Ni 59			<1E-04	C 3	Bi 210m				
Ni 63			3E-03	CC 2	Po 210				8
Zn 65			3E-04	CC 2	Ra 223				
Se 79			6.9E-10	CC 2	Ra 225				
Kr 81					Ra 226				8
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90			4E-04	CC 2	Th 227				
Zr 93			3E-08	CC 2	Th 228				
Nb 91					Th 229				8
Nb 92					Th 230				8
Nb 93m			3E-09	CC 2	Th 232				8
Nb 94			<4E-06	C 3	Th 234				
Mo 93				8	Pa 231				8
Tc 97					Pa 233				
Tc 99			1E-07	CC 2	U 232				
Ru 106			1E-03	CC 2	U 233				8
Pd 107				8	U 234		6E-08	CC 2	
Ag 108m			<8E-06	C 3	U 235		1E-09	CC 2	
Ag 110m			2E-04	CC 2	U 236		1E-08	CC 2	
Cd 109					U 238		2E-08	CC 2	
Cd 113m					Np 237		9E-09	CC 2	
Sn 119m					Pu 236				
Sn 121m				8	Pu 238		4E-06	CC 2	
Sn 123					Pu 239		5E-06	CC 2	
Sn 126			2.61E-09	CC 2	Pu 240		8E-06	CC 2	
Sb 125			6E-06	CC 2	Pu 241		4E-04	CC 2	
Sb 126					Pu 242		<5E-08	C 3	
Te 125m					Am 241		2E-05	CC 2	
Te 127m					Am 242m		3E-07	CC 2	
I 129				8	Am 243		2E-07	CC 2	
Cs 134			6E-04	CC 2	Cm 242		1E-06	CC 2	
Cs 135			5E-09	CC 2	Cm 243		2E-08	CC 2	
Cs 137			1E-03	CC 2	Cm 244		9E-07	CC 2	
Ba 133			2E-05	CC 2	Cm 245				8
La 137					Cm 246				8
La 138					Cm 248				
Ce 144			9E-07	CC 2	Cf 249				
Pm 145					Cf 250				
Pm 147			<8E-04	C 3	Cf 251				
Sm 147					Cf 252				
Sm 151			<1E-06	C 3	Other a				8
Eu 152			2E-06	CC 2	Other b/g		3E-02	CC 2	
Eu 154			4E-06	CC 2	<b>Total a</b>	<b>0</b>	<b>3.93E-05</b>	<b>CC 2</b>	
Eu 155			7E-06	CC 2	<b>Total b/g</b>	<b>0</b>	<b>1.03E-01</b>	<b>CC 2</b>	

**Bands (Upper and Lower)**

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

**Code**

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity