SITE Hartlepool

SITE OWNER EDFE NGL

WASTE CUSTODIAN EDFE NGL

WASTE TYPE ILW

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Reported Stocks: At 1.4.2022...... 2.6 m³

Future arisings - 1.4.2022 - 31.3.2024....... 0 m³

1.4.2024 - 31.3.2026...... 0 m³

1.4.2026 - 31.3.2027...... 1.6 m³

Total future arisings: 1.6 m³

Total waste volume: 4.2 m³

Comment on volumes: Waste volumes will be variable depending on station operating conditions. Current stock

volumes are known. The volume of catalyst in the recombination units is known and so

future arising volumes are predictable.

Uncertainty factors on

volumes:

Stock (upper): x 1.25

Arisings (upper)

x 1.75

Stock (lower): x 0.75 Arisings (lower) x 0.25

WASTE SOURCE Exhausted catalysts that have been used for the recombination of carbon dioxide reactor

coolant.

PHYSICAL CHARACTERISTICS

General description: Catalyst materials. There will be no large items in the waste which may require special

handling.

Physical components (%wt): Catalyst. Steel drums with polythene liners (10%wt) containing the waste.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1.06

Comment on density: The bulk density of the recombination unit catalyst is 1.06 t/m³.

CHEMICAL COMPOSITION

General description and components (%wt):

Pelletised alumina-platinum catalyst (cylinders ~5mm long). No other materials anticipated.

Polythene lined steel drums containing the waste (~10%wt).

Chemical state: Neutral

Chemical form of

H-3: Diffused into catalyst

radionuclides:

C-14: Contamination by graphite particulate

CI-36: Activation of sulphide components within the gas stream. Se-79: Not expected to be present in significant quantities. Tc-99: Not expected to be present in significant quantities. I-129: Not expected to be present in significant quantities. Ra: Not expected to be present in significant quantities. Th: Not expected to be present in significant quantities. U: Not expected to be present in significant quantities.

Np: Not expected to be present in significant quantities. Pu: Not expected to be present in significant quantities.

Metals and alloys (%wt):

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Iron...... NE

Aluminium...... NE

	Beryllium	NE		
	Cobalt	NE		
	Copper			
	Lead			
	Magnox/Magnesium			
		NE		
	Titanium	NE		
	Uranium			
	Zinc			
	Zircaloy/Zirconium	0		
	Other metals		~0.3%wt Platinum on aluminia.	
Organics (%v			ene drum liners are present.	
0.ga00 (70.	10 50 14111101 400000	(%wt)	Type(s) and comment	% of total C14
	Total callulacion		Type(3) and comment	activity
	Total cellulosics	0		
	Paper, cotton	0		
	Wood	0		
	Halogenated plastics	0		
	Total non-halogenated plastics	<10.0		
	Condensation polymers	0		
	Others	<10.0		
	Organic ion exchange materials	0		
	Total rubber	0		
	Halogenated rubber	0		
	Non-halogenated rubber	0		
	Hydrocarbons	0		
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	NE		
Other materia	als (%wt): Approximately 80wt9	% alumina	base granule.	
		(%wt)	Type(s) and comment	% of total C14 activity
	Inorganic ion exchange materials	0		
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material	0		
	Sand	0		
	Glass/Ceramics	0		

Graphite	0	
Desiccants/Catalysts	89.7	
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
Inorganic anions (%wt): None of the listed in concentrations.		nions are expected to be present at greater than trace
	(%wt)	Type(s) and comment
Fluoride	TR	
Chloride	TR	
lodide	TR	
Cyanide	NE	
Carbonate	TR	
Nitrate	0	
Nitrite	0	
Phosphate	0	
Sulphate	TR	
Sulphide	TR	
Materials of interest for waste acceptance criteria: There are no mater radiological hazard		ied in the waste likely to present a fire or other non-
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials	0	
Putrescible wastes	0	
Non-putrescible wastes	0	
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles	0	Not expected
Soluble solids as bulk chemical compounds	0	

Hazardous substances / non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide	NE	
Benzene	NE	
Chlorinated solvents	NE	
Formaldehyde	NE	
Organometallics	NE	
Phenol	NE	
Styrene	NE	
Tri-butyl phosphate	NE	
Other organophosphates	NE	
Vinyl chloride	NE	
Arsenic	NE	
Barium	NE	
Boron	NE	
Boron (in Boral)	NE	
Boron (non-Boral)	NE	
Cadmium	NE	
Caesium	NE	
Selenium	NE	
Chromium	NE	
Molybdenum	NE	
Thallium	NE	
Tin	NE	
Vanadium	NE	
Mercury compounds	NE	
Others	NE	
Electronic Electrical Equipment (EEE)		
EEE Type 1	0	
EEE Type 2	0	
EEE Type 3	0	
EEE Type 4	0	
EEE Type 5	0	
Complexing agents (%wt): Not yet determined		
	(%wt)	Type(s) and comment
EDTA	NE	
DPTA	NE	
NTA	NE	
Polycarboxylic acids	NE	
Other organic complexants	NE	Expect only trace quantities, if any.
Total complexing agents	NE	

WASTE STREAM

3K22 Catalyst

Potential for the waste to contain discrete items:

No.

TREATMENT, PACKAGING AND DISPOSAL

Waste that is currently ILW:

This waste is ILW at the time of arising. The waste is stored temporarily to allow decay of short lived radionucliides. Following this, the waste is sent for decontamination to LLW. No date specified.

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %	
Low force compaction			
Supercompaction (HFC)			
Incineration			
Solidification	Off-site	100.0	
Decontamination	Off-site	100.0	
Metal treatment			
Size reduction			
Decay storage	On-site	100.0	
Recyling / reuse			
Other / various			
None			

Comment on planned treatments:

Current waste treatment is to decontaminated to LLW and then encapsulated. However, trials are ongoing into both washing and incineration, and direct incineration.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	NE

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %			
Disposal Notice	2022/23	2023/24	2024/25	
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known				

Opportunities for alternative disposal routing: Not yet determined

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
Disposal at LLWR	Incineration	-	-	Medium	-

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	~6.09	<1

Other information: Waste loading is based on 18.27m³ per half-height ISO.

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

The waste does not meet the LLWR's Waste Acceptance Criteria (WAC).

Does not meet WAC until catalyst is decontaminated.

Waste consigned for disposal to LLWR in year of generation:

No. Waste is ILW when generated and needs decontaminating to LLW.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: Contamination by activation products will be the main sources of activity.

Uncertainty: The values given are from analysis of catalyst samples from 2016, so give a good

indication of activities present but may not be bounding. Specific activity is a function of both operating history and also the period of radioactive decay, given some catalyst waste

has been stored on site for decades.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Analysis by Tradebe Inutec of HAR catalyst samples from 2016.

Other information: Other beta/gamma nuclides of arisings and stocks (in TBq/m³) include S35 (3.4E0); Co58

(1.4E-4) and Se75 (1.5E-4)

	Mean radioactivity, TBq/m³				Mean radioactivity, TBq/m³				
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.89E-01	CC 1	1.89E-01	CC 1	Gd 153				
Be 10					Ho 163				
C 14	8.69E-06	CC 1	8.69E-06	CC 1	Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
CI 36	6.15E-05	CC 1	6.15E-05	CC 1	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40		8		8	Hf 182				
Ca 41					Pt 193 TI 204				
Mn 53 Mn 54	1.52E-04	CC 1	1.52E-04	CC 1	Pb 205				
Fe 55	8.16E-05	CC 1	8.16E-05	CC 1	Pb 210				
Co 60	1.24E-04	CC 1	1.24E-04	CC 1	Bi 208				
Ni 59	1.246-04	00 1	1.246-04	00 1	Bi 210m				
Ni 63	3.77E-05	CC 1	3.77E-05	CC 1	Po 210				
Zn 65	0.772 00	8	0.772 00	8	Ra 223				
Se 79		J		· ·	Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90					Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94		8		8	Th 234		8		8
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99		0			U 232 U 233				
Ru 106		8		8	U 234				
Pd 107 Ag 108m		0		8	U 235		8		8
Ag 108m Ag 110m		8 8		8	U 236		Ü		O
Cd 109		8		8	U 238				
Cd 113m		o l		Ü	Np 237		8		8
Sn 119m					Pu 236				
Sn 121m					Pu 238				
Sn 123					Pu 239				
Sn 126					Pu 240				
Sb 125		8		8	Pu 241				
Sb 126					Pu 242				
Te 125m					Am 241		8		8
Te 127m					Am 242m				
l 129					Am 243				
Cs 134		8		8	Cm 242				
Cs 135	,			0.0	Cm 243				
Cs 137	1.72E-06	CC 1	1.72E-06	CC 1	Cm 244 Cm 245				
Ba 133		8		8	Cm 245 Cm 246				
La 137					Cm 248				
La 138 Ce 144		8		8	Cff 249				
Ce 144 Pm 145		٥		o	Cf 250				
Pm 145					Cf 251				
Sm 147					Cf 252				
Sm 151					Other a	2.12E-07	CC 1	2.12E-07	CC 1
Eu 152		8		8	Other b/g	3.39E-03	CC 1	3.39E-03	CC 1
Eu 154		8		8	Total a	2.12E-07	CC 1	2.12E-07	CC 1
Eu 155		8		8	Total b/g	1.93E-01	CC 1	1.93E-01	CC 1
	1	- I		-	The state of the s	i			

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity