

**WASTE STREAM**

3N319

**Stage 3 Decommissioning: Miscellaneous Metals and Materials (Reactor and Non-Reactor) LLW****SITE** Hinkley Point B**SITE OWNER** EDFE NGL**WASTE CUSTODIAN** EDFE NGL**WASTE TYPE** LLWIs the waste subject to  
Scottish Policy:

No

**WASTE VOLUMES**

	Reported
Stocks:	At 1.4.2022..... 0 m <sup>3</sup>
Future arisings -	1.4.2022 - 31.3.2110..... 0 m <sup>3</sup>
	1.4.2110 - 31.3.2111..... 356.7 m <sup>3</sup>
	1.4.2111 - 31.3.2112..... 374.8 m <sup>3</sup>
	1.4.2112 - 31.3.2113..... 288.2 m <sup>3</sup>
	1.4.2113 - 31.3.2114..... 56.5 m <sup>3</sup>
	1.4.2114 - 31.3.2115..... 62.6 m <sup>3</sup>
	1.4.2115 - 31.3.2116..... 10.0 m <sup>3</sup>
Total future arisings:	1148.7 m <sup>3</sup>
Total waste volume:	1148.7 m <sup>3</sup>
Comment on volumes:	Waste volumes will be variable depending on station operating conditions. Volumes based on Back to Bio Shield strategy. Work is ongoing looking at optimising the strategy which could lead to a change in volume and timings of arisings across Final Site Clearance wastes (300s) and Pre C&M wastes (100s), in future submissions.
Uncertainty factors on volumes:	Stock (upper): x Arisings (upper) x 1.5 Stock (lower): x Arisings (lower) x 0.5

**WASTE SOURCE**

A variety of materials from plant dismantling.

**PHYSICAL CHARACTERISTICS**

General description:	A variety of materials including metals, insulation materials, concrete and inorganic sludge. Waste can be packaged in standard NDA packages.
Physical components (%vol):	A variety of constituents including metallic items, insulating materials, concrete and inorganic sludge
Sealed sources:	The waste does not contain sealed sources.
Bulk density (t/m <sup>3</sup> ):	~1
Comment on density:	The density is of the waste as prepared for packaging.

**CHEMICAL COMPOSITION**

General description and components (%wt):	A variety of materials including metals, insulation materials, concrete and inorganic sludge.
Chemical state:	Neutral
Chemical form of radionuclides:	H-3: Diffused into matrix C-14: There may be some surface contamination as graphite. Cl-36: The chlorine will be incorporated in steel components Se-79: Selenium content not expected to be significant Tc-99: Not determined I-129: Not determined Ra: Radium content is insignificant Th: Thorium content is Insignificant U: Not determined Np: The neptunium content is insignificant Pu: Not determined
Metals and alloys (%wt):	-

<b>WASTE STREAM</b>	<b>3N319</b>	<b>Stage 3 Decommissioning: Miscellaneous Metals and Materials (Reactor and Non-Reactor) LLW</b>
---------------------	--------------	--

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	~25.0		
Other ferrous metals.....	~25.0		
Iron.....	NE		
Aluminium.....	NE		
Beryllium.....	NE		
Cobalt.....	NE		
Copper.....	NE		
Lead.....	NE		
Magnox/Magnesium.....	NE		
Nickel.....	NE		
Titanium.....	NE		
Uranium.....	NE		
Zinc.....	NE		
Zircaloy/Zirconium.....	NE		
Other metals.....	NE		
Organics (%wt):	None expected.		
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics .....	0		
Total non-halogenated plastics....	0		
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	0		
Total rubber.....	0		
Halogenated rubber .....	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....	NE		
Oil or grease .....			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	0		
Other materials (%wt):	-		

<b>WASTE STREAM</b>	<b>3N319</b>	<b>Stage 3 Decommissioning: Miscellaneous Metals and Materials (Reactor and Non-Reactor) LLW</b>
---------------------	--------------	--

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	~50.0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	~0		
Sand.....	0		
Glass/Ceramics.....	0		
Graphite.....	0		
Desiccants/Catalysts.....	0		
Asbestos.....	NE		
Non/low friable.....			
Moderately friable.....			
Highly friable.....			
Free aqueous liquids.....	0		
Free non-aqueous liquids.....	0		
Powder/Ash.....	0		

Inorganic anions (%wt):         Not fully assessed.

	(%wt)	Type(s) and comment
Fluoride.....	NE	
Chloride.....	NE	
Iodide.....	NE	
Cyanide.....	NE	
Carbonate.....	NE	
Nitrate.....	NE	
Nitrite.....	NE	
Phosphate.....	NE	
Sulphate.....	NE	
Sulphide.....	NE	

Materials of interest for waste acceptance criteria:         The presence or absence of asbestos has yet to be confirmed.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....	0	

<b>WASTE STREAM</b>	<b>3N319</b>	<b>Stage 3 Decommissioning: Miscellaneous Metals and Materials (Reactor and Non-Reactor) LLW</b>
---------------------	--------------	--

Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Higher activity particles.....	0	Not expected.
Soluble solids as bulk chemical compounds.....	0	

Hazardous substances / If any, present in trace quantities only.  
non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	NE	
Benzene.....	NE	
Chlorinated solvents.....	NE	
Formaldehyde.....	NE	
Organometallics.....	NE	
Phenol.....	NE	
Styrene.....	NE	
Tri-butyl phosphate.....	NE	
Other organophosphates.....	NE	
Vinyl chloride.....	NE	
Arsenic.....	NE	
Barium.....	NE	
Boron.....	NE	
Boron (in Boral).....	NE	
Boron (non-Boral).....	NE	
Cadmium.....	NE	
Caesium.....	NE	
Selenium.....	NE	
Chromium.....	NE	
Molybdenum.....	NE	
Thallium.....	NE	
Tin.....	NE	
Vanadium.....	NE	
Mercury compounds.....	NE	
Others.....	NE	
Electronic Electrical Equipment (EEE)		
EEE Type 1.....	NE	
EEE Type 2.....	NE	
EEE Type 3.....	NE	
EEE Type 4.....	NE	
EEE Type 5.....	NE	

**WASTE STREAM****3N319****Stage 3 Decommissioning: Miscellaneous Metals and Materials (Reactor and Non-Reactor) LLW**

Complexing agents (%wt): Not yet determined

	(%wt)	Type(s) and comment
EDTA.....	NE	
DPTA.....	NE	
NTA.....	NE	
Polycarboxylic acids.....	NE	
Other organic complexants.....	NE	Only trace quantities, if any.
Total complexing agents.....	NE	

Potential for the waste to contain discrete items: Yes.

**TREATMENT, PACKAGING AND DISPOSAL**

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None		100.0

Comment on planned treatments:

It is likely that in line with the waste hierarchy, wastes will be treated preferentially by incineration, metal decontamination/melting, supercompaction, optimal packaging in disposal containers or immobilisation by encapsulation where necessary, prior to ultimate disposal. At present, insufficient information is available to determine the percentages.

**Disposal Routes:**

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	~1.0

Classification codes for waste expected to be consigned to a landfill facility: -

**Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):**

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be consigned to an On-Site Disposal Facility			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be consigned as Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

**Opportunities for alternative disposal routing:** Yes

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
Disposal at LLWR	Metal treatment	10.0	-	Medium	Limited as majority of waste expected to be activated and would not meet WAC.

#### Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m <sup>3</sup>	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	~11.71	99

Other information: -

#### Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation Form (WCH): It is not yet determined if the waste meets LLWR's Waste Acceptance Criteria (WAC).

Waste consigned for disposal to LLWR in year of generation: Yes.

#### Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume: -

Inaccessible voidage: -

Other information: -

#### RADIOACTIVITY

Source: Activation of the materials and impurities. There may be some contamination.

Uncertainty: Only very approximate estimates have been made of the total specific activities.

**WASTE STREAM****3N319****Stage 3 Decommissioning: Miscellaneous Metals and Materials (Reactor and Non-Reactor) LLW**

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Activation/decay calculations based on neutron flux and operating history.

Other information:

No radionuclides other than those listed are expected to be significant.

## WASTE STREAM

## 3N319

## Stage 3 Decommissioning: Miscellaneous Metals and Materials (Reactor and Non-Reactor) LLW

Nuclide	Mean radioactivity, TBq/m <sup>3</sup>				Nuclide	Mean radioactivity, TBq/m <sup>3</sup>			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			5.04E-08	CC 2	Gd 153				
Be 10			2.13E-14	CC 2	Ho 163				
C 14			2.91E-07	CC 2	Ho 166m				
Na 22				4	Tm 170				
Al 26				4	Tm 171				
Cl 36			3.24E-07	CC 2	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41			4.25E-12	CC 2	Pt 193				
Mn 53				5	Tl 204				
Mn 54					Pb 205				
Fe 55			7.10E-15	CC 2	Pb 210			8	
Co 60			1.86E-10	CC 2	Bi 208				
Ni 59			8.48E-08	CC 2	Bi 210m				
Ni 63			5.46E-06	CC 2	Po 210			8	
Zn 65				5	Ra 223				
Se 79				8	Ra 225				
Kr 81					Ra 226			8	
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90			2.65E-09	CC 2	Th 227				
Zr 93			3.82E-14	CC 2	Th 228				
Nb 91					Th 229			8	
Nb 92					Th 230			8	
Nb 93m			9.90E-13	CC 2	Th 232			8	
Nb 94			6.99E-09	CC 2	Th 234				
Mo 93			4.18E-10	CC 2	Pa 231			8	
Tc 97					Pa 233				
Tc 99				6	U 232				
Ru 106				5	U 233			8	
Pd 107				8	U 234		1.82E-13	CC 2	
Ag 108m			6.19E-09	CC 2	U 235		2.90E-15	CC 2	
Ag 110m				5	U 236		4.66E-14	CC 2	
Cd 109				5	U 238		5.41E-14	CC 2	
Cd 113m				5	Np 237			8	
Sn 119m					Pu 236				
Sn 121m				6	Pu 238		1.09E-10	CC 2	
Sn 123					Pu 239		1.38E-10	CC 2	
Sn 126				8	Pu 240		3.27E-10	CC 2	
Sb 125				5	Pu 241		9.85E-11	CC 2	
Sb 126					Pu 242			8	
Te 125m					Am 241		1.51E-10	CC 2	
Te 127m					Am 242m			8	
I 129			4.20E-15	CC 2	Am 243			8	
Cs 134				5	Cm 242			5	
Cs 135				8	Cm 243		3.04E-13	CC 2	
Cs 137			2.22E-09	CC 2	Cm 244		5.74E-12	CC 2	
Ba 133			1.88E-11	CC 2	Cm 245			8	
La 137					Cm 246			8	
La 138					Cm 248				
Ce 144				5	Cf 249				
Pm 145					Cf 250				
Pm 147				5	Cf 251				
Sm 147					Cf 252				
Sm 151			1.43E-13	CC 2	Other a			8	
Eu 152			1.26E-10	CC 2	Other b/g			5	
Eu 154			8.39E-12	CC 2	Total a	0		7.30E-10	CC 2
Eu 155			5.14E-14	CC 2	Total b/g	0		6.23E-06	CC 2

## Bands (Upper and Lower)

A a factor of 1.5

B a factor of 3

C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

## Code

1 Measured activity

2 Derived activity (best estimate)

3 Derived activity (upper limit)

4 Not present

5 Present but not significant

6 Likely to be present but not assessed

7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity