

SITE Hinkley Point B**SITE OWNER** EDFE NGL**WASTE CUSTODIAN** EDFE NGL**WASTE TYPE** LLWIs the waste subject to
Scottish Policy:
No**WASTE VOLUMES**

	Reported
Stocks:	At 1.4.2022.....
Future arisings -	1.4.2022 - 31.3.2025.....
Total future arisings:	1.5 m ³
Total waste volume:	6.5 m ³
Comment on volumes:	Future arisings possible but unpredictable.
Uncertainty factors on volumes:	Stock (upper): x 1.5 Arisings (upper) x 1.5 Stock (lower): x 0.5 Arisings (lower) x 0.5

WASTE SOURCE

Waste arises from the treatment of active effluent. Occasionally sludge cannot be transferred to purpose built storage vessels and is removed from process/treatment vessels into drums, IBCs or similar containers for storage prior to characterisation and disposal.

PHYSICAL CHARACTERISTICS

General description:	Sludge recovered from active effluent treatment plant vessels.
Physical components (%vol):	Sludge (100% vol), no other items have been identified.
Sealed sources:	The waste does not contain sealed sources.
Bulk density (t/m ³):	~2
Comment on density:	Waste density is an estimate based on average of current arisings.

CHEMICAL COMPOSITION

General description and
components (%wt): A variety of materials.

Chemical state:	Neutral
Chemical form of radionuclides:	H-3: Diffused into materials C-14: Graphite Cl-36: Not Assessed Se-79: Not Assessed Tc-99: Not Assessed I-129: Not Assessed Ra: Not Assessed Th: Not Assessed U: Not Assessed Np: Not Assessed Pu: Not Assessed

Metals and alloys (%wt): -

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	NE		
Other ferrous metals.....	NE		
Iron.....	NE		
Aluminium.....	NE		
Beryllium.....	NE		
Cobalt.....	NE		

WASTE STREAM

3N35

Miscellaneous Sludges

Copper.....	NE
Lead.....	NE
Magnox/Magnesium.....	NE
Nickel.....	NE
Titanium.....	NE
Uranium.....	NE
Zinc.....	NE
Zircaloy/Zirconium.....	NE
Other metals.....	NE

Organics (%wt): Traces of grease/oil

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics.....	NE		
Paper, cotton.....			
Wood.....			
Halogenated plastics	NE		
Total non-halogenated plastics....	NE		
Condensation polymers.....			
Others.....			
Organic ion exchange materials....	NE		
Total rubber.....	NE		
Halogenated rubber			
Non-halogenated rubber.....			
Hydrocarbons.....	NE		
Oil or grease			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	NE		

Other materials (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	NE		
Inorganic sludges and flocs.....	100.0		
Soil.....	NE		
Brick/Stone/Rubble.....	NE		
Cementitious material.....	NE		
Sand.....	NE		
Glass/Ceramics.....	NE		
Graphite.....	NE		
Desiccants/Catalysts.....	NE		

WASTE STREAM 3N35 Miscellaneous Sludges

Asbestos..... 0

 Non/low friable.....

 Moderately friable.....

 Highly friable.....

Free aqueous liquids..... P

Free non-aqueous liquids..... NE

Powder/Ash..... 0

Inorganic anions (%wt): Inorganic anions may be present

(%wt) Type(s) and comment

Fluoride..... NE

Chloride..... NE

Iodide..... NE

Cyanide..... 0

Carbonate..... NE

Nitrate..... NE

Nitrite..... NE

Phosphate..... NE

Sulphate..... NE

Sulphide..... NE

Materials of interest for waste acceptance criteria: Expect only trace quantities if any. Oil and grease may be present.

(%wt) Type(s) and comment

Combustible metals..... 0

Low flash point liquids..... 0

Explosive materials..... 0

Phosphorus..... 0

Hydrides..... 0

Biological etc. materials..... NE

Biodegradable materials..... NE

 Putrescible wastes.....

 Non-putrescible wastes..... 0

Corrosive materials..... 0

Pyrophoric materials..... 0

Generating toxic gases..... 0

Reacting with water..... 0

Higher activity particles..... 0 Not expected

Soluble solids as bulk chemical compounds..... 0

Hazardous substances / -
non hazardous pollutants:

(%wt) Type(s) and comment

Acrylamide..... NE

WASTE STREAM 3N35 Miscellaneous Sludges

Benzene.....	NE
Chlorinated solvents.....	NE
Formaldehyde.....	NE
Organometallics.....	NE
Phenol.....	NE
Styrene.....	NE
Tri-butyl phosphate.....	NE
Other organophosphates.....	NE
Vinyl chloride.....	NE
Arsenic.....	NE
Barium.....	NE
Boron.....	NE
Boron (in Boral).....	NE
Boron (non-Boral).....	NE
Cadmium.....	NE
Caesium.....	NE
Selenium.....	NE
Chromium.....	NE
Molybdenum.....	NE
Thallium.....	NE
Tin.....	NE
Vanadium.....	NE
Mercury compounds.....	NE
Others.....	NE
Electronic Electrical Equipment (EEE)	
EEE Type 1.....	0
EEE Type 2.....	0
EEE Type 3.....	0
EEE Type 4.....	0
EEE Type 5.....	0

Complexing agents (%wt): Not yet determined

	(%wt)	Type(s) and comment
EDTA.....	NE	
DPTA.....	NE	
NTA.....	NE	
Polycarboxylic acids.....	NE	
Other organic complexants.....	NE	
Total complexing agents.....	0	

Potential for the waste to No.
contain discrete items:

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recycling / reuse		
Other / various		
None		

Comment on planned treatments:

Preferred strategy not yet identified. In line with the waste hierarchy, waste will be preferentially treated by incineration, drying & supercompaction or cementation prior to disposal.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository		
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility		
Expected to be consigned to a Metal Treatment Facility		
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known	100.0	

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be consigned to an On-Site Disposal Facility			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be consigned as Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Opportunities for alternative disposal routing:

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

Waste Packaging for Disposal: (Not applicable to this waste stream)

WASTE STREAM**3N35****Miscellaneous Sludges**

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO			
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume: -

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: Contaminated sludge. Contamination by activation products will be the main source of activity.

Uncertainty: Characterisation not yet complete.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: Nuclides likely to be present in significant quantities estimated from sludge wastestream 3N02.

Other information: -

WASTE STREAM

3N35

Miscellaneous Sludges

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3		6		6	Gd 153				
Be 10					Ho 163				
C 14					Ho 166m				
Na 22		4		4	Tm 170				
Al 26		4		4	Tm 171				
Cl 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54		7		7	Pb 205				
Fe 55		7		7	Pb 210				
Co 60		7		7	Bi 208				
Ni 59		7		7	Bi 210m				
Ni 63		7		7	Po 210				
Zn 65		7		7	Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90		7		7	Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94		6		6	Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106		6		6	U 233				
Pd 107					U 234				
Ag 108m					U 235				
Ag 110m		6		6	U 236				
Cd 109					U 238				
Cd 113m					Np 237				
Sn 119m					Pu 236				
Sn 121m					Pu 238		6	6	
Sn 123					Pu 239		6	6	
Sn 126					Pu 240		6	6	
Sb 125		6		6	Pu 241		7	7	
Sb 126					Pu 242				
Te 125m					Am 241		6	6	
Te 127m					Am 242m		6	6	
I 129					Am 243				
Cs 134		6		6	Cm 242		6	6	
Cs 135					Cm 243				
Cs 137		7		7	Cm 244		6	6	
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144		6		6	Cf 249				
Pm 145					Cf 250				
Pm 147		6		6	Cf 251				
Sm 147					Cf 252				
Sm 151		6		6	Other a		8	8	
Eu 152					Other b/g		6	6	
Eu 154		6		6	Total a		NE	6	NE
Eu 155		6		6	Total b/g		NE	7	NE

Bands (Upper and Lower)

A a factor of 1.5

B a factor of 3

C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

1 Measured activity

2 Derived activity (best estimate)

3 Derived activity (upper limit)

4 Not present

5 Present but not significant

6 Likely to be present but not assessed

7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity