

WASTE STREAM**3N38****Miscellaneous Activated Components & Fuel Stringer
Debris - Debris Vault 1****SITE** Hinkley Point B**SITE OWNER** EDFE NGL**WASTE CUSTODIAN** EDFE NGL**WASTE TYPE** ILW; SPD3

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	603.0 m ³
Future arisings -	1.4.2022 - 31.3.2023.....	2.5 m ³
	1.4.2023 - 31.3.2025.....	57.8 m ³
Total future arisings:		60.3 m ³
Total waste volume:		663.3 m ³

Comment on volumes: Waste volumes will be variable depending on station operating conditions.

Uncertainty factors on volumes: Stock (upper): x 1.25 Arisings (upper) x 1.75
 Stock (lower): x 0.75 Arisings (lower) x 0.25

WASTE SOURCE The waste is primarily produced as a result of dismantling fuel stringers. Some additional high activity components in steel tins, are also present**PHYSICAL CHARACTERISTICS**

General description: The waste includes tie bars, central inertial collectors and top reflectors, anti gapping units and bottom supports, upper stabilising brushes, vacancy assemblies, graphite sleeves, and miscellaneous small items in tins.

Physical components (%vol): Percentage breakdown not assessed.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~0.77Comment on density: Estimated as 0.77 t/m³.**CHEMICAL COMPOSITION**

General description and components (%wt): The waste is predominantly stainless steel and graphite. Nimonic alloy will also be present. There may be traces of organic materials (e.g. oil) and complexing agents (e.g. decontamination chemicals). The material breakdown is not currently assessed.

Chemical state: Neutral

Chemical form of radionuclides: H-3: Diffused into materials
 C-14: Graphite
 Cl-36: Incorporated into steels
 Se-79: Not Assessed
 Tc-99: Not expected to be significant
 I-129: Not expected to be significant
 Ra: Not expected to be significant
 Th: Not expected to be significant
 U: Not expected to be significant
 Np: Not expected to be significant
 Pu: Not expected to be significant

Metals and alloys (%wt): -

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	P		
Other ferrous metals.....	NE		
Iron.....	NE		
Aluminium.....	NE		
Beryllium.....	NE		

WASTE STREAM

3N38

**Miscellaneous Activated Components & Fuel Stringer
Debris - Debris Vault 1**

Cobalt.....	NE
Copper.....	NE
Lead.....	NE
Magnox/Magnesium.....	NE
Nickel.....	P
Titanium.....	NE
Uranium.....	NE
Zinc.....	NE
Zircaloy/Zirconium.....	NE
Other metals.....	NE

Organics (%wt): Further assessment is required.

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	0		
Total non-halogenated plastics.....	0		
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	0		
Total rubber.....	0		
Halogenated rubber	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....	TR		
Oil or grease	TR		
Fuel.....	0		
Asphalt/Tarmac (cont.coal tar)...	0		
Asphalt/Tarmac (no coal tar)....	0		
Bitumen.....	0		
Others.....	0		
Other organics.....	NE		

Other materials (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....	0		
Glass/Ceramics.....			
Graphite.....	P		

WASTE STREAM	3N38	Miscellaneous Activated Components & Fuel Stringer Debris - Debris Vault 1
---------------------	-------------	---

Desiccants/Catalysts.....	0
Asbestos.....	0
Non/low friable.....	
Moderately friable.....	
Highly friable.....	
Free aqueous liquids.....	0
Free non-aqueous liquids.....	0
Powder/Ash.....	0

Inorganic anions (%wt): Not estimated but will not be present in quantities greater than 1%wt.

	(%wt)	Type(s) and comment
Fluoride.....	NE	
Chloride.....	NE	
Iodide.....	NE	
Cyanide.....	NE	
Carbonate.....	NE	
Nitrate.....	NE	
Nitrite.....	NE	
Phosphate.....	NE	
Sulphate.....	NE	
Sulphide.....	NE	

Materials of interest for waste acceptance criteria: There are no hazardous materials in the waste. Whilst it is difficult to ignite, graphite will eventually burn in air.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....	0	
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Higher activity particles.....	P	
Soluble solids as bulk chemical compounds.....	0	

WASTE STREAM

3N38

**Miscellaneous Activated Components & Fuel Stringer
Debris - Debris Vault 1**

Hazardous substances /
non hazardous pollutants: -

	(%wt)	Type(s) and comment
Acrylamide.....	NE	
Benzene.....	NE	
Chlorinated solvents.....	NE	
Formaldehyde.....	NE	
Organometallics.....	NE	
Phenol.....	NE	
Styrene.....	NE	
Tri-butyl phosphate.....	NE	
Other organophosphates.....	NE	
Vinyl chloride.....	NE	
Arsenic.....	NE	
Barium.....	NE	
Boron.....	NE	
Boron (in Boral).....	NE	
Boron (non-Boral).....	NE	
Cadmium.....	NE	
Caesium.....	NE	
Selenium.....	NE	
Chromium.....	NE	
Molybdenum.....	NE	
Thallium.....	NE	
Tin.....	NE	
Vanadium.....	NE	
Mercury compounds.....	NE	
Others.....	NE	
Electronic Electrical Equipment (EEE)		
EEE Type 1.....	0	
EEE Type 2.....	0	
EEE Type 3.....	0	
EEE Type 4.....	0	
EEE Type 5.....	0	

Complexing agents (%wt): Not yet determined

	(%wt)	Type(s) and comment
EDTA.....	NE	
DPTA.....	NE	
NTA.....	NE	
Polycarboxylic acids.....	NE	
Other organic complexants.....	NE	Expect only trace quantities, if any.
Total complexing agents.....	NE	

WASTE STREAM**3N38****Miscellaneous Activated Components & Fuel Stringer
Debris - Debris Vault 1**

Potential for the waste to contain discrete items: Yes.

PACKAGING AND CONDITIONING

Conditioning method: The waste will be conditioned to satisfy the disposal requirements which are effective at the time of retrieval/conditioning. It is currently assumed that the waste will be placed in "baskets" in the waste packages and will be encapsulated.

Plant Name: -

Location: Hinkley Point B Power Station

Plant startup date: ~2107

Total capacity (m³/y incoming waste): -

Target start date for packaging this stream: -

Throughput for this stream (m³/y incoming waste): -

Other information: All of the waste is expected to be retrieved and conditioned when a conditioning campaign is undertaken. The total plant process rate is not estimated.

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m ³)	Payload (m ³)	Number of packages
	4m box (100mm concrete shielding)	100.0	~12.2	~14.3	55

Likely container type comment: -

Range in container waste volume: -

Other information on containers: Stainless steel.

Likely conditioning matrix: BFS/OPC

Other information: -

Conditioned density (t/m³): ~3.0

Conditioned density comment: The density of the encapsulated waste is expected to be approximately 3 t/m³.

Other information on conditioning: Waste will be retained on site pending Final Site Clearance, to let nuclides such as Co-60 undergo considerable radioactive decay. Baskets of different Final Site Clearance ILW wastes may be in the same waste package.

Opportunities for alternative disposal routing: No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

RADIOACTIVITY

Source: Source of activity is activation with possible contamination by fission products and actinides.

Uncertainty: Needs further assessment.

WASTE STREAM**3N38****Miscellaneous Activated Components & Fuel Stringer
Debris - Debris Vault 1**Definition of total alpha
and total beta/gamma:Where totals are shown on the table of radionuclide activities they are the sums of the
listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.Measurement of
radioactivities:

Theoretical estimates.

Other information:

-

WASTE STREAM

3N38

**Miscellaneous Activated Components & Fuel Stringer
Debris - Debris Vault 1**

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.40E-02	CC 2	3.49E-02	CC 2	Gd 153				
Be 10	3.51E-07	CC 2	3.51E-07	CC 2	Ho 163				
C 14	6.51E-02	CC 2	6.51E-02	CC 2	Ho 166m				
Na 22		4		4	Tm 170				
Al 26		4		4	Tm 171				
Cl 36	7.90E-06	CC 2	1.34E-05	CC 2	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41	6.52E-05	CC 2	6.52E-05	CC 2	Pt 193				
Mn 53					Tl 204				
Mn 54	1.30E+00	CC 2	6.51E+01	CC 2	Pb 205				
Fe 55	1.30E+02	CC 2	1.30E+03	CC 2	Pb 210	8			8
Co 60	1.30E+02	CC 2	5.86E+02	CC 2	Bi 208				
Ni 59	1.30E+00	CC 2	1.30E+00	CC 2	Bi 210m				
Ni 63	1.30E+02	CC 2	1.30E+02	CC 2	Po 210	8			8
Zn 65	6.82E-06	CC 2	6.79E-04	CC 2	Ra 223				
Se 79	1.81E-07	CC 2	1.2E-06	CC 2	Ra 225				
Kr 81					Ra 226	8			8
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90					Th 227				
Zr 93	5.86E-07	CC 2	5.86E-07	CC 2	Th 228				
Nb 91					Th 229	8			8
Nb 92					Th 230	8			8
Nb 93m	6E-04	CC 2	1E-03	CC 2	Th 232	8			8
Nb 94	3.90E-02	CC 2	3.90E-02	CC 2	Th 234				
Mo 93	6.51E-03	CC 2	6.51E-03	CC 2	Pa 231	8			8
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106					U 233	8			8
Pd 107					U 234	8			8
Ag 108m	3.25E-03	CC 2	3.90E-03	CC 2	U 235	8			8
Ag 110m	3.90E-02	CC 2	3.25E+00	CC 2	U 236	8			8
Cd 109	5.86E-04	CC 2	1.95E-02	CC 2	U 238	8			8
Cd 113m	5.35E-08	CC 2	1.33E-07	CC 2	Np 237	8			8
Sn 119m					Pu 236				
Sn 121m	6.98E-06	CC 2	6.98E-06	CC 2	Pu 238	8			8
Sn 123					Pu 239	8			8
Sn 126					Pu 240	8			8
Sb 125					Pu 241	8			8
Sb 126					Pu 242	8			8
Te 125m					Am 241	8			8
Te 127m					Am 242m	8			8
I 129					Am 243	8			8
Cs 134			2.05E-09	CC 2	Cm 242	8			8
Cs 135					Cm 243	8			8
Cs 137					Cm 244	8			8
Ba 133	1.98E-07	CC 2	5.44E-07	CC 2	Cm 245	8			8
La 137					Cm 246	8			8
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151	4.44E-06	CC 2	4.44E-06	CC 2	Other a	8			8
Eu 152	4.75E-03	CC 2	1.09E-02	CC 2	Other b/g	1.30E+00	CC 2	3.25E+03	CC 2
Eu 154	1.50E-03	CC 2	4.44E-03	CC 2	Total a	0	8	0	8
Eu 155	2.75E-04	CC 2	1.57E-03	CC 2	Total b/g	3.95E+02	CC 2	5.34E+03	CC 2

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity