

WASTE STREAM

3N39

Miscellaneous Activated Components & Fuel Stringer Debris - Debris Vault 2**SITE** Hinkley Point B**SITE OWNER** EDFE NGL**WASTE CUSTODIAN** EDFE NGL**WASTE TYPE** ILW; SPD3Is the waste subject to
Scottish Policy:

No

WASTE VOLUMES

Reported

Stocks: At 1.4.2022..... 35.6 m³Future arisings - 1.4.2022 - 31.3.2023..... 0.3 m³1.4.2023 - 31.3.2025..... 9.6 m³Total future arisings: 9.9 m³Total waste volume: 45.5 m³

Comment on volumes: Waste volumes will be variable depending on station operating conditions. Stock volume revised downwards following audit of holdings.

Uncertainty factors on
volumes: Stock (upper): x 1.25 Arisings (upper) x 1.75
Stock (lower): x 0.75 Arisings (lower) x 0.25**WASTE SOURCE** The waste is primarily produced as a result of dismantling plant components.**PHYSICAL CHARACTERISTICS**

General description: The waste includes Secondary locks, Tie bar remnants (cropped and whole), Piston seals and buffer strap assemblies, Thermocouple wire and clamp assembly, 3rd brush assembly, snubber assembly, control rod shock absorbers, miscellaneous bolts, tabs and washers.

Physical components (%vol): Percentage breakdown not assessed.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1Comment on density: Estimated as 1 t/m³**CHEMICAL COMPOSITION**General description and
components (%wt): The material breakdown is not currently assessed.

Chemical state: Neutral

Chemical form of
radionuclides: H-3: Diffused into materials
C-14: Graphite
Cl-36: Incorporated into steels
Se-79: Not Assessed
Tc-99: Not expected to be significant
I-129: Not expected to be significant
Ra: Not expected to be significant
Th: Not expected to be significant
U: Not expected to be significant
Np: Not expected to be significant
Pu: Not expected to be significant

Metals and alloys (%wt): -

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	P		
Other ferrous metals.....	NE		
Iron.....	NE		
Aluminium.....	NE		
Beryllium.....	NE		

WASTE STREAM**3N39****Miscellaneous Activated Components & Fuel Stringer
Debris - Debris Vault 2**

Cobalt.....	NE
Copper.....	NE
Lead.....	NE
Magnox/Magnesium.....	NE
Nickel.....	NE
Titanium.....	NE
Uranium.....	NE
Zinc.....	NE
Zircaloy/Zirconium.....	NE
Other metals.....	NE

Organics (%wt): No organic material is expected other than trace amounts of oil. Further assessment is required.

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	0		
Total non-halogenated plastics....	0		
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	0		
Total rubber.....	0		
Halogenated rubber	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....	TR		
Oil or grease	TR		
Fuel.....	0		
Asphalt/Tarmac (cont.coal tar)...	0		
Asphalt/Tarmac (no coal tar)....	0		
Bitumen.....	0		
Others.....	0		
Other organics.....	NE		

Other materials (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....	0		
Glass/Ceramics.....			
Graphite.....	NE		

WASTE STREAM	3N39	Miscellaneous Activated Components & Fuel Stringer Debris - Debris Vault 2
---------------------	-------------	---

Desiccants/Catalysts.....	0
Asbestos.....	0
Non/low friable.....	
Moderately friable.....	
Highly friable.....	
Free aqueous liquids.....	0
Free non-aqueous liquids.....	0
Powder/Ash.....	0

Inorganic anions (%wt): This waste is not expected to contain any inorganic anions.

	(%wt)	Type(s) and comment
Fluoride.....	0	
Chloride.....	0	
Iodide.....	0	
Cyanide.....	0	
Carbonate.....	0	
Nitrate.....	0	
Nitrite.....	0	
Phosphate.....	0	
Sulphate.....	0	
Sulphide.....	0	

Materials of interest for
waste acceptance criteria:

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....	0	
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Higher activity particles.....	P	
Soluble solids as bulk chemical compounds.....	0	

WASTE STREAM**3N39****Miscellaneous Activated Components & Fuel Stringer
Debris - Debris Vault 2**

Hazardous substances / non hazardous pollutants: This waste is not expected to contain any listed substances.

	(%wt)	Type(s) and comment
Acrylamide.....	NE	
Benzene.....	NE	
Chlorinated solvents.....	NE	
Formaldehyde.....	NE	
Organometallics.....	NE	
Phenol.....	NE	
Styrene.....	NE	
Tri-butyl phosphate.....	NE	
Other organophosphates.....	NE	
Vinyl chloride.....	NE	
Arsenic.....	NE	
Barium.....	NE	
Boron.....	NE	
Boron (in Boral).....	NE	
Boron (non-Boral).....	NE	
Cadmium.....	NE	
Caesium.....	NE	
Selenium.....	NE	
Chromium.....	NE	
Molybdenum.....	NE	
Thallium.....	NE	
Tin.....	NE	
Vanadium.....	NE	
Mercury compounds.....	NE	
Others.....	NE	
Electronic Electrical Equipment (EEE)		
EEE Type 1.....	0	
EEE Type 2.....	0	
EEE Type 3.....	0	
EEE Type 4.....	0	
EEE Type 5.....	0	

Complexing agents (%wt): Not yet determined

	(%wt)	Type(s) and comment
EDTA.....	NE	
DPTA.....	NE	
NTA.....	NE	
Polycarboxylic acids.....	NE	
Other organic complexants.....	NE	There may be traces of complexing agents (decontamination chemicals).
Total complexing agents.....	NE	

WASTE STREAM**3N39****Miscellaneous Activated Components & Fuel Stringer
Debris - Debris Vault 2**

Potential for the waste to contain discrete items: Yes.

PACKAGING AND CONDITIONING

Conditioning method:	The waste will be conditioned to satisfy the disposal requirements which are effective at the time of retrieval/conditioning. It is currently assumed that the waste will be placed in "baskets" in the waste packages and will be encapsulated.				
Plant Name:	-				
Location:	Hinkley Point B Power Station				
Plant startup date:	~2107				
Total capacity (m ³ /y incoming waste):	-				
Target start date for packaging this stream:	-				
Throughput for this stream (m ³ /y incoming waste):	-				
Other information:	All of the waste is expected to be retrieved and conditioned when a conditioning campaign is undertaken. The total plant process rate is not estimated.				

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m ³)	Payload (m ³)	Number of packages
	4m box (100mm concrete shielding)	100.0	~12.2	~14.3	4

Likely container type comment:	-
Range in container waste volume:	-
Other information on containers:	Stainless steel.
Likely conditioning matrix:	BFS/OPC
Other information:	-
Conditioned density (t/m ³):	~3.0
Conditioned density comment:	The density of the encapsulated waste is expected to be approximately 3 t/m ³ .
Other information on conditioning:	Waste will be retained on site pending Final Site Clearance, to let nuclides such as Co-60 undergo considerable radioactive decay. Baskets of different Final Site Clearance ILW wastes may be in the same waste package.
Opportunities for alternative disposal routing:	No

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

RADIOACTIVITY

Source:	Source of activity is activation with possible contamination by fission products and actinides.
Uncertainty:	Needs further assessment.

WASTE STREAM**3N39****Miscellaneous Activated Components & Fuel Stringer
Debris - Debris Vault 2**

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Theoretical estimates.

Other information:

-

WASTE STREAM

3N39

Miscellaneous Activated Components & Fuel Stringer
Debris - Debris Vault 2

Nuclide	Mean radioactivity, TBq/m³				Nuclide	Mean radioactivity, TBq/m³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3		6		6	Gd 153				
Be 10		8		8	Ho 163				
C 14	5E-02	CC 2	5E-02	CC 2	Ho 166m				
Na 22		4		4	Tm 170				
Al 26		4		4	Tm 171				
Cl 36		6		6	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41		8		8	Pt 193				
Mn 53					Tl 204				
Mn 54	9E-02	CC 2	1E+01	CC 2	Pb 205				
Fe 55	3E+01	CC 2	3E+02	CC 2	Pb 210	8		8	
Co 60	3E+01	CC 2	1E+02	CC 2	Bi 208				
Ni 59	2E-01	CC 2	2E-01	CC 2	Bi 210m				
Ni 63	9E+00	CC 2	1E+01	CC 2	Po 210	8		8	
Zn 65	1E-07	CC 2	3E-05	CC 2	Ra 223				
Se 79		8		8	Ra 225				
Kr 81					Ra 226	8		8	
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90		8		8	Th 227				
Zr 93		8		8	Th 228				
Nb 91					Th 229	8		8	
Nb 92					Th 230	8		8	
Nb 93m	4E-05	CC 2	5E-05	CC 2	Th 232	8		8	
Nb 94	1E-03	CC 2	1E-03	CC 2	Th 234				
Mo 93	5E-04	CC 2	5E-04	CC 2	Pa 231	8		8	
Tc 97					Pa 233				
Tc 99		8		8	U 232				
Ru 106		8		8	U 233	8		8	
Pd 107		8		8	U 234	8		8	
Ag 108m	4E-03	CC 2	4E-03	CC 2	U 235	8		8	
Ag 110m					U 236	8		8	
Cd 109					U 238	8		8	
Cd 113m					Np 237	8		8	
Sn 119m					Pu 236				
Sn 121m		8		8	Pu 238	8		8	
Sn 123					Pu 239	8		8	
Sn 126		8		8	Pu 240	8		8	
Sb 125					Pu 241	8		8	
Sb 126					Pu 242	8		8	
Te 125m					Am 241	8		8	
Te 127m					Am 242m	8		8	
I 129		8		8	Am 243	8		8	
Cs 134		6		6	Cm 242	8		8	
Cs 135		8		8	Cm 243	8		8	
Cs 137		6		6	Cm 244	8		8	
Ba 133					Cm 245	8		8	
La 137					Cm 246	8		8	
La 138					Cm 248				
Ce 144		8		8	Cf 249				
Pm 145					Cf 250				
Pm 147		8		8	Cf 251				
Sm 147					Cf 252				
Sm 151		8		8	Other a	8		8	
Eu 152		8		8	Other b/g	5E-01	CC 2	5E+02	CC 2
Eu 154		8		8	Total a	0	8	0	8
Eu 155		8		8	Total b/g	6.98E+01	CC 2	9.20E+02	CC 2

Bands (Upper and Lower)

A a factor of 1.5

B a factor of 3

C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

1 Measured activity

2 Derived activity (best estimate)

3 Derived activity (upper limit)

4 Not present

5 Present but not significant

6 Likely to be present but not assessed

7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity