SITE Sizewell B
SITE OWNER EDFE NGL

WASTE CUSTODIAN EDFE NGL

WASTE TYPE LLW

Is the waste subject to Scottish Policy:

No

WASTE VOLUMES

Total future arisings: 7501.0 m³
Total waste volume: 7501.0 m³

Comment on volumes: Waste volumes will be variable depending on station operating conditions.

Uncertainty factors on volumes: Stock (upper): x Arisings (upper) x 1.5

Stock (lower): x Arisings (lower) x 0.5

WASTE SOURCE Stainless steel items from the reactor structure and other radiation controlled areas such

as auxiliary and radwaste buildings.

PHYSICAL CHARACTERISTICS

General description: A variety of stainless steel items. Physical components (%vol): Stainless steel items (100%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1.4

Comment on density: The density is of the waste as cut for packaging.

CHEMICAL COMPOSITION

General description and

components (%wt):

Almost completely stainless steel (100%) with possibly a trace of other metals.

Chemical state: Chemical form of -

radionuclides:

Metals and alloys (%wt):

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Uranium.....

	Zinc	0		
	Zircaloy/Zirconium	0		
	Other metals	0		
Organics (%wt): None expected.			
		(%wt)	Type(s) and comment	% of total C14
	Total cellulosics	0		activity
	Paper, cotton	0		
	Wood	0		
	Halogenated plastics	0		
	Total non-halogenated plastics	0		
	Condensation polymers	0		
	Others	0		
	Organic ion exchange materials	0		
	Total rubber	0		
	Halogenated rubber	0		
	Non-halogenated rubber	0		
	Hydrocarbons	0		
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	0		
Other mate	erials (%wt):			
		(%wt)	Type(s) and comment	% of total C14
	Inorganic ion exchange materials	0		activity
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material	0		
	Sand	0		
	Glass/Ceramics			
	Graphite	0		
	Desiccants/Catalysts	0		
	Asbestos	0		
	Non/low friable			
	Moderately friable			
	Highly friable			
	Free aqueous liquids	0		
	Free non-aqueous liquids	0		

Powder/Ash	0	
Inorganic anions (%wt): None likely to be pre	esent.	
	(%wt)	Type(s) and comment
Fluoride	0	
Chloride	0	
lodide	0	
Cyanide	0	
Carbonate	0	
Nitrate	0	
Nitrite	0	
Phosphate	0	
Sulphate	0	
Sulphide	0	
Materials of interest for No materials likely to waste acceptance criteria:	o pose a fi	re or other non-radiological hazard have been identified
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials	0	
Putrescible wastes	0	
Non-putrescible wastes	0	
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles	0	Not expected.
Soluble solids as bulk chemical compounds	0	
Hazardous substances / - non hazardous pollutants:		
	(%wt)	Type(s) and comment
Acrylamide	NE	
Benzene	NE	
Chlorinated solvents	NE	
Formaldehyde	NE	
Organometallics	NE	
Phenol	NE	
Styrene	NE	

	Tri-butyl phosphate	NE	
	Other organophosphates	NE	
	Vinyl chloride	NE	
	Arsenic	NE	
	Barium	NE	
	Boron	NE	
	Boron (in Boral)	NE	
	Boron (non-Boral)	NE	
	Cadmium	NE	
	Caesium	NE	
	Selenium	NE	
	Chromium	NE	
	Molybdenum	NE	
	Thallium	NE	
	Tin	NE	
	Vanadium	NE	
	Mercury compounds	NE	
	Others	NE	
	Electronic Electrical Equipment (EEE)		
	EEE Type 1	0	
	EEE Type 2	0	
	EEE Type 3	0	
	EEE Type 4	0	
	EEE Type 5	0	
Complexing	agents (%wt): Not yet determined		
		(%wt)	Type(s) and comment
	EDTA	NE	
	DPTA	NE	
	NTA	NE	
	Polycarboxylic acids	NE	
	Other organic complexants	NE	Only trace quantities, if any.
	Total complexing agents	NE	

Potential for the waste to No. contain discrete items:

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment	Off-site	~98.0
Size reduction	On-site	~80.0
Decay storage		
Recyling / reuse		
Other / various		
None		~2.0

Comment on planned treatments:

It is expected that the raw waste will be size reduced through cutting for optimal loading into containers. The majority of waste is expected to be consigned off site for metal treatment. A small proportion is expected to be unsuitable for this route and will be consigned for disposal at LLWR without further treatment.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	~2.0	
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility		
Expected to be consigned to a Metal Treatment Facility	~98.0	
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %			
Disposal Route	2022/23	2023/24	2024/25	
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known				

Opportunities for alternative disposal routing:

Baseline Opportunity Stream Management Route Management Route Volume (%) Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment	
--	---------------------------	---------	--

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	~2.0	~37.5	5

Other information: Waste loading is based on reduction of raw waste volume through cutting for

optimal loading into half-height ISO containers. No additional further treatment

has been assumed in the waste loading.

Waste Planned for Disposal at the LLW Repository:

Container voidage:

Waste Characterisation Form (WCH):

It is not yet determined if the waste meets LLWR's Waste Acceptance Criteria

(WAC).

Yes.

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: Activation and contamination of the stainless steel.

Uncertainty: -

Definition of total alpha and total beta/gamma:

Significant radionuclides and ratios based on expected in-circuit contamination values. Activity values normalised to upper LLW limit (1.68E-2 TBq/m3). Data sheet provided by

Alan Simpson on 28/2/18 (future arisings only).

Measurement of radioactivities:

Not currently assessed.

Other information: There may be some contamination by Cs137. The activities quoted are those at the time of

decommissioning.

	Mean radioactivity, TBq/m³				Mean radioactivity, TBq/m³				
NI PI	Waste at	Bands and	Future	Bands and	N. P.L	Waste at	Bands and	Future	Bands and
Nuclide	1.4.2022	Code	arisings	Code	Nuclide	1.4.2022	Code	arisings	Code
H 3				6	Gd 153				
Be 10				8	Ho 163				
C 14				6	Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
CI 36				6	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41				8	Pt 193				
Mn 53					TI 204				
Mn 54				8	Pb 205				
Fe 55		<u> </u>	3.19E-03	CC 3	Pb 210				8
Co 60			8.9E-03	CC 3	Bi 208				
Ni 59			2.35E-05	CC 3	Bi 210m				
Ni 63			4.54E-03	CC 3	Po 210				8
Zn 65				8	Ra 223				
Se 79				8	Ra 225				
Kr 81					Ra 226				8
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90				8	Th 227				
Zr 93				8	Th 228				
Nb 91					Th 229				8
Nb 92					Th 230				8
Nb 93m				6	Th 232				8
Nb 94			2.02E-07	CC 3	Th 234				
Mo 93				6	Pa 231				8
Tc 97					Pa 233				
Tc 99				8	U 232				
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m				8	U 235				8
Ag 110m					U 236				8
Cd 109					U 238				8
Cd 113m					Np 237				8
Sn 119m					Pu 236				
Sn 121m				6	Pu 238				8
Sn 123				-	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				-	Pu 241				8
Sb 126					Pu 242				8
Te 125m					Am 241				8
Te 127m					Am 242m				8
l 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137			9.74E-05	CC 3	Cm 244				8
Ba 133			5 IL 00		Cm 245				8
La 137					Cm 246				8
La 138					Cm 248				-
Ce 144				8	Cf 249				
Pm 145				U	Cf 250				
Pm 145				8	Cf 251				
Sm 147				ō	Cf 252				
				0	Other a				8
Sm 151				8	Other b/g				8
Eu 152				8	Total a	0		0	O
Eu 154				8	Total b/g			<1.68E-02	C 3
Eu 155				8	rotal b/g	0	ļ	<1.00E-02	U 3

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Bands quantify uncertainty in Note: mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity