

<b>WASTE STREAM</b>	<b>3T10</b>	<b>LLW Dry Active Wastes</b>
---------------------	-------------	------------------------------

**SITE** Hinkley Point C

**SITE OWNER** NNB GenCo (HPC) Ltd

**WASTE CUSTODIAN** NNB GenCo (HPC) Ltd

**WASTE TYPE** LLW

Is the waste subject to Scottish Policy: No

**WASTE VOLUMES**

		Reported
Stocks:	At 1.4.2022.....	0m <sup>3</sup>
Future arisings -	1.4.2027 - 31.3.2028.....	100.0m <sup>3</sup>
	1.4.2028 - 31.3.2029.....	100.0m <sup>3</sup>
	1.4.2029 - 31.3.2030.....	100.0m <sup>3</sup>
	1.4.2030 - 31.3.2031.....	100.0m <sup>3</sup>
	1.4.2031 - 31.3.2032.....	100.0m <sup>3</sup>
	1.4.2032 - 31.3.2033.....	100.0m <sup>3</sup>
	1.4.2033 - 31.3.2034.....	100.0m <sup>3</sup>
	1.4.2034 - 31.3.2035.....	100.0m <sup>3</sup>
	1.4.2035 - 31.3.2036.....	100.0m <sup>3</sup>
	1.4.2036 - 31.3.2037.....	100.0m <sup>3</sup>
	1.4.2037 - 31.3.2038.....	100.0m <sup>3</sup>
	1.4.2038 - 31.3.2039.....	100.0m <sup>3</sup>
	1.4.2039 - 31.3.2040.....	100.0m <sup>3</sup>
	1.4.2040 - 31.3.2041.....	100.0m <sup>3</sup>
	1.4.2041 - 31.3.2042.....	100.0m <sup>3</sup>
	1.4.2042 - 31.3.2043.....	100.0m <sup>3</sup>
	1.4.2043 - 31.3.2044.....	100.0m <sup>3</sup>
	1.4.2044 - 31.3.2045.....	100.0m <sup>3</sup>
	1.4.2045 - 31.3.2046.....	100.0m <sup>3</sup>
	1.4.2046 - 31.3.2047.....	100.0m <sup>3</sup>
	1.4.2047 - 31.3.2048.....	100.0m <sup>3</sup>
	1.4.2048 - 31.3.2049.....	100.0m <sup>3</sup>
	1.4.2049 - 31.3.2050.....	100.0m <sup>3</sup>
	1.4.2050 - 31.3.2051.....	100.0m <sup>3</sup>
	1.4.2051 - 31.3.2052.....	100.0m <sup>3</sup>
	1.4.2052 - 31.3.2053.....	100.0m <sup>3</sup>
	1.4.2053 - 31.3.2054.....	100.0m <sup>3</sup>
	1.4.2054 - 31.3.2055.....	100.0m <sup>3</sup>
	1.4.2055 - 31.3.2056.....	100.0m <sup>3</sup>
	1.4.2056 - 31.3.2057.....	100.0m <sup>3</sup>
	1.4.2057 - 31.3.2058.....	100.0m <sup>3</sup>
	1.4.2058 - 31.3.2059.....	100.0m <sup>3</sup>
	1.4.2059 - 31.3.2060.....	100.0m <sup>3</sup>
	1.4.2060 - 31.3.2061.....	100.0m <sup>3</sup>
	1.4.2061 - 31.3.2062.....	100.0m <sup>3</sup>
	1.4.2062 - 31.3.2063.....	100.0m <sup>3</sup>
	1.4.2063 - 31.3.2064.....	100.0m <sup>3</sup>
	1.4.2064 - 31.3.2065.....	100.0m <sup>3</sup>
	1.4.2065 - 31.3.2066.....	100.0m <sup>3</sup>
	1.4.2066 - 31.3.2067.....	100.0m <sup>3</sup>
	1.4.2067 - 31.3.2068.....	100.0m <sup>3</sup>
	1.4.2068 - 31.3.2069.....	100.0m <sup>3</sup>
	1.4.2069 - 31.3.2070.....	100.0m <sup>3</sup>
	1.4.2070 - 31.3.2071.....	100.0m <sup>3</sup>
	1.4.2071 - 31.3.2072.....	100.0m <sup>3</sup>
	1.4.2072 - 31.3.2073.....	100.0m <sup>3</sup>
	1.4.2073 - 31.3.2074.....	100.0m <sup>3</sup>
	1.4.2074 - 31.3.2075.....	100.0m <sup>3</sup>

<b>WASTE STREAM</b>	<b>3T10</b>	<b>LLW Dry Active Wastes</b>
---------------------	-------------	------------------------------

1.4.2075 - 31.3.2076.....	100.0 m <sup>3</sup>
1.4.2076 - 31.3.2077.....	100.0 m <sup>3</sup>
1.4.2077 - 31.3.2078.....	100.0 m <sup>3</sup>
1.4.2078 - 31.3.2079.....	100.0 m <sup>3</sup>
1.4.2079 - 31.3.2080.....	100.0 m <sup>3</sup>
1.4.2080 - 31.3.2081.....	100.0 m <sup>3</sup>
1.4.2081 - 31.3.2082.....	100.0 m <sup>3</sup>
1.4.2082 - 31.3.2083.....	100.0 m <sup>3</sup>
1.4.2083 - 31.3.2084.....	100.0 m <sup>3</sup>
1.4.2084 - 31.3.2085.....	100.0 m <sup>3</sup>
1.4.2085 - 31.3.2086.....	100.0 m <sup>3</sup>
1.4.2086 - 31.3.2087.....	100.0 m <sup>3</sup>

Total future arisings: 6000.0 m<sup>3</sup>  
 Total waste volume: 6000.0 m<sup>3</sup>

Comment on volumes: No legacy waste, all future arisings. No uncertainty data currently available.

Uncertainty factors on volumes: Stock (upper): x Arisings (upper) x 1.0  
 Stock (lower): x Arisings (lower) x 1.0

**WASTE SOURCE** Dry Active Wastes (DAW) comprise the combustible and non-combustible LLW generated through routine and maintenance operations in HPC nuclear island and consist of contaminated personal protection equipment, monitoring swabs, plastic, clothing, contaminated tools, segregated pieces of metal, glassware and other process consumables. These wastes mainly arise during outages.

**PHYSICAL CHARACTERISTICS**

General description: Heterogeneous low active waste consisting of small pieces of metal, plastic, clothes.  
 Physical components (%vol): % breakdown not yet known.  
 Sealed sources: The waste does not contain sealed sources.  
 Bulk density (t/m<sup>3</sup>): NE  
 Comment on density: Raw waste density

**CHEMICAL COMPOSITION**

General description and components (%wt): Heterogeneous low active waste consisting of small pieces of metal, plastic, clothes.  
 Chemical state: -  
 Chemical form of radionuclides: -  
 Metals and alloys (%wt): -

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....			
Other ferrous metals.....			
Iron.....			
Aluminium.....			
Beryllium.....			
Cobalt.....			
Copper.....			
Lead.....			
Magnox/Magnesium.....			
Nickel.....			
Titanium.....			
Uranium.....			

<b>WASTE STREAM</b>	<b>3T10</b>	<b>LLW Dry Active Wastes</b>
---------------------	-------------	------------------------------

Zinc.....  
 Zircaloy/Zirconium.....  
 Other metals..... ~0.10 Antimony

Organics (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	NE		
Paper, cotton.....	NE		
Wood.....	NE		
Halogenated plastics .....	NE		
Total non-halogenated plastics.....	NE		
Condensation polymers.....	NE		
Others.....	NE		
Organic ion exchange materials....	NE		
Total rubber.....	NE		
Halogenated rubber .....	NE		
Non-halogenated rubber.....	NE		
Hydrocarbons.....	NE		
Oil or grease .....	NE		
Fuel.....	NE		
Asphalt/Tarmac (cont.coal tar)...	NE		
Asphalt/Tarmac (no coal tar)....	NE		
Bitumen.....	NE		
Others.....	NE		
Other organics.....	NE		

Other materials (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	NE		
Inorganic sludges and flocs.....	NE		
Soil.....	NE		
Brick/Stone/Rubble.....	NE		
Cementitious material.....	NE		
Sand.....	NE		
Glass/Ceramics.....	NE		
Graphite.....	NE		
Desiccants/Catalysts.....	NE		
Asbestos.....	NE		
Non/low friable.....	NE		
Moderately friable.....	NE		
Highly friable.....	NE		
Free aqueous liquids.....	NE		
Free non-aqueous liquids.....	NE		

<b>WASTE STREAM</b>	<b>3T10</b>	<b>LLW Dry Active Wastes</b>
---------------------	-------------	------------------------------

Powder/Ash..... NE

Inorganic anions (%wt): -

(%wt) Type(s) and comment

- Fluoride..... NE
- Chloride..... NE
- Iodide..... NE
- Cyanide..... NE
- Carbonate..... NE
- Nitrate..... NE
- Nitrite..... NE
- Phosphate..... NE
- Sulphate..... NE
- Sulphide..... NE

Materials of interest for waste acceptance criteria: -

(%wt) Type(s) and comment

- Combustible metals..... NE
- Low flash point liquids..... NE
- Explosive materials..... NE
- Phosphorus..... NE
- Hydrides..... NE
- Biological etc. materials..... NE
- Biodegradable materials..... NE
  - Putrescible wastes..... NE
  - Non-putrescible wastes..... NE
- Corrosive materials..... NE
- Pyrophoric materials..... NE
- Generating toxic gases..... NE
- Reacting with water..... NE
- Higher activity particles..... NE
- Soluble solids as bulk chemical compounds..... NE

Hazardous substances / non hazardous pollutants: -

(%wt) Type(s) and comment

- Acrylamide.....
- Benzene.....
- Chlorinated solvents.....
- Formaldehyde.....
- Organometallics.....
- Phenol.....
- Styrene.....

**WASTE STREAM****3T10****LLW Dry Active Wastes**

Tri-butyl phosphate.....  
 Other organophosphates.....  
 Vinyl chloride.....  
 Arsenic.....  
 Barium.....  
 Boron..... ~0.01  
   Boron (in Boral).....  
   Boron (non-Boral).....  
 Cadmium.....  
 Caesium.....  
 Selenium.....  
 Chromium.....  
 Molybdenum.....  
 Thallium.....  
 Tin.....  
 Vanadium.....  
 Mercury compounds.....  
 Others.....  
 Electronic Electrical Equipment (EEE)  
   EEE Type 1.....  
   EEE Type 2.....  
   EEE Type 3.....  
   EEE Type 4.....  
   EEE Type 5.....

Complexing agents (%wt):      No

(%wt)      Type(s) and comment

EDTA.....  
 DPTA.....  
 NTA.....  
 Polycarboxylic acids.....  
 Other organic complexants.....  
 Total complexing agents.....

Potential for the waste to      Not yet determined.  
 contain discrete items:

**TREATMENT, PACKAGING AND DISPOSAL**

**WASTE STREAM 3T10 LLW Dry Active Wastes**

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	Off-site	25.0
Incineration	Off-site	75.0
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recycling / reuse		
Other / various		
None		

Comment on planned treatments:

DAW excluding metals - incineration, including metals - supercompaction followed by disposal to LLWR

**Disposal Routes:**

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	25.0	NE
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility	75.0	NE
Expected to be consigned to a Metal Treatment Facility		
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility: -

**Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):**

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be consigned to an On-Site Disposal Facility			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be consigned as Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

**Opportunities for alternative disposal routing:** -

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

**Waste Packaging for Disposal:**

**WASTE STREAM      3T10      LLW Dry Active Wastes**

Container	Stream volume %	Waste loading m <sup>3</sup>	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other (200L drum)	~25.0	~7.2	209

Other information: -

**Waste Planned for Disposal at the LLW Repository:**

Container voidage: -

Waste Characterisation Form (WCH):      The waste meets the LLWR's Waste Acceptance Criteria (WAC).  
The waste does not have a current WCH.

Waste consigned for disposal to LLWR in year of generation:      Not yet determined. May need to wait for a full consignment to be prepared.

**Non-Containerised Waste for In-Vault Grouting:**      (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

**RADIOACTIVITY**

Source:      Contamination of items inside nuclear island buildings.

Uncertainty: -

Definition of total alpha and total beta/gamma:      In addition to the individual radionuclides which have been quantified the total beta gamma value accounts for relevant radionuclides which have been identified but not quantified individually. Total alpha may include some relevant radionuclides however which ones and in what quantity is not known at this stage.

Measurement of radioactivities: -

Other information: -

**WASTE STREAM**

**3T10**

**LLW Dry Active Wastes**

Nuclide	Mean radioactivity, TBq/m <sup>3</sup>				Nuclide	Mean radioactivity, TBq/m <sup>3</sup>			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3					Gd 153				
Be 10					Ho 163				
C 14			-6.98E-07	BB 2	Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54				6	Pb 205				
Fe 55				6	Pb 210				
Co 60			-6.34E-05	BB 2	Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65				6	Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90					Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106					U 233				
Pd 107					U 234				
Ag 108m					U 235				
Ag 110m				6	U 236				
Cd 109					U 238				
Cd 113m					Np 237				
Sn 119m					Pu 236				
Sn 121m					Pu 238				
Sn 123					Pu 239				
Sn 126					Pu 240				
Sb 125				6	Pu 241				
Sb 126					Pu 242				
Te 125m					Am 241				
Te 127m					Am 242m				
I 129			-3.26E-12	BB 2	Am 243				
Cs 134				6	Cm 242				
Cs 135					Cm 243				
Cs 137				6	Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Other a				
Eu 152					Other b/g				
Eu 154					<b>Total a</b>	<b>0</b>		<b>-9.52E-09</b>	<b>BB 2</b>
Eu 155					<b>Total b/g</b>	<b>0</b>		<b>-2.46E-04</b>	<b>BB 2</b>

**Bands (Upper and Lower)**

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

**Code**

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity