SITE Hunterston B

SITE OWNER **EDFE NGL**

WASTE CUSTODIAN EDFE NGL

LLW **WASTE TYPE**

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Reported

At 1.4.2022..... Stocks: $0 \, \text{m}^3$ Future arisings -1.4.2022 - 31.3.2028...... $0 \, \text{m}^3$

1.4.2029 - 31.3.2030....... 945.0 m³ 945.0 m³ Total future arisings:

Total waste volume: 945.0 m³

Comment on volumes: Waste volumes will be variable depending on station operating conditions. Volumes based

on Back to Bio Shield strategy. Work is ongoing looking at optimising the strategy which could lead to a change in volume and timings of arisings across Pre C&M wastes (100s)

and Final Site Clearance wastes (300s), in future submissions.

Uncertainty factors on Stock (upper): Arisings (upper) x 1.75 volumes:

x 0.25 Stock (lower): Arisings (lower)

General solid LLW arisings from decommissioning of the Active Laundry Facility. WASTE SOURCE

PHYSICAL CHARACTERISTICS

General description: A variety of mixed decommissioning materials, including metals, organics and other mixed

materials.

Physical components (%wt): A variety of mixed decommissioning materials, including metals, organics and other mixed

materials.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m3): ~1.391

Comment on density: Density based on raw volume and weight.

CHEMICAL COMPOSITION

General description and components (%wt):

A variety of mixed decommissioning materials, including metals, organics and other mixed

materials.

Chemical state: Neutral

Chemical form of H-3: To be Determined radionuclides: C-14: To be Determined

> CI-36: To be Determined Se-79: To be Determined Tc-99: To be Determined I-129: To be Determined Ra: To be Determined Th: To be Determined U: To be Determined Np: To be Determined Pu: To be Determined

Metals and alloys (%wt):

Type(s) / Grade(s) with proportions % of total C14 (%wt)

activity

~2.0 Stainless steel..... Metallic plant items/equipment

Other ferrous metals..... ~20.0 mild steel

Iron..... NF Aluminium..... Beryllium.....

2022 Inventory

Cobalt	NE		
Copper	. NE		
Lead	. NE		
Magnox/Magnesium	. NE		
Nickel	. NE		
Titanium	. NE		
Uranium	NE		
Zinc	. NE		
Zircaloy/Zirconium	NE		
Other metals	NE		
Organics (%wt): The waste contains halogenated plastic		n the form of paper and cloth, halogenated and wood.	d plastics, non-
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics	~42.0		activity
Paper, cotton	~42.0		
Wood	~		
Halogenated plastics	~12.0		
Total non-halogenated plastics	~11.0		
Condensation polymers			
Others			
Organic ion exchange materials	0		
Total rubber	~12.0		
Halogenated rubber	~6.0		
Non-halogenated rubber	~6.0		
Hydrocarbons	NE		
Oil or grease	NE		
Fuel	NE		
Asphalt/Tarmac (cont.coal tar)	NE		
Asphalt/Tarmac (no coal tar)	NE		
Bitumen	NE		
Others	NE		
Other organics	NE		
Other materials (%wt): Sludge, rubble and	minor qua	ntities graphite present.	
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	NE		
Inorganic sludges and flocs	~0.50		
Soil	NE		
Brick/Stone/Rubble	~0.50		
Cementitious material	NE		
Sand	NE		
Glass/Ceramics	NE		

TR

Graphite.....

	Desiccants/Catalysts	NE	
	Asbestos	NE	
	Non/low friable	NE	
	Moderately friable	NE	
	Highly friable	NE	
	Free aqueous liquids	NE	
	Free non-aqueous liquids	NE	
	Powder/Ash	NE	
Inorganic ani	ons (%wt): Inorganic anion cont	ent is not e	stimated.
		(%wt)	Type(s) and comment
		, ,	Type(e) and common
	Fluoride	NE	
	Chloride	NE	
	lodide	NE	
	Cyanide	NE	
	Carbonate	NE	
	Nitrate	NE	
	Nitrite	NE	
	Phosphate	NE	
	Sulphate	NE	
	Sulphide	NE	
Materials of in waste accept		ials expect	ed.
waste accept	anoc onicha.	(0(4)	T (a) and a summer of
		(%wt)	Type(s) and comment
	Combustible metals	0	
	Low flash point liquids	0	
	Explosive materials	0	
	Phosphorus	0	
	Hydrides	0	
	Biological etc. materials	0	
	Biodegradable materials	0	
	Putrescible wastes	0	
	Non-putrescible wastes	~0	
	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	0	
	Higher activity particles	0	Not expected
	Soluble solids as bulk chemical	0	

compounds.....

Hazardous substances / non hazardous pollutants:

Complexing

Listed substances are not expected in significant quantity.

	(%wt)	Type(s) and comment
Acrylamide	NE	
Benzene	NE	
Chlorinated solvents	NE	
Formaldehyde	NE	
Organometallics	NE	
Phenol	NE	
Styrene	NE	
Tri-butyl phosphate	NE	
Other organophosphates	NE	
Vinyl chloride	NE	
Arsenic	NE	
Barium	NE	
Boron	NE	
Boron (in Boral)	NE	
Boron (non-Boral)	NE	
Cadmium	NE	
Caesium	NE	
Selenium	NE	
Chromium	NE	
Molybdenum	NE	
Thallium	NE	
Tin	NE	
Vanadium	NE	
Mercury compounds	NE	
Others	NE	
Electronic Electrical Equipment (EEE)	
EEE Type 1	NE	
EEE Type 2	NE	
EEE Type 3	NE	
EEE Type 4	NE	
EEE Type 5	NE	
agents (%wt): Not yet determined		
	(%wt)	Type(s) and comment
EDTA	NE	
DPTA	NE	
NTA	NE	
Polycarboxylic acids	NE	
Other organic complexants	NE	Complexing agents are not estimated.
Total complexing agents	NE	

Potential for the waste to contain discrete items:

Yes.

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	Off-site	~10.0
Incineration	Off-site	~58.0
Solidification		
Decontamination		
Metal treatment	Off-site	~20.0
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None	Off-site	~12.0

Comment on planned treatments:

In line with the waste hierarchy, wastes will be treated preferentially by incineration, metal decontamination/melting, supercompaction, optimal packaging in HHISOs or immobilisation by encapsulation where necessary, prior to ultimate disposal at the LLW Repository. These treatments will be carried out off-site under contract with companies such as LLWR Ltd, Cyclife, Tradebe Inutec. The percentages are based on the history of consignments across the fleet of EDF Energy Nuclear Generation stations.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	~22.0	
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility	~58.0	
Expected to be consigned to a Metal Treatment Facility	~20.0	
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Roule	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing:

			Estimated		
Baseline Management Route	Opportunity Management Route	Stream volume (%)	Date that Opportunity will be realised	Opportunity Confidence	Comment

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	~22.0	~15.46	14

Other information: Waste loading is representative of the raw waste following further planned

treatments. Supercompaction assumed to reduce volume to 20% of original. Solidification assumed to increase volume to 300% of original. No treatment

results in the same volume.

Waste Planned for Disposal at the LLW Repository:

Container voidage:

Waste Characterisation Form (WCH):

It is not yet determined if the waste meets LLWR's Waste Acceptance Criteria

(WAC).

Waste consigned for disposal to LLWR in year of generation:

Not yet determined.

Non-Containerised Waste for In-Vault Grouting:

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: Activation and/or contamination of mixed materials from facility area.

Uncertainty: Approximate estimates have been made of the total specific activities.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed beta/gamma emitting radionuclides plus 'other beta/gamma' not listed on the

datasheet.

Measurement of radioactivities:

Calculations based on operational wastestreams. More detailed characterisation work will

be undertaken as the arising of the waste gets closer.

Other information: -

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			6.77E-06	CC 2	Gd 153				
Be 10					Ho 163				
C 14			1.26E-06	CC 2	Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
CI 36			1.19E-06	CC 2	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					TI 204				
Mn 54			1.6E-07	CC 2	Pb 205				
Fe 55			1.95E-05	CC 2	Pb 210				
Co 60			6.90E-06	CC 2	Bi 208				
Ni 59					Bi 210m				
Ni 63			4.29E-06	CC 2	Po 210				
Zn 65			4.31E-07	CC 2	Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87			-		Ac 227 Th 227				
Sr 90			3.76E-07	CC 2	Th 228				
Zr 93					Th 229				
Nb 91					Th 230				
Nb 92					Th 232				
Nb 93m			0.05.00	00.0	Th 234				
Nb 94	<u> </u> 		2.8E-09	CC 2	Pa 231				
Mo 93					Pa 233				
Tc 97 Tc 99					U 232				
Ru 106			2.56E-08	CC 2	U 233				
Pd 107			2.30L-00	00 2	U 234			4.8E-09	CC 2
Ag 108m			3E-09	CC 2	U 235			2E-10	CC 2
Ag 110m			2.72E-08	CC 2	U 236			1.8E-09	CC 2
Cd 109			2.722 00	00 2	U 238	Ī		4.8E-09	CC 2
Cd 113m					Np 237				
Sn 119m					Pu 236				
Sn 121m					Pu 238			2E-09	CC 2
Sn 123					Pu 239			1E-09	CC 2
Sn 126					Pu 240			2.4E-09	CC 2
Sb 125			6.4E-09	CC 2	Pu 241			2.93E-07	CC 2
Sb 126					Pu 242				
Te 125m					Am 241			6.6E-09	CC 2
Te 127m					Am 242m				
l 129					Am 243				
Cs 134			8E-09	CC 2	Cm 242			1.8E-09	CC 2
Cs 135					Cm 243				
Cs 137			2.94E-07	CC 2	Cm 244			1.6E-09	CC 2
Ba 133			2.6E-09	CC 2	Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144			8.6E-09	CC 2	Cf 249				
Pm 145					Cf 250				
Pm 147			1.71E-07	CC 2	Cf 251				
Sm 147					Cf 252				
Sm 151					Other a			0.45=	00 -
Eu 152			6E-09	CC 2	Other b/g			3.15E-07	CC 2
Eu 154			7.2E-09	CC 2	Total a	0		2.7E-08	CC 2
Eu 155			4.8E-09	CC 2	Total b/g	0		4.2E-05	CC 2
	Inner and Lau				Codo				

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity