SITE Hunterston B

SITE OWNER EDFE NGL

WASTE CUSTODIAN EDFE NGL

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Total waste volume:

WASTE VOLUMES		Reported
Stocks:	At 1.4.2022	48.2 m³
Future arisings -	1.4.2022 - 31.3.2023 1.4.2023 - 31.3.2024 1.4.2024 - 31.3.2025 1.4.2025 - 31.3.2026 1.4.2026 - 31.3.2027 1.4.2027 - 31.3.2028 1.4.2028 - 31.3.2029	40.0 m ³ 31.0 m ³ 122.0 m ³ 124.0 m ³ 247.0 m ³ 120.0 m ³
	1.4.2029 - 31.3.2030 1.4.2030 - 31.3.2031 1.4.2031 - 31.3.2032 1.4.2032 - 31.3.2033	0 m³ 0 m³ 0 m³ 4.3 m³
Total future arisings:		707.3 m ³

Comment on volumes: Waste volumes will be variable depending on station operating conditions.

Uncertainty factors on Stock (upper): x 1.25 Arisings (upper) x 1.5 volumes: Stock (lower): x 0.75 Arisings (lower) x 0.5

WASTE SOURCE Waste arises from maintenance and refurbishment from the Reactor Waste Steam.

PHYSICAL CHARACTERISTICS

General description: Generally wastes are mixed materials such as metal items, spent filters (e.g. pre-filters,

respirator filters, ceramic filters), redundant plant items, cabling, soft waste (e.g.

broken/damaged clothing, paper cardboard, cloth etc), floor coverings, heavy duty plastic and rubber waste. Concrete/rubble, wood, bitumen, ceramics, charcoal from ion absorption filters, glass and lagging could also be generated. The site does undertake volume reduction by low force compaction and shredding, this is principally to incinerable waste. Any free liquids present will be removed as far as practicable during the sorting process.

755.5 m³

Physical components (%wt): Metal (~47%), Concrete/Rubble (~1%), Biodegradable-non putrescibles (~14%),

Plastics/Rubber (~25%), Wood (~3%), Others (~9%), Powders/ash (~1%)

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~0.52

Comment on density: Density based on raw volume and weight at arising as provided in WCH.

CHEMICAL COMPOSITION

General description and components (%wt):

Stainless steel (11%), Mild Steel (30%), Aluminium (1%), Copper (4%), Chromium metal/alloy (1%) Concrete/Rubble (~1%), Biodegradable-non putrescibles (~14%), Plastics/Rubber (~25%), Wood (~3%), Oil/grease (7%), Asbestos (1%), Glass/ceramics (41%), Pitumen (0.1%), Poundary (ash. (.1%))

(1%) Bitumen (0.1%), Powders/ash (~1%)

Chemical state: Neutral

Chemical form of H-3: tritiated water

radionuclides: C-14: Activated graphite and metallic components and particulate

CI-36: Not assessed

Se-79: Not expected to be significant Tc-99: Not expected to be significant I-129: Not expected to be significant Ra: Not expected to be significant Th: Not expected to be significant

U: Not assessed

Np: Not expected to be significant

Pu: Not assessed

Metals and alloys (%wt):

This waste stream is variable and may contain some bulk items which will be volume reduced by cutting, proportion of bulk items unknown.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	~11.0	metallic plant items/equipment	-
Other ferrous metals	~31.0	Mild steel-metallic plant items/equipment and drums	
Iron	NE		
Aluminium	~1.0	metallic plant items/equipment	
Beryllium	NE		
Cobalt	NE		
Copper	~3.2	e.g.cabelling and piping	
Lead	NE		
Magnox/Magnesium	NE		
Nickel	NE		
Titanium	NE		
Uranium	NE		
Zinc	NE		
Zircaloy/Zirconium	NE		
Other metals	~1.0	Chromium metal/alloy	

Organics (%wt):

The waste is known to contain organic materials in the form of paper, wood and plastic (polythene). Other organics represents charcoal waste. Not currently assessed.

(polythene). Other organics represents charcoal waste. Not currently assessed.				
	(%wt)	Type(s) and comment	% of total C14 activity	
Total cellulosics	~17.0		activity	
Paper, cotton	~14.0			
Wood	~3.0			
Halogenated plastics	~15.0	e.g. PPE, contamination management		
Total non-halogenated plastics	~6.0	e.g. PPE, contamination management		
Condensation polymers	NE			
Others	NE			
Organic ion exchange materials	NE			
Total rubber	~4.0			
Halogenated rubber	NE			
Non-halogenated rubber	~			
Hydrocarbons	~6.7			
Oil or grease	~6.6	Drummed incinerable liquids, or oil/grease absorbed on cloth/rags		
Fuel	NE			
Asphalt/Tarmac (cont.coal tar)	NE			
Asphalt/Tarmac (no coal tar)	NE			
Bitumen	~0.10	Solid		
Others	NE			

Other organics	NE	
Other materials (%wt):		
	(0/ 14)	Type(s) and comment % of total C14
	(%wt)	Type(s) and comment % of total C14 activity
Inorganic ion exchange materials	0	
Inorganic sludges and flocs	0	
Soil	0	
Brick/Stone/Rubble	NE	
Cementitious material	~1.0	Concrete/rubble
Sand	0	
Glass/Ceramics	~~1.2	
Graphite	0	
Desiccants/Catalysts	0	
Asbestos	~1.1	
Non/low friable		
Moderately friable		
Highly friable	~1.1	Could be highly friable asbestos or MMF
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	~1.0	
Inorganic anions (%wt): Inorganic anion cor	ntent is not	estimated.
	(%wt)	Type(s) and comment
Fluoride	NE	
Chloride	NE	
lodide	NE	
Cyanide	NE	
Carbonate	NE	
Nitrate	NE	
Nitrite	NE	
Phosphate	NE	
Sulphate	NE	
Sulphide	NE	
Materials of interest for waste acceptance criteria: None expected, effective compaction.	orts are ma	de to remove all hazardous materials during sorting and
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	

	Biodegradable materials	0	
	Putrescible wastes	0	
	Non-putrescible wastes	14.0	
	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	0	
	Higher activity particles	0	Not expected
	Soluble solids as bulk chemical compounds	0	
Hazardous si			
		(%wt)	Type(s) and comment
	Acrylamide	NE	
	Benzene	NE	
	Chlorinated solvents	NE	
	Formaldehyde	NE	
	Organometallics	NE	
	Phenol	NE	
	Styrene	NE	
	Tri-butyl phosphate	NE	
	Other organophosphates	NE	
	Vinyl chloride	NE	
	Arsenic	NE	
	Barium	NE	
	Boron	NE	
	Boron (in Boral)	NE	
	Boron (non-Boral)	NE	
	Cadmium	NE	
	Caesium	NE	
	Selenium	NE	
	Chromium	NE	
	Molybdenum	NE	
	Thallium	NE	
	Tin	NE	
	Vanadium	NE	
	Mercury compounds	0	
	Others	NE	
	Electronic Electrical Equipment (EEE)		
	EEE Type 1	NE	
	EEE Type 2	NE	
	EEE Type 3	NE	
	EEE Type 4	NE	

EEE Type 5...... NE

Complexing agents (%wt): Yes

(%wt) Type(s) and comment

EDTA......NE

DPTA..... NE

NTA...... NE

Polycarboxylic acids...... NE

Other organic complexants....... NE Complexing agents are not estimated.

Total complexing agents..... NE

Potential for the waste to contain discrete items:

Yes.

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	Off-site	~10.0
Incineration	Off-site	~40.0
Solidification		
Decontamination		
Metal treatment	Off-site	~40.0
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None	Off-site	~10.0

Comment on planned treatments:

In line with the waste hierarchy, wastes will be treated preferentially by incineration, metal decontamination/melting, supercompaction, optimal packaging in HHISOs or immobilisation by encapsulation where necessary, prior to ultimate disposal at the LLW Repository. These treatments will be carried out off-site under contract with companies such as LLWR Ltd, Cyclife, Tradebe Inutec.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	~20.0	
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility	~40.0	
Expected to be consigned to a Metal Treatment Facility	~40.0	
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Notice	2022/23 2023/24 2024/25		2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing:

Baseline Opportunity Stream Date that Management Route Management Route volume (%) will be real	at Opportunity iity Confidence Comment
---	--

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	~20.0	~30.4	5

Other information: Waste loading is representative of the raw waste following further planned

treatments. Supercompaction assumed to reduce volume to 20% of original. Solidification assumed to increase volume to 300% of original. No treatment

results in the same volume.

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Containor voidago.

Waste Characterisation Form (WCH):

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

The waste has a current WCH.

Inventory information is consistent with the current WCH.

Waste consigned for disposal to LLWR in year of generation:

No. Waste will normally be disposed of during year of arising, but this is dependent

on rate of arising throughout the year.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: Contamination will be main source of activity with possibly some activation of certain

reactor or fuel route components.

Uncertainty: The total given in the WCH is pessimistic, but not considered overly conservative. The

waste for this stream is operational and on-going therefore the waste is variable. Fingerprint has been based over the last three years, so there is uncertainty about future

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the

listed beta/gamma emitting radionuclides plus 'other beta/gamma'.

Measurement of radioactivities:

Estimated based on arisings and data in WCH. The total activity has been estimated by applying the fingerprint for the date of arisings. For consignments this will be decayed, but

the decay time will vary depending on the storage time for the waste.

Other information:

	N	/lean radioact	tivity, TBq/m³			Mean radioactivity, TBq/m³			
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.74E-04	CC 2	1.74E-04	CC 2	Gd 153				
Be 10					Ho 163				
C 14	2.23E-06	CC 2	2.23E-06	CC 2	Ho 166m				
Na 22					Tm 170				
AI 26					Tm 171				
CI 36	3.68E-05	CC 2	3.68E-05	CC 2	Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					TI 204				
Mn 54	2.01E-06	CC 2	2.01E-06	CC 2	Pb 205				
Fe 55	5.23E-05	CC 2	5.23E-05	CC 2	Pb 210				
Co 60	1.83E-05	CC 2	1.83E-05	CC 2	Bi 208				
Ni 59					Bi 210m				
Ni 63	9.33E-06	CC 2	9.33E-06	CC 2	Po 210				
Zn 65	1.14E-06	CC 2	1.14E-06	CC 2	Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90	5.92E-07	CC 2	5.92E-07	CC 2	Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94	1.94E-07	CC 2	1.94E-07	CC 2	Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106	2.04E-06	CC 2	2.04E-06	CC 2	U 233	4.075.00	00.0	4.075.00	00.0
Pd 107					U 234	1.27E-08	CC 2	1.27E-08	CC 2
Ag 108m	2.32E-07	CC 2	2.32E-07	CC 2	U 235	2.08E-09	CC 2	2.08E-09	CC 2
Ag 110m	9.68E-07	CC 2	9.68E-07	CC 2	U 236 U 238	3.33E-08	CC 2 CC 2	3.33E-08	CC 2 CC 2
Cd 109						4.42E-09	CC 2	4.42E-09	CC 2
Cd 113m					Np 237 Pu 236				
Sn 119m					Pu 238	1.06E-08	CC 2	1.06E-08	CC 2
Sn 121m					Pu 239	1.59E-08	CC 2	1.59E-08	CC 2
Sn 123					Pu 240	3.78E-08	CC 2	3.78E-08	CC 2
Sn 126	5 50E 07	00.0	F F0F 07	00.0	Pu 241	1.97E-06	CC 2	1.97E-06	CC 2
Sb 125	5.56E-07	CC 2	5.56E-07	CC 2	Pu 242	1.97 L-00	CC 2	1.97 L-00	00 2
Sb 126					Am 241	2.91E-08	CC 2	2.91E-08	CC 2
Te 125m					Am 242m	2.912-00	CC 2	2.912-00	00 2
Te 127m I 129					Am 243				
Cs 134	2.33E-07	CC 2	2 335 07	CC 2	Cm 242	4.02E-08	CC 2	4.02E-08	CC 2
Cs 134 Cs 135	2.33E-U/	00 2	2.33E-07	00 2	Cm 243	4.02L-08 6.67E-10	CC 2	4.02E-00 6.67E-10	CC 2
Cs 135	1 375 06	CC 2	1 275 06	CC 2	Cm 244	4.13E-08	CC 2	4.13E-08	CC 2
Ba 133	1.37E-06 2.43E-07	CC 2	1.37E-06 2.43E-07	CC 2	Cm 245	1.102-00	50 2	1.102-00	33 Z
	2.43E-0/	00 2	2.43E-U/	00 2	Cm 246				
La 137 La 138					Cm 248				
Ce 144	1.05E-06	CC 2	1.05E-06	CC 2	Cf 249				
Pm 145	1.002-00	JU 2	1.032-00	JU 2	Cf 250				
Pm 145	1.51E-07	CC 2	1.51E-07	CC 2	Cf 251				
Sm 147	1.51E-07	00 2	1.516-07	00 2	Cf 252				
Sm 151					Other a				
Eu 152	5.27E-07	CC 2	5.27E-07	CC 2	Other b/g	9.10E-07	CC 2	9.10E-07	CC 2
Eu 152 Eu 154	5.27E-07 5.02E-07	CC 2	5.27E-07 5.02E-07	CC 2	Total a	2.28E-07	CC 2	2.28E-07	CC 2
Eu 154 Eu 155	1.93E-08	CC 2	1.93E-08	CC 2	Total b/g	3.08E-04	CC 2	3.08E-04	CC 2
Lu 133	1.936-00	00 2	1.93L-00	00 2		J		5.5 52 0 4	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity