SITE Dounreay

SITE OWNER **Nuclear Decommissioning Authority**

WASTE CUSTODIAN Dounreay Site Restoration Limited

LLW **WASTE TYPE**

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

		Keported
Stocks:	At 1.4.2022	0 m³
Future arisings -	1.4.2035 - 31.3.2036	1055.5 m³
	1.4.2036 - 31.3.2037	1211.1 m ³
	1.4.2037 - 31.3.2038	1207.7 m ³
	1.4.2038 - 31.3.2039	1207.7 m ³
	1.4.2039 - 31.3.2040	1207.7 m ³
	1.4.2040 - 31.3.2041	1211.1 m ³
	1.4.2041 - 31.3.2042	1207.7 m ³
	1.4.2042 - 31.3.2043	1207.7 m ³
	1.4.2043 - 31.3.2044	1207.7 m ³
	1.4.2044 - 31.3.2045	1211.1 m ³
	1.4.2045 - 31.3.2046	1207.7 m ³
	1.4.2046 - 31.3.2047	1207.7 m ³
	1.4.2047 - 31.3.2048	1207.7 m ³
	1.4.2048 - 31.3.2049	191.9 m³
Total future arisings:		15750.0 m³
Total waste volume:		15750.0 m ³

Comment on volumes:

It should be noted that the DSRL is using a provisional site programme and that arisings dates are subject to change. DSRL are exploring opportunities to leave this waste in-situ through the GRR policy. Stocks are captured under 5B16 and 5B355. It should be noted that the site strategy for removal of soil is under revision and therefore future arisings will

Reported

need to be reassessed.

Uncertainty factors on

volumes:

Stock (upper): Х Stock (lower):

Arisings (upper) x 1.2 Arisings (lower) x 0.8

WASTE SOURCE

Concrete foundation slabs and sub-slab soils for active buildings. Also contaminated soil which has arisen from accidental releases of activity from historical operations. The soil will be excavated during new build or site remediation operations.

PHYSICAL CHARACTERISTICS

General description: Mainly soil with smaller amounts of rubble (broken up sub slab pieces). There are no large

items to influence package choice.

Physical components (%vol): Cementitious material (e.g. concrete) 11.57%, Soil/stone (88.43%).

The waste does not contain sealed sources. Sealed sources:

Bulk density (t/m3):

The density figure is based on consignor's records. Use D3100 Disposed inventory Report Comment on density:

Table 1 (LAD)

CHEMICAL COMPOSITION

General description and components (%wt):

The Soil (86.43%) contains clay, silt, sand and stones together with some organic matter but is too variable to give breakdown data. The building foundations (13.57%) will be

concrete.

Chemical sta	te:	Neutral						
Chemical forr radionuclides		CI-36: Possibly presonant Pu: Possibly present Pu: Possibly Pu	ent as gene t as genera as discrete	eral contamination. I contamination. particles or general contamination.				
Metals and al	lloys (%wt):	Likely to be present	Likely to be present as small pieces in soil.					
			(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity			
	Stainless steel		NE					
	Other ferrous me	etals	NE					
	Iron							
	Aluminium		TR					
	Beryllium							
	Cobalt							
	Copper		TR					
	Lead		TR					
	Magnox/Magnes	ium	TR					
	Nickel							
	Titanium							
	Uranium							
	Zinc		TR					
	Zircaloy/Zirconiu	m	TR					
	Other metals		TR	Traces of other metals may be present.				
Organics (%v	vt):	Small quantities of o		erial will be present as flora and fauna. be present.	Hydrocarbons and			
			(%wt)	Type(s) and comment	% of total C14 activity			
	Total cellulosics.		Р					
	Paper, cotton		Р					
	Wood		Р					
	Halogenated plas	stics						
		enated plastics						
	Condensation	polymers						
	Others							
	Organic ion exch	ange materials						
	Total rubber							
	Halogenated ru	ubber						
	Non-halogenat	ted rubber						
	Hydrocarbons							
	Oil or grease							
	Fuel							
	Asphalt/Tarma	c (cont.coal tar)						
	Asphalt/Tarma	c (no coal tar)						
	Bitumen							

Others.....

Other organics	TR		
Other materials (%wt):			
	(%wt)	Type(s) and comment	% of total C14
		71 - (-)	activity
Inorganic ion exchange material			
Inorganic sludges and flocs			
Soil			
Brick/Stone/Rubble			
Cementitious material	13.6		
Sand			
Glass/Ceramics			
Graphite			
Desiccants/Catalysts			
Asbestos	NE		
Non/low friable			
Moderately friable			
Highly friable			
Free aqueous liquids			
Free non-aqueous liquids			
Powder/Ash			
Inorganic anions (%wt): Inorganic anio	ns are present i	n the soil but their concentrations	have not been estimated.
	(%wt)	Type(s) and comment	
Fluoride	. Р		
Chloride	Р		
lodide	P		
Cyanide	NE		
Carbonate			
Nitrate	Р		
Nitrite	NE		
Phosphate			
Sulphate			
Sulphide			
		aterials is to be determined.	
waste acceptance criteria:	oa_a. a o a o		
	(%wt)	Type(s) and comment	
Combustible metals			
Low flash point liquids			
Explosive materials			
Phosphorus			
Hydridoo			
Hydrides			
Biological etc. materials			

Putrescible wastes		
Non-putrescible wastes		
Corrosive materials		
Pyrophoric materials		
Generating toxic gases		
Reacting with water		
Higher activity particles	NE	
Soluble solids as bulk chemical compounds		
Hazardous substances / Toxic metals may be non hazardous pollutants: trace quantities.	present ir	n trace quantities. Soil may contain listed substances in
nomiazarada ponatario.	(%wt)	Type(s) and comment
Acrylomido	(/owt)	Type(s) and comment
Acrylamide Benzene	NE	
	INE	
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol	NE	
Styrene		
Tri-butyl phosphate	NE	
Other organophosphates		
Vinyl chloride	NE	
Arsenic	NE	
Barium		
Boron	NE	
Boron (in Boral)		
Boron (non-Boral)		
Cadmium	NE	
Caesium		
Selenium	NE	
Chromium	NE	
Molybdenum	NE	
Thallium		
Tin	NE	
Vanadium	NE	
Mercury compounds		
Others	NE	
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		

EEE Type 5.....

Complexing agents (%	%wt):	Yes				
			(%wt)	Type(s) and comm	nent	
EDTA						
DPTA						
NTA						
Polycart	boxylic ad	cids				
Other or	rganic co	mplexants		There may be natuorganic matter, co		
Total co	mplexing	agents	NE			
Potential for the waste contain discrete items:	:	·	Potentia	al for sub slabs to con	me out as blocks	
Planned on-site / off-sitreatment(s):	ite	Treatment			On-site / Off site	Stream volume
		Low force compaction (Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recyling / reuse Other / various			On-site	100.0

Comment on planned treatments:

Current strategy is for the waste to be encapsulated before final disposal. DSRL has begun trialling alternative waste treatment routes in particular Metal Treatment. These opportunities, however, are not yet fully established waste routes.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	~1.8

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

None

Disposal Route	Stream volume %				
Disposal Notice	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing: Not yet determined

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
Onsite disposal	Disposal at a Near Surface / Near Site Disposal Facility	<100.0	TBC	Medium	There is an expectation that contaminated land will fall largely into the LLW Demolition wasteroute. However, this cannot be confirmed until further characterisation work has taken place. Conservative waste routing has been used as baseline.
Onsite disposal	Onsite disposal	<100.0	TBC	Low	There is an opportunity for waste to be left in situ based on new GRR guidance. Further characterisation data required.

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	7.78	2025

Other information: The waste will be loaded into an alternative non-IP2 rated LLW Disposal

HHISO for transfer to the DSRL LLW Disposal Facility. Each HHISO may have LLW items from other waste streams in the final HHISO. Disposability options

under GRR will also be considered.

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation

Form (WCH):

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: The source of the activity is accidental releases of a historic nature. The main

radionuclides expected are Cs-137 and Sr-90.

Uncertainty: -

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

From Consignor's records.

Other information:

Specific Activity uses UKRWI 2019 data decayed to 2022

	Mean radioactivity, TBq/m³				Mean radioactivity, TBq/m³				
Nuclide	Waste at	Bands and	Future	Bands and	Nuclide	Waste at	Bands and	Future	Bands and
-	1.4.2022	Code	arisings	Code		1.4.2022	Code	arisings	Code
H 3					Gd 153				
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26 Cl 36					Tm 171 Lu 174				
Ar 39					Lu 174 Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					TI 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60			8.41E-08	CC 2	Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79	Ī				Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90			2.02E-05	CC 2	Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106					U 233			_	
Pd 107					U 234			2.54E-09	CC 2
Ag 108m					U 235			4.67E-11	CC 2
Ag 110m					U 236			1.83E-10	CC 2
Cd 109					U 238				
Cd 113m Sn 119m					Np 237 Pu 236				
Sn 121m					Pu 238			9.25E-08	CC 2
Sn 123					Pu 239			1.76E-07	CC 2
Sn 126					Pu 240			1.70L-07	00 2
Sb 125					Pu 241			4.31E-08	CC 2
Sb 126					Pu 242			1.072 00	00 L
Te 125m					Am 241			1.04E-07	CC 2
Te 127m					Am 242m				-
I 129					Am 243				
Cs 134					Cm 242				
Cs 135					Cm 243				
Cs 137			2.43E-05	CC 2	Cm 244			8.02E-08	CC 2
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Other a				
Eu 152					Other b/g				
Eu 154					Total a	0		4.56E-07	CC 2
Eu 155					Total b/g	0		4.46E-05	CC 2
	Inner and Lau				Codo				

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity