SITE Dounreay

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Dounreay Site Restoration Limited

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022	0 m³
Future arisings -	1.4.2022 - 31.3.2023	61.1 m ³
	1.4.2023 - 31.3.2024	30.3 m ³
	1.4.2024 - 31.3.2025	30.4 m ³
	1.4.2025 - 31.3.2026	30.3 m ³
	1.4.2026 - 31.3.2027	30.3 m ³
	1.4.2027 - 31.3.2028	30.3 m ³
	1.4.2028 - 31.3.2029	30.4 m ³
	1.4.2029 - 31.3.2030	30.3 m ³
	1.4.2030 - 31.3.2031	30.3 m ³
	1.4.2031 - 31.3.2032	30.3 m ³
	1.4.2032 - 31.3.2033	165.0 m ³
	1.4.2033 - 31.3.2034	805.9 m ³
Total future arisings:		1304.9 m³
Total waste volume:		1304.9 m ³

Comment on volumes: Arisings have been revised in line with Predictive Waste Inventory walk round exercise.

Stocks have been removed; these will be captured under 5B15 and 5B16. It should be

noted that DSRL is using a provisional site programme and future arisings dates are

subject to change.

Uncertainty factors on Stock (upper): x Arisings (upper) x 1.2

volumes: Stock (lower): x Arisings (lower) x 0.8

WASTE SOURCE The waste will arise during decommissioning of the old low level liquid effluent facility.

PHYSICAL CHARACTERISTICS

General description: The waste is expected to consist mainly of metal from pipework and concrete from drains.

Physical components (%vol): Asphalt (0.04%), Brick/Rubble (3.09%), Cementitious material (e.g. concrete) (69.40%),

Inorganic sludges and flocs (0.47%), Iron (0.03%), Mild Steel (6.31%), Other (0.40%), Paper (2.17%), Plastic (15.42%), Rubber (1.00%), Stainless steel (0.12%), Wood/ Wood

composite (1.54%),

Sealed sources: Not yet determined.

Bulk density (t/m³): 0.52

Comment on density: The Bulk density is based on D3100 inventory Disposal Report - 2020

CHEMICAL COMPOSITION

General description and

components (%wt):

Asphalt (0.04%), Brick/Rubble (2.54%), Cementitious material (e.g. concrete) (68.54%), Inorganic sludges and flocs (0.19%), Iron (0.09%), Mild Steel (20.41%), Other (0.17%), Paper (0.71%), Plastic (5.84%), Rubber (0.62%), Stainless steel (0.39%), Wood/ Wood

composite (0.45%).

Chemical state: Neutral

Chemical form of CI-36: Not likely to be present radionuclides: I-129: Not likely to be present

U: May be present in the form of oxides or nitrates. Np: May be present in the form of oxides or nitrates. Pu: May be present in the form of oxides or nitrates.

Metals and alloys (%wt): Any metal will be in the form of pipework and valves.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	0.39		activity
Other ferrous metals	20.4		
Iron	0.09		
Aluminium			
Beryllium			
Cobalt			
Copper			
Lead			
Magnox/Magnesium			
Nickel			
Titanium			
Uranium			
Zinc			
Zircaloy/Zirconium			
Other metals			
Organics (%wt):			
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics	1.2		donvity
Paper, cotton	0.71		
Wood	0.45		
Halogenated plastics	5.8		
Total non-halogenated plastics			
Condensation polymers			
Others			
Organic ion exchange materials			
Total rubber	0.62	Split 50/50 as No further breakdown is available	
Halogenated rubber	0.31		
Non-halogenated rubber	0.31		
Hydrocarbons	0.22		
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)	0.02		
Asphalt/Tarmac (no coal tar)	0.02		
Bitumen			
Others	0.18	Adjusted to get 100%	
Other organics			
Other materials (%wt):			

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		activity
Inorganic sludges and flocs	0.19		
Soil	0		
Brick/Stone/Rubble	2.5	Brick + fibreboard	
Cementitious material	68.5		
Sand			
Glass/Ceramics			
Graphite	0		
Desiccants/Catalysts	0		
Asbestos	0		
Non/low friable			
Moderately friable			
Highly friable			
Free aqueous liquids	0		
Free non-aqueous liquids	0		
Powder/Ash	0		
Inorganic anions (%wt): Trace quantities of	unspecifie	d inorganic anions may be present.	
	(%wt)	Type(s) and comment	
Fluoride	NE		
Chloride	NE		
lodide	NE		
Cyanide	NE		
Carbonate	NE		
Nitrate	NE		
Nitrite	NE		
Phosphate	NE		
Sulphate	NE		
Sulphide	NE		
Materials of interest for -waste acceptance criteria:			
	(%wt)	Type(s) and comment	
Combustible metals	0		
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	0		
Hydrides	0		
Biological etc. materials	0		
Biodegradable materials			
Putrescible wastes			
Non-putrescible wastes			

Corrosive materials	0
Pyrophoric materials	0
Generating toxic gases	0
Reacting with water	0
Higher activity particles	NE
Soluble solids as bulk chemical compounds	0

Hazardous substances / non hazardous pollutants:

The waste may be contaminated by particulate from the effluent. At this stage it is impossible to say if any special wastes will be present.

us pollutants: impossible to say if a	ny special	wastes will be present.
	(%wt)	Type(s) and comment
Acrylamide		
Benzene	NE	
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol	NE	
Styrene		
Tri-butyl phosphate	NE	
Other organophosphates		
Vinyl chloride	NE	
Arsenic	NE	
Barium		
Boron	NE	
Boron (in Boral)		
Boron (non-Boral)		
Cadmium	NE	
Caesium		
Selenium	NE	
Chromium	NE	
Molybdenum	NE	
Thallium		
Tin	NE	
Vanadium	NE	
Mercury compounds		
Others	NE	
Electronic Electrical Equipment (EEE)		
EEE Type 1	0.03	
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		

Not yet determined			
(%wt) Type(s) and con	nment		
acids			
·			
3.43.4	ted hand to	ols and du	rable
AND DISPOSAL			
Treatment			Stream volume %
Low force compaction Supercompaction (HFC) Incineration	On-	-site	27.0
Solidification Decontamination Metal treatment	On-	-site	100.0
Decay storage Recyling / reuse			
None			
waste will be encapsulated before final disposal alternative waste treatment routes in particular I	. DSRL has Metal Treatr	s begun tra	illing
Disposal Route		Stream volume %	Disposal density t/m3
Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Dispose Expected to be consigned to an Incineration Facility	sal Facility	100.0	~1.8
	(%wt) Type(s) and consideration (%wt) Type(s) and contamination (%wt) Type(s) and contaminatio	(%wt) Type(s) and comment (**Comment of the comment of the comment of the composition of the complex of the composition of the	(%wt) Type(s) and comment (%wt) Type(s) and com

Disposal Route	Stream volume %				
Disposal Noute	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing:

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
Onsite disposal	Incineration	26.0	-	Low	This opportunity is still at an early stage of development. A small scale trial is expected to take place in fy22/23. The timing is dependent on the non-containerised waste tasks which will generate the wastes.
Onsite disposal	Metal treatment	2.0	2022	High	Trial is currently underway to open the Metal Treatment Route

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	10	131

Other information: The waste will consist of large uncompactable items and 200 litre drums that

have already been compacted. The waste will be loaded into alternative non IP2 rated LLW Disposal HHISO for transfer to the DSRL LLW Disposal facility.

Each container may have other LLW items in the final HHISO.

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation

Form (WCH):

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: The radioactivity arises from contamination of the low level liquid effluent facility.

Uncertainty: Within a factor of 10 for arisings.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

-

Other information: Specific Activity uses UKRWI 2019 data decayed to 2022

		Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³			
Muolido	Waste at Bands and	Future	Bands and	Nuclido	Waste at	Bands and	Future	Bands and
Nuclide	1.4.2022 Code	arisings	Code	Nuclide	1.4.2022	Code	arisings	Code
H 3				Gd 153				
Be 10				Ho 163				
C 14				Ho 166m				
Na 22				Tm 170				
Al 26				Tm 171				
CI 36				Lu 174				
Ar 39				Lu 176				
Ar 42				Hf 178n				
K 40				Hf 182				
Ca 41				Pt 193				
Mn 53				TI 204				
Mn 54				Pb 205				
Fe 55				Pb 210				
Co 60				Bi 208				
Ni 59				Bi 210m				
Ni 63				Po 210				
Zn 65				Ra 223				
Se 79				Ra 225				
Kr 81				Ra 226				
Kr 85				Ra 228				
Rb 87				Ac 227				
Sr 90		5.16E-05	CC 2	Th 227				
Zr 93				Th 228				
Nb 91				Th 229				
Nb 92				Th 230				
Nb 93m				Th 232				
Nb 94				Th 234				
Mo 93				Pa 231				
Tc 97				Pa 233				
Tc 99				U 232				
Ru 106				U 233				
Pd 107				U 234			8.25E-09	CC 2
Ag 108m				U 235			6.03E-11	CC 2
Ag 110m				U 236			1.31E-10	CC 2
Cd 109				U 238			4.01E-10	CC 2
Cd 113m				Np 237				
Sn 119m				Pu 236				
Sn 121m				Pu 238			3.50E-06	CC 2
Sn 123				Pu 239			2.71E-06	CC 2
Sn 126				Pu 240			4.35E-06	CC 2
Sb 125				Pu 241			4.74E-04	CC 2
Sb 126				Pu 242				
Te 125m				Am 241			5.77E-06	CC 2
Te 127m				Am 242m				
I 129				Am 243				
Cs 134				Cm 242				
Cs 135			0.6 -	Cm 243				
Cs 137		1.44E-04	CC 2	Cm 244				
Ba 133				Cm 245				
La 137				Cm 246				
La 138				Cm 248				
Ce 144				Cf 249				
Pm 145			_	Cf 250				
Pm 147		3.36E-05	CC 2	Cf 251				
Sm 147				Cf 252				
Sm 151				Other a				
Eu 152				Other b/g				
Eu 154				Total a	0		1.63E-05	CC 2
Eu 155				Total b/g	0		7.04E-04	CC 2

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined