SITE Dounreav

SITE OWNER **Nuclear Decommissioning Authority**

WASTE CUSTODIAN Dounreay Site Restoration Limited

LLW **WASTE TYPE**

Is the waste subject to Scottish Policy:

Nο

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022	0 m³
Future arisings -	1.4.2022 - 31.3.2023	3.0 m ³
	1.4.2023 - 31.3.2024	3.0 m ³
	1.4.2024 - 31.3.2025	3.0 m ³
	1.4.2025 - 31.3.2026	3.0 m ³
	1.4.2026 - 31.3.2027	3.0 m ³
	1.4.2027 - 31.3.2028	3.0 m ³
	1.4.2028 - 31.3.2029	3.0 m ³
	1.4.2029 - 31.3.2030	3.0 m ³
	1.4.2030 - 31.3.2031	3.0 m ³
	1.4.2031 - 31.3.2032	3.0 m ³
	1.4.2032 - 31.3.2033	3.0 m ³
	1.4.2033 - 31.3.2034	3.0 m ³
	1.4.2034 - 31.3.2035	3.0 m ³
	1.4.2035 - 31.3.2036	3.0 m ³
	1.4.2036 - 31.3.2037	3.0 m ³
	1.4.2037 - 31.3.2038	3.0 m ³
	1.4.2038 - 31.3.2039	3.0 m ³
	1.4.2039 - 31.3.2040	3.0 m ³
	1.4.2040 - 31.3.2041	32.7 m ³
	1.4.2041 - 31.3.2042	2.0 m ³
Total future arisings:		88.7 m³
Total waste volume:		88.7 m³

Comment on volumes: Arisings have been revised in line with the Predictive Waste Inventory walk round exercise.

Stocks have been removed. These will be captured under 5B15 and 5B16. It should be noted that DSRL site programme is currently under review and future arisings dates are

This waste will arise from the decommissioning of the Low Level Waste Receipt, Assay,

x 1.2

subject to change.

Uncertainty factors on Stock (upper): Arisings (upper) volumes: Stock (lower):

Arisings (lower) x 0.8

Characterisation and Supercompaction facility.

PHYSICAL CHARACTERISTICS

WASTE SOURCE

General description: The waste will consist of : secondary wastes, floor screed, ventilation system.

supercompactor, hoists, lifting frame, conveyor items, low active drain pump and EU154

sources.

Cementitious material (e.g. concrete) (2.36%), Copper (0.80%), Mild Steel (44.91%), Other Physical components (%vol):

(3.75%), Paper (13.67%), Plastic (26.32%), Rubber (5.56%), Wood/ Wood composite

(2.63%).

Sealed sources: The waste contains sealed sources. Further information is unavailable at this time.

Bulk density (t/m3):

Comment on density: Based on Consignor's records; D3100 Disposed Inventory Report 2020

CHEMICAL COMPOSITION

General description and components (%wt):

Cementitious material (e.g. concrete) (1.37%), Copper (1.72%), Mild Steel (85.05%), Other (0.90%), Paper (2.63%), Plastic (5.83%), Rubber (2.04%), Wood/Wood composite

(0.45%),

Chemical state: Neutral Chemical form of CI-36: Not likely to be present radionuclides: I-129: Not likely to be present U: Possibly present at very low concentrations. Pu: Possibly present at very low concentrations. Metals and alloys (%wt): The metals will be in the form of large supercompactor components, pipework, ducting, lifting frames etc. (%wt) Type(s) / Grade(s) with proportions % of total C14 activity Stainless steel..... NE M316 Other ferrous metals..... 85.1 Iron..... Aluminium..... ΝE Beryllium..... NF Cobalt..... Copper...... 1.7 Lead..... NE Magnox/Magnesium..... 0 Nickel..... Titanium..... Uranium..... Zinc..... Zircaloy/Zirconium..... Other metals..... Organics (%wt): % of total C14 (%wt) Type(s) and comment activity Total cellulosics..... 3.1 Paper, cotton..... 2.6 Wood..... 0.45 Halogenated plastics 2.9 Total non-halogenated plastics..... 2.9 Condensation polymers..... NE NE Others..... Organic ion exchange materials.... 0 Total rubber..... 2.0 Halogenated rubber 1.0 Non-halogenated rubber..... 1.0 Hydrocarbons..... Oil or grease Fuel..... Asphalt/Tarmac (cont.coal tar)... Asphalt/Tarmac (no coal tar)..... Bitumen..... Others..... Other organics..... NE

Waste Receipt, Assay, Characterisation and Supercompaction Facility LLW **WASTE STREAM** 5B352

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		·
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	1.4		
Sand			
Glass/Ceramics	NE		
Graphite	0		
Desiccants/Catalysts			
Asbestos	Р		
Non/low friable			
Moderately friable			
Highly friable			
Free aqueous liquids	0		
Free non-aqueous liquids	0		
Powder/Ash	0		
Inorganic anions (%wt):			
	(%wt)	Type(s) and comment	
Fluoride	0		
Chloride	0		
lodide	0		
Cyanide	0		
Carbonate	0		
Nitrate	0		
Nitrite	0		
Phosphate	0		
Sulphate	0		
Sulphide	0		
Materials of interest for - waste acceptance criteria:			
	(%wt)	Type(s) and comment	
Combustible metals	0		
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	0		
Hydrides	0		
Biological etc. materials	0		
Biodegradable materials	0		
Putrescible wastes	0		

	•	•	
	Non-putrescible wastes	0	
	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	0	
	Higher activity particles	NE	
	Soluble solids as bulk chemical compounds	0	
Hazardous su	,	isbestos a	and lead will be present.
		(%wt)	Type(s) and comment
	Acrylamide	(7000)	Typo(b) and common
	Benzene	NE	
	Chlorinated solvents		
	Formaldehyde		
	Organometallics		
	Phenol	NE	
	Styrene		
	Tri-butyl phosphate	NE	
	Other organophosphates		
	Vinyl chloride	NE	
	Arsenic	NE	
	Barium		
	Boron	NE	
	Boron (in Boral)		
	Boron (non-Boral)		
	Cadmium	NE	
	Caesium		
	Selenium	NE	
	Chromium	NE	
	Molybdenum	NE	
	Thallium		
	Tin	NE	
	Vanadium	NE	
	Mercury compounds		
	Others	NE	
	Electronic Electrical Equipment (EEE)		
	EEE Type 1		
	EEE Type 2		
	EEE Type 3		
	EEE Type 4		
	EEE Type 5		

Not yet determined

ment

Potential for the waste to contain discrete items:

Complexing agents (%wt):

Yes. There is the potential for contain contaminated hand tools;

supercompactor unit and uncompacted 200l drums.

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)	On-site	66.0
Incineration		
Solidification	On-site	100.0
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		

Comment on planned treatments:

Uncompacted drums will be supercompacted before being placed in HHISOs. The waste will be encapsulated before final disposal. DSRL is investigating the feasibility of alternative waste treatment routes but no decision has been made on their use yet.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	1.8

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Noute	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing: Yes

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
Onsite disposal	Incineration	66.0	-	Low	This opportunity is still at an early stage of development. A small scale trial is expected to take place in FY22/23. The timing is dependent on the non-containerised waste tasks which will generate the wastes.
Onsite disposal	Metal treatment	47.0	2022	High	Trial is currently underway to open the Metal Treatment Route

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	16	6

Other information: The waste will consist of large uncompactable items and 200 litre drums that

have already been compacted. The waste will be loaded into alternative non IP2 rated LLW disposal containers for transfer to the DSRL LLW Disposal Facility. Each Container may have other LLW items in the final HHISO.

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation

Form (WCH):

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: The radioactivity arises from contamination of WRACS. The waste results from a wide

variety of site operations. The radioactivity mainly results from irradiation and reprocessing PFR fuel. For the most part it will be actinides and fission products, few activation products

are expected to be present.

Uncertainty:

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

From Consignor's records

Other information:

Specific Activity uses UKRWI 2019 data decayed to 2022.

	Mean radioactivity, TBq/m³				Mean radioactivity, TBq/m³				
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.4.2022	Occo	1.64E-07	CC 2	Gd 153	1.4.2022	Codo	aege	0000
Be 10				00 2	Ho 163				
C 14			8.51E-09	CC 2	Ho 166m				
Na 22			7.22E-10	CC 2	Tm 170				
AI 26					Tm 171				
CI 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					TI 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60			4.20E-08	CC 2	Bi 208				
Ni 59					Bi 210m				
Ni 63			5.07E-10	CC 2	Po 210			5.07E-09	CC 2
Zn 65					Ra 223				
Se 79					Ra 225 Ra 226			4.21E-08	CC 2
Kr 81					Ra 228			4.21E-06	00 2
Kr 85 Rb 87					Ac 227				
Sr 90			2.36E-03	CC 2	Th 227				
Zr 93			2.30L-03	00 2	Th 228			8.49E-11	CC 2
Nb 91					Th 229			01.102 1.1	00 2
Nb 92					Th 230				
Nb 93m			2E-04	CC 2	Th 232			5.18E-11	CC 2
Nb 94					Th 234				
Mo 93			2.02E-04	CC 2	Pa 231				
Tc 97					Pa 233				
Tc 99			1.64E-06	CC 2	U 232			1.3E-10	CC 2
Ru 106			5.23E-11	CC 2	U 233				
Pd 107					U 234			2.05E-07	CC 2
Ag 108m					U 235			4.24E-09	CC 2
Ag 110m					U 236			2.61E-08	CC 2
Cd 109			1.37E-10	CC 2	U 238			5.32E-10	CC 2
Cd 113m					Np 237			1.59E-09	CC 2
Sn 119m			4 64 5 06	CC 2	Pu 236 Pu 238			2 11 5 06	CC 2
Sn 121m Sn 123			1.61E-06	CC 2	Pu 239			2.11E-06 5.53E-07	CC 2
Sn 126					Pu 240			2.60E-07	CC 2
Sb 125			1.33E-09	CC 2	Pu 240			3.29E-06	CC 2
Sb 126	İ		1.002 00	00 2	Pu 242			5.19E-10	CC 2
Te 125m					Am 241			5.05E-06	CC 2
Te 127m					Am 242m			5.50E-11	CC 2
I 129					Am 243			·	
Cs 134			5.32E-10	CC 2	Cm 242			6.37E-10	CC 2
Cs 135					Cm 243			8.15E-12	CC 2
Cs 137			2.51E-03	CC 2	Cm 244			1.99E-09	CC 2
Ba 133			5.03E-11	CC 2	Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145			8.26E-09	CC 2	Cf 250				
Pm 147 Sm 147			0.∠0⊑-09	CC 2	Cf 251				
Sm 151			8.63E-06	CC 2	Cf 252 Other a				
Eu 152			1.21E-08	CC 2	Other b/g				
Eu 154			1.47E-06	CC 2	Total a	0		8.25E-06	CC 2
Eu 155			1.61E-09	CC 2	Total b/g	0		5.28E-03	CC 2
	I			- - -				5.202 00	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity