SITE Dounreav

SITE OWNER **Nuclear Decommissioning Authority** 

**WASTE CUSTODIAN Dounreay Site Restoration Limited** 

**ILW WASTE TYPE** 

Is the waste subject to

Scottish Policy:

Yes

**WASTE VOLUMES** 

		Reported
Stocks:	At 1.4.2022	0 m³
Future arisings -	1.4.2035 - 31.3.2036	6.8 m³
	1.4.2036 - 31.3.2037	7.8 m³
	1.4.2037 - 31.3.2038	7.8 m³
	1.4.2038 - 31.3.2039	7.8 m³
	1.4.2039 - 31.3.2040	7.8 m³
	1.4.2040 - 31.3.2041	7.8 m³
	1.4.2041 - 31.3.2042	7.8 m³
	1.4.2042 - 31.3.2043	7.8 m³
	1.4.2043 - 31.3.2044	7.8 m³
	1.4.2044 - 31.3.2045	7.8 m³
	1.4.2045 - 31.3.2046	7.8 m³
	1.4.2046 - 31.3.2047	7.8 m³
	1.4.2047 - 31.3.2048	7.8 m³
	1.4.2048 - 31.3.2049	1.2 m³
Total future arisings:		101.6 m³
Total waste volume:		101.6 m³

Comment on volumes: It should be noted that the DSRL is using a provisional site programme and that arisings

> dates are subject to change. It should be noted that the site strategy for removal of soil is under revision and therefore future arisings will need to be reassessed. Volumes are

Donortod

based on limited sampling data.

Uncertainty factors on

volumes:

Stock (upper): Stock (lower):

Arisings (upper) x 1.2 Arisings (lower)

x 0.8

**WASTE SOURCE** Concrete foundation slabs and sub-slab soils for active buildings. Also contaminated soil

which has arisen from accidental releases of activity from historical operations. The soil will

be excavated during new build or site remediation operations.

#### PHYSICAL CHARACTERISTICS

Mainly soil with smaller amounts of rubble (broken up sub-slab pieces). There are no large General description:

items to influence package choice.

Physical components (%vol): Cementitious material (e.g. concrete) (35.82%), Soil/Stone (64.18%),

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~0.42

Comment on density: Density should roughly match 5B323 (same waste type)

#### CHEMICAL COMPOSITION

General description and

components (%wt):

The soils (59.89%) contains clay, silt, sand and stones together with some organic matter but is too variable to give breakdown data. The building foundations (40.11%) will be

concrete.

Chemical state: Neutral

Chemical form of CI-36: Possibly present as general contamination. radionuclides: I-129: Possibly present as general contamination. Th: Possibly present as general contamination.

U: Possibly present as discrete particles or general contamination.

Pu: Possibly present as general contamination.

Metals and alloys (%wt): Likely to be present as small pieces in soil.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	NE		activity
Other ferrous metals	NE		
Iron			
Aluminium	TR		
Beryllium			
Cobalt	0		
Copper	TR		
Lead	TR		
Magnox/Magnesium	TR		
Nickel			
Titanium			
Uranium			
Zinc	TR		
Zircaloy/Zirconium	TR		
Other metals	TR	Traces of other metals may be present.	
Organics (%wt): Small quantities of o trichloroethylene are		erial will be present as flora and fauna. Hy be present.	drocarbons and
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics	Р		dolivity
Paper, cotton	Р		
Wood	Р		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons	NE		
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	TR	Trichloroethylene	
Other materials (%wt):			

2022 Inventory

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		
Inorganic sludges and flocs	0		
Soil	59.9		
Brick/Stone/Rubble	NE		
Cementitious material	40.1		
Sand	Р		
Glass/Ceramics			
Graphite	0		
Desiccants/Catalysts	0		
Asbestos	NE		
Non/low friable			
Moderately friable			
Highly friable			
Free aqueous liquids	0		
Free non-aqueous liquids	0		
Powder/Ash	0		
Inorganic anions (%wt): Inorganic anions are		n the soil but their concentrations ha	ave not been estimated.
	(%wt)	Type(s) and comment	
Fluoride	Р		
Chloride	Р		
lodide	Р		
Cyanide	NE		
Carbonate	Р		
Nitrate	Р		
Nitrite	NE		
Phosphate	Р		
Sulphate	Р		
Sulphide	Р		
Materials of interest for The presence of ha waste acceptance criteria:	zardous m	aterials is to be determined.	
	(%wt)	Type(s) and comment	
Combustible metals	0		
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	0		
Hydrides	0		
Biological etc. materials			
Biodegradable materials			
Putrescible wastes			
Non-putrescible wastes			

Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases		
Reacting with water	0	
Higher activity particles	NE	
Soluble solids as bulk chemical compounds	0	
Hazardous substances / Toxic metals may be non hazardous pollutants: trace quantities.	present in	trace quantities. Soil may contain listed substances in
	(%wt)	Type(s) and comment
Acrylamide		
Benzene	NE	
Chlorinated solvents	NE	Trichloroethylene
Formaldehyde		
Organometallics		
Phenol	NE	
Styrene		
Tri-butyl phosphate	NE	
Other organophosphates		
Vinyl chloride	NE	
Arsenic	NE	
Barium		
Boron	NE	
Boron (in Boral)		
Boron (non-Boral)		
Cadmium	NE	
Caesium		
Selenium	NE	
Chromium	NE	
Molybdenum	NE	
Thallium	INE	
Tin	NE	
Vanadium	NE	
Mercury compounds	INC	
	NE	
Others	INE	
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		

Complexing agents (%wt): Yes

> (%wt) Type(s) and comment

EDTA.....

DPTA.....

NTA.....

Polycarboxylic acids.....

Other organic complexants..... There may be natural complexing agents in the

organic matter, concentrations unknown.

NE Total complexing agents.....

Potential for the waste to contain discrete items:

Not yet determined. Potential for sub slabs to come out as blocks.

#### **PACKAGING AND CONDITIONING**

Conditioning method: Contaminated soil and sub slab will most likely be encapsulated within 6m3 boxes

for long term storage. However, this waste route is not finalised.

Mobile Conditioning Plant - TBC Plant Name:

Location: Dounreay Plant startup date: **TBC** Total capacity ~8.0

(m³/y incoming waste):

2035 Target start date for

packaging this stream:

Throughput for this stream ~8.0

(m³/y incoming waste):

Other information: Assume throughputs will be unconstrained.

Likely container

type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages
6m³ concrete box (SD)	100.0	3.75	5.76	28

Likely container type

comment:

Strategy being developed.

Range in container waste

volume:

Not yet estimated.

Other information on

containers:

Likely conditioning matrix:

Other information:

Conditioned density (t/m³):

Conditioned density

~2.5 The density is likely to be around 2 - 3 t/m3.

Cement

comment:

Other information on

conditioning:

Opportunities for alternative

disposal routing:

Not yet determined

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
Disposal at a Near Surface / Near Site Disposal Facility	Onsite disposal	100.0	-	Low	It is possible that further characterisation will show that this waste can be consigned at a lower waste category and will be suitable for disposal at the Low Level waste Disposal Facility.

#### **RADIOACTIVITY**

Source: The source of the activity is accidental releases of a historic nature.

Uncertainty: -

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Specific Activity determined from UKRWI decayed down to 2022

Other information: -

	Mean radioactivity, TBq/m³				Mean radioactivity, TBg/m³				
Niceliala	Waste at	Bands and	Future	Bands and	Niceliala	Waste at	Bands and	Future	Bands and
Nuclide	1.4.2022	Code	arisings	Code	Nuclide	1.4.2022	Code	arisings	Code
H 3					Gd 153				
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
CI 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41 Mn 53					Pt 193 Tl 204				
Mn 54					Pb 205				
Fe 55					Pb 203 Pb 210				
Co 60			3.26E-04	CC 2	Bi 208				
Ni 59			3.20L-04	00 2	Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90			7.84E-02	CC 2	Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106					U 233				
Pd 107					U 234			9.86E-06	CC 2
Ag 108m					U 235			1.79E-07	CC 2
Ag 110m					U 236			7.16E-07	CC 2
Cd 109					U 238				
Cd 113m					Np 237				
Sn 119m					Pu 236				
Sn 121m					Pu 238			3.59E-04	CC 2
Sn 123					Pu 239			6.83E-04	CC 2
Sn 126					Pu 240			5.02E-08	CC 2
Sb 125					Pu 241			1.67E-04	CC 2
Sb 126					Pu 242				00.0
Te 125m Te 127m					Am 241			4.05E-04	CC 2
I 129					Am 242m				
Cs 134					Am 243				
Cs 135					Cm 242				
Cs 135			9.41E-02	CC 2	Cm 243			2 11 5 04	CC 2
Ba 133			J.+1L-02	30 2	Cm 244 Cm 245	1		3.11E-04	CC 2
La 137					Cm 245 Cm 246				
La 138					Cm 248				
Ce 144					Cff 249				
Pm 145					Cf 249 Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Other a				
Eu 152					Other b/g				
Eu 154					Total a	0		1.77E-03	CC 2
Eu 155					Total b/g	0		1.73E-01	CC 2
	1					<u>:                                    </u>		52 01	

## Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

### Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity