SITE Dounreay

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Dounreay Site Restoration Limited

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

Nο

WASTE VOLUMES

Total waste volume: 663.0 m³ 663.0 m³

Comment on volumes: The waste has already been generated and each item has a declared waste volume. This

waste stream comprises of 34 conditioned HHISOs containing LLW bulk wastes only.

Waste volumes have been re-evaluated.

Uncertainty factors on

volumes:

Stock (upper): x 1.02 Stock (lower): x 0.98 Arisings (upper) x

Arisings (lower) x

WASTE SOURCE All wastes that have been listed in an unconditioned LLW UKRWI waste stream will be

conditioned and added to this waste stream. This includes decomissioning of reactor

facilities, reprocessing facilities, and facilities with support functions.

PHYSICAL CHARACTERISTICS

General description: LLW Bulk wastes only. This consists of: gloveboxes, ducting, and other redundant bulk

wastes that cannot be size reduced into 200 l drums. This waste has been packaged into

disposal containers and encapsulated with grout.

Physical components (%wt): Large plant items such as: tanks, pipework, shield blocks, roof plates, concrete structures,

ventilation ducting, etc. not able to be size reduced into a 200L drum. Includes cemented

sludge drums from effluent treatment plant.

Sealed sources: The waste contains sealed sources. Redundant LLW

sources from Labs, Uranium Recovery Plant, Pu Fuels

exam facility, WRACS, DFR, PFR

Bulk density (t/m³): 1.95

Comment on density: Total mass of container / Total volume based on consignor's records

CHEMICAL COMPOSITION

General description and

components (%wt):

Steel (76.6%), Lead (4.14%), Aluminium (0.39%), Copper (1.68%), Glass (0.12%), Rubber (0.37%), Wood (1.51%), Paper (0.35%), Non-halogenated (0.63%), Halogenated Plastic (0.7%), Ceramic (0.00%), Rubble (4.02%), Concrete (2.62%), Soil (0.00%), Cemented

Sludge (0.05%) and Others (6.82%).

Chemical state: Neutral

Chemical form of radionuclides:

H-3: Possibly present. C-14: Possibly present.

CI-36: Possibly present. Se-79: Possibly present. Tc-99: Possibly present. I-129: Possibly present. Ra: Not known to be present.

Th: Present in the form of contamination. U: Present in the form of contamination.

Np: Possibly present.

Pu: Possibly present in the form of contamination.

Metals and alloys (%wt): Both bulk and sheet metals are likely to be present, proportions not specified.

WASTE STREAM

5B365/C Decommissioning LLW Conditioned Bulk

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel			activity
Other ferrous metals	76.6		
Iron			
Aluminium	0.39		
Beryllium	NE		
Cobalt			
Copper	1.7		
Lead	4.1		
Magnox/Magnesium	NE		
Nickel			
Titanium			
Uranium	Р		
Zinc	NE		
Zircaloy/Zirconium	NE		
Other metals	6.8		
Organics (%wt):			
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	1.9		activity
Paper, cotton	0.35		
Wood	1.5		
Halogenated plastics	0.70		
Total non-halogenated plastics	0.63		
Condensation polymers	TR		
Others			
Organic ion exchange materials			
Total rubber	0.37		
Halogenated rubber	NE		
Non-halogenated rubber			
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	TR		
Other materials (%wt):			

Inorganic ion exchange materials. Inorganic sludges and flocs
Soil
Brick/Stone/Rubble
Cementitious material 2.7 Concrete + Cemented Sludge Sand Glass/Ceramics 0.12 Graphite Desiccants/Catalysts Asbestos TR Non/low friable TR Highly friable TR Highly friable TR Free aqueous liquids Free non-aqueous liquids Powder/Ash Inorganic anions (%wt): - (%wt) Type(s) and comment Fluoride NE Chloride NE Lodide NE Cyanide NE Nitrate TR Nitrite NE Nitrite NE Phosphate TR Sulphide NE
Sand
Glass/Ceramics
Graphite
Desiccants/Catalysts
Asbestos
Non/low friable
Moderately friable
Highly friable
Free aqueous liquids
Free non-aqueous liquids
Powder/Ash
(%wt) Type(s) and comment
(%wt) Type(s) and comment Fluoride
Fluoride NE Chloride NE lodide NE Cyanide NE Carbonate NE Nitrate TR Nitrite NE Phosphate TR Sulphate NE Sulphide NE
Chloride
Iodide
Cyanide
Carbonate
Nitrate
Nitrite
Phosphate
Sulphate
Sulphide NE
Materials of interest for
waste acceptance criteria:
(%wt) Type(s) and comment
Combustible metals 0
Low flash point liquids 0
Explosive materials 0
Phosphorus 0
Hydrides 0
Biological etc. materials 0
Biodegradable materials
Putrescible wastes
Non-putrescible wastes

Corrosive materials		
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical compounds		
Hazardous substances / - non hazardous pollutants:		
	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1	TR	a few references to hoovers, power tools etc. within consignment descriptions
EEE Type 2		
EEE Type 3	TR	a few references to hoovers, power tools etc. within consignment descriptions
EEE Type 4		
EEE Type 5		

	(%wt)	Type(s) and comme	ent	
EDTA				
DPTA				
NTA				
Polycarboxylic acids.				
Other organic comple	xants			
Total complexing age	nts			
Potential for the waste to Contain discrete items:	s. Durable engineered ste	el structures		
TREATMENT, PACKAGING AND D	ISPOSAL			
Dianned on site / off site				T

TREATMEN

Planned on-site / off-site treatment(s):

Complexing agents (%wt):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None	On-site	100.0

Comment on planned treatments:

All waste has been encapsulated within HHISOs and has been either disposed at the LLW Vaults or is in temporary storage awaiting final disposal.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	2.0

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Noute	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing:

Baseline Opportunity Stream Opportunity Opportunity Opportunity Confidence Comment Will be realised

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	19.5	34

Other information: The waste has been loaded into an alternative non-IP2 rated LLW Disposal

HHISO and transferred to the DSRL LLW Disposal Facility. Each HHISO may

have LLW items from other wastestreams in the final HHISO.

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation

Form (WCH):

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: A mixture of fission products, actinides and activation products.

Uncertainty: Activity is based on consignor's records.

Definition of total alpha and total beta/gamma:

Total alpha and beta/gamma are derived from consignor's records for the waste stored in

the containers.

Measurement of radioactivities:

The specific activities have been measured or derived by a variety of methods which are outlined in the PSWPs. Arisings is a copy of the stocks. A more detailed breakdown of

arising activities can be found in the individual LLW UKRWI datasheets.

Other information: There are no unlisted radionuclides present at significant concentrations. Radionuclides

are from UKRWI 2019 decayed down to 2022.

WASTE STREAM

5B365/C Decommissioning LLW Conditioned Bulk

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.41E-06	BB 2			Gd 153				
Be 10					Ho 163				
C 14	9.01E-08	BB 2			Ho 166m				
Na 22	2.29E-09	BB 2			Tm 170				
AI 26					Tm 171				
CI 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					TI 204				
Mn 54	4.15E-15	BB 2			Pb 205				
Fe 55	1.97E-10	BB 2			Pb 210				
Co 60	1.51E-07	BB 2			Bi 208				
Ni 59	1.50E-13	BB 2			Bi 210m	0.045.40	55.0		
Ni 63	9.13E-09	BB 2			Po 210	2.01E-13	BB 2		
Zn 65	7.93E-20	BB 2			Ra 223				
Se 79					Ra 225	0.775.40	D.D. 0		
Kr 81					Ra 226	2.77E-12	BB 2		
Kr 85					Ra 228	1.67E-10	BB 2		
Rb 87	1 405 06	DD 0			Ac 227				
Sr 90 Zr 93	1.49E-06	BB 2			Th 227	2.545.00	DD 0		
21 93 Nb 91					Th 228 Th 229	2.54E-09	BB 2		
Nb 92					Th 230				
Nb 92 Nb 93m	1.11E-08	BB 2			Th 232	2.17E-10	BB 2		
Nb 94	2.63E-11	BB 2			Th 234	2.17L-10	BB 2		
Mo 93	1.13E-08	BB 2			Pa 231				
Tc 97	1.13L-00	DD 2			Pa 233				
Tc 99	1.12E-10	BB 2			U 232	2.37E-09	BB 2		
Ru 106	5.95E-13	BB 2			U 233	2.072 00	55 2		
Pd 107	0.002 .0	22 2			U 234	1.04E-06	BB 2		
Ag 108m	5.62E-11	BB 2			U 235	2.17E-08	BB 2		
Ag 110m					U 236	1.29E-07	BB 2		
Cd 109	1.32E-12	BB 2			U 238	5.85E-09	BB 2		
Cd 113m					Np 237	8.79E-13	BB 2		
Sn 119m					Pu 236				
Sn 121m	7.95E-11	BB 2			Pu 238	1.03E-07	BB 2		
Sn 123					Pu 239	1.35E-07	BB 2		
Sn 126					Pu 240	7.11E-08	BB 2		
Sb 125	5.14E-10	BB 2			Pu 241	4.87E-07	BB 2		
Sb 126		Ţ			Pu 242	1.14E-10	BB 2		
Te 125m	1.29E-10	BB 2			Am 241	1.02E-07	BB 2		
Te 127m					Am 242m	9.09E-10	BB 2		
l 129		1			Am 243	1.66E-11	BB 2		
Cs 134	1.48E-10	BB 2			Cm 242	7.5E-10	BB 2		
Cs 135		1			Cm 243	9.13E-11	BB 2		
Cs 137	2.86E-06	BB 2			Cm 244	2.24E-09	BB 2		
Ba 133	3.81E-10	BB 2			Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144	3.37E-14	BB 2			Cf 249				
Pm 145					Cf 250				
Pm 147	4.19E-09	BB 2			Cf 251				
Sm 147	1.26E-19	BB 2			Cf 252				
Sm 151	2.40E-08	BB 2			Other a				
Eu 152	7.08E-08	BB 2			Other b/g	1.64E-11	BB 2		
Eu 154	7.13E-08	BB 2			Total a	1.62E-06	BB 2	0	
Eu 155	2.63E-09	BB 2			Total b/g	6.70E-06	BB 2	0	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity