

WASTE STREAM	5C45	GLEEP Fuel
---------------------	-------------	-------------------

SITE Harwell
SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	0.6 m ³
Total future arisings:		0 m ³
Total waste volume:		0.6 m ³

Comment on volumes: The total volume of the waste has been calculated using the dimensions of the fuel elements. The dimensions are well defined so the uncertainty on the volume of stocks is low. The bulk volume of the waste as stored in cans is 7.8m³. There are no future arisings for waste stream 5C45. There are a total of 339 cans - All GLEEP Fuel has been repacked into 57 drums of which 38 have now been encapsulated and transferred to 5C45/C

Uncertainty factors on volumes: Stock (upper): x 1.1 Arisings (upper) x
 Stock (lower): x 0.9 Arisings (lower) x

WASTE SOURCE Fuel lightly irradiated in GLEEP reactor.

PHYSICAL CHARACTERISTICS

General description: Natural uranium rods in aluminium cans packed inside 23 litre storage cans. There are no large items in the waste. There have been no physical or chemical changes since the waste was generated.

Physical components (%vol): Natural Uranium metal fuel rods (100%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 16

Comment on density: Density calculated from known masses and dimensions of elements.

CHEMICAL COMPOSITION

General description and components (%wt): 2.4 kg uranium metal rods coated with graphite and clad with aluminium. U metal (97.5%), aluminium (2.5%), graphite (~0.01%).

Chemical state: Neutral

Chemical form of radionuclides: U: Uranium metal.

Metals and alloys (%wt): Uranium fuel rods are about 300mm long and 25mm in diameter. Aluminium cladding is 0.6mm thick for 15% of rods and 1mm thick for 85% of rods.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	0		
Other ferrous metals.....	0		
Iron.....			
Aluminium.....	2.5		
Beryllium.....			
Cobalt.....			
Copper.....	0		
Lead.....	0		
Magnox/Magnesium.....	0		

WASTE STREAM	5C45	GLEEP Fuel
---------------------	-------------	-------------------

Nickel.....
Titanium.....
Uranium..... 97.5
Zinc..... 0
Zircaloy/Zirconium..... 0
Other metals..... 0

Organics (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	0		
Total non-halogenated plastics.....	0		
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	0		
Total rubber.....	0		
Halogenated rubber	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....			
Oil or grease			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	0		

Other materials (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....			
Glass/Ceramics.....	0		
Graphite.....	0.01		
Desiccants/Catalysts.....			
Asbestos.....	0		
Non/low friable.....			
Moderately friable.....			

WASTE STREAM	5C45	GLEEP Fuel
---------------------	-------------	-------------------

Highly friable.....
 Free aqueous liquids..... 0
 Free non-aqueous liquids..... 0
 Powder/Ash..... 0

Inorganic anions (%wt): -

	(%wt)	Type(s) and comment
Fluoride.....	0	
Chloride.....	0	
Iodide.....	0	
Cyanide.....	0	
Carbonate.....	0	
Nitrate.....	0	
Nitrite.....	0	
Phosphate.....	0	
Sulphate.....	0	
Sulphide.....	0	

Materials of interest for waste acceptance criteria: Combustible metals comprise uranium.

	(%wt)	Type(s) and comment
Combustible metals.....	97.5	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....		
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Higher activity particles.....		
Soluble solids as bulk chemical compounds.....		

Hazardous substances / non hazardous pollutants: None expected

	(%wt)	Type(s) and comment
Acrylamide.....		
Benzene.....		
Chlorinated solvents.....		
Formaldehyde.....		

Organometallics.....
 Phenol.....
 Styrene.....
 Tri-butyl phosphate.....
 Other organophosphates.....
 Vinyl chloride.....
 Arsenic.....
 Barium.....
 Boron..... 0
 Boron (in Boral).....
 Boron (non-Boral).....
 Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....

Complexing agents (%wt): No

(%wt) Type(s) and comment

EDTA.....
 DPTA.....
 NTA.....
 Polycarboxylic acids.....
 Other organic complexants.....
 Total complexing agents..... 0

Potential for the waste to contain discrete items: Yes. Yes, any "substantial" thickness items considered "durable" are assumed to be DIs such as the 500 litre drum that the waste in contained in prior to encapsulation.

PACKAGING AND CONDITIONING

Conditioning method: The GLEEP fuel wastes are pre-treated by adding polymer to each 23 litre can. The 23 litre cans are packaged in 500-litre drums, 6 cans per drum, and will be encapsulated using a cement grout. There are a total of 339 cans leading to 57 packages awaiting encapsulation of which 38 have now been transferred over to 5C45/C.

Plant Name: Head End Cells / Waste Encapsulation Plant

WASTE STREAM	5C45	GLEEP Fuel
---------------------	-------------	-------------------

Location: Harwell

Plant startup date: -

Total capacity (m³/y incoming waste): ~24.0

Target start date for packaging this stream: -

Throughput for this stream (m³/y incoming waste): ~24.0

Other information: Polymer encapsulation process in the Head End Cells is already operational. WEP is scheduled to start operations by 2018.

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m ³)	Payload (m ³)	Number of packages
	500 l drum (pre-cast annular)	100.0	0.033	0.4	19

Likely container type comment: -

Range in container waste volume: Expect minimal variation.

Other information on containers: 316L Stainless Steel with cement annulus

Likely conditioning matrix: Pulverised Fly Ash / Ordinary Portland Cement

Other information: -

Conditioned density (t/m³): 3.2

Conditioned density comment: The volume and mass of waste per package are 0.04 m³ and 0.668 t. The volume and mass of polymer/grout per package are 0.36 m³ and 0.52 t.

Other information on conditioning: -

Opportunities for alternative disposal routing: -

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

RADIOACTIVITY

Source: Fission products from fuel. The fissile material content per package is 4600.5 g U235, 0.9 g Pu239.

Uncertainty: -

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: The radionuclide data has been derived from FISPIN. The data represents the average activity of an element and has been derived by multiplying the data by the total number of elements (~11,500).

Other information: Short-lived daughter products are not included in total alpha and total beta/gamma specific activities.

WASTE STREAM 5C45 GLEEP Fuel

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	5.25E-04	BB 2			Gd 153		8		
Be 10		8			Ho 163		8		
C 14		8			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
Cl 36		8			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			Tl 204		8		
Mn 54		8			Pb 205		8		
Fe 55		8			Pb 210		8		
Co 60		8			Bi 208		8		
Ni 59		8			Bi 210m		8		
Ni 63		8			Po 210		8		
Zn 65		8			Ra 223	6.32E-06	BB 2		
Se 79	6.42E-06	BB 2			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85	1.38E-02	BB 2			Ra 228		8		
Rb 87		8			Ac 227	6.34E-06	BB 2		
Sr 90	6.45E-01	BB 2			Th 227	6.24E-06	BB 2		
Zr 93	6.88E-05	BB 2			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230	2.48E-09	BB 2		
Nb 93m	1.47E-04	BB 2			Th 232		8		
Nb 94		8			Th 234	1.93E-01	BB 2		
Mo 93		8			Pa 231	1.17E-05	BB 2		
Tc 97		8			Pa 233	1.4E-06	BB 2		
Tc 99	2.91E-04	BB 2			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234	2.57E-05	BB 2		
Ag 108m		8			U 235	8.89E-03	BB 2		
Ag 110m		8			U 236	7.45E-06	BB 2		
Cd 109		8			U 238	1.93E-01	BB 2		
Cd 113m	1.39E-05	BB 2			Np 237	1.4E-06	BB 2		
Sn 119m		8			Pu 236		8		
Sn 121m	1.46E-04	BB 2			Pu 238	1.16E-06	BB 2		
Sn 123		8			Pu 239	4.9E-02	BB 2		
Sn 126	5.23E-04	BB 2			Pu 240	1.89E-05	BB 2		
Sb 125	6.73E-08	BB 2			Pu 241		8		
Sb 126	7.32E-05	BB 2			Pu 242		8		
Te 125m	1.69E-08	BB 2			Am 241		8		
Te 127m		8			Am 242m		8		
I 129		8			Am 243		8		
Cs 134	1.28E-09	BB 2			Cm 242		8		
Cs 135	2.22E-05	BB 2			Cm 243		8		
Cs 137	7.14E-01	BB 2			Cm 244		8		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147	2.44E-04	BB 2			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151	3.58E-02	BB 2			Other a				
Eu 152	4.06E-06	BB 2			Other b/g				
Eu 154	7.09E-07	BB 2			Total a	2.51E-01	BB 2	0	
Eu 155	2.08E-04	BB 2			Total b/g	1.60E+00	BB 2	0	

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity