**SITE** Culham

SITE OWNER United Kingdom Atomic Energy Authority

WASTE CUSTODIAN United Kingdom Atomic Energy Authority

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

No

**WASTE VOLUMES** 

Reported

 Stocks:
 At 1.4.2022...  $0 \, \text{m}^3$  

 Future arisings 1.4.2024 - 31.3.2035...  $\sim \sim 111.0 \, \text{m}^3$  

 Total future arisings:
  $111.0 \, \text{m}^3$ 

Total waste volume: 111.0 m<sup>3</sup>

Comment on volumes: This is a new facility yet to be constructed and therefore uncertainty in volumes of waste to

be produced is high. A similar facility on site has been used to estimate volumes, but, a more accurate estimate is not possible until operational experience has been gained.

Uncertainty factors on Stock (upper): x Arisings (upper) x 2.0 volumes: Stock (lower): x Arisings (lower) x 0.5

**WASTE SOURCE** H3AT tritium operations resulting in tritium contamination of waste.

#### PHYSICAL CHARACTERISTICS

General description: Protective clothing, swabs, plastic wrappings, masks, plastic isolation tents. Waste is

segregated, sampled and low force compacted to reduce storage volumes and confirm

disposal routes.

Physical components (%wt): Clothing, swabs, wrappings, masks, plastics (polythene sheet) floor coverings, plastic

isolation tents. Estimate plastic (74%), cellulose (4%), rubber (4%), with very small quantity of metal (i.e. on masks and in wellington boot toe caps). Organic Liquids (17%), metals

(<1%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~0.36

Comment on density: Figure used is based on historical Net wt averages of all packages generated as part of a

related waste stream between 01/01/2010 and 31/03/2016.

#### **CHEMICAL COMPOSITION**

General description and components (%wt):

Plastic (74%), rubber (4%), cellulose including wood (4%), organic liquids (17%), metals

(1%) and traces of graphite and beryllium.

Chemical state: Neutral

Chemical form of radionuclides:

H-3: Mainly outgassed tritium present in the form of tritiated water vapour.

Metals and alloys (%wt): -

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Stainless steel...... ~0.20 316

Other ferrous metals...... ~0.80 Mild steel.

Beryllium..... << 0.10

2022 Inventory

Nickel	TR	Inconel.	
Titanium			
Uranium	_		
Zinc	•		
Zircaloy/Zirconium			
Other metals			
Organics (%wt): The waste contains plastics as PVC and	cellulose d non-halo	in the form of cotton and paper oversuits, halogenated genated plastics as polythene and polyester. In general minimised at JET, although a small quantity may be pre	
	(%wt)	Type(s) and comment % of total C	14
Total cellulosics	4.0	activity	
Paper, cotton	~3.0		
Wood	~1.0		
Halogenated plastics	9.0		
Total non-halogenated plastics	65.0		
Condensation polymers	~65.0		
Others	Р		
Organic ion exchange materials	NE		
Total rubber	4.0		
Halogenated rubber	~2.0		
Non-halogenated rubber	~2.0		
Hydrocarbons	17.0		
Oil or grease	17.0		
Fuel	TR		
Asphalt/Tarmac (cont.coal tar)	TR		
Asphalt/Tarmac (no coal tar)	TR		
Bitumen	TR		
Others	TR		
Other organics	TR		
Other materials (%wt):			
	(%wt)	Type(s) and comment % of total C activity	14
Inorganic ion exchange materials	0		
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand	0		
Glass/Ceramics	Р		
Graphite	TR		
Desiccants/Catalysts	0		
Asbestos	0		
Non/low friable	0		

Moderately friable	0	
Highly friable	0	
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	TR	
Inorganic anions (%wt): No inorganic anion	s are prese	ent.
	(%wt)	Type(s) and comment
Fluoride	0	
Chloride	0	
lodide	0	
Cyanide	0	
Carbonate	0	
Nitrate	0	
Nitrite	0	
Phosphate	0	
Sulphate	0	
Sulphide	0	
·		
Materials of interest for Beryllium dust conwaste acceptance criteria: amounts from spec		is present, low flash point liquids may be present in trace nents.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	P	Present in trace amounts only.
Explosive materials	0	1 resent in trace amounts only.
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials	<1.0	
Putrescible wastes	0	
Non-putrescible wastes	<1.0	Logo than 19/ by ut
Corrosive materials	0	Less than 1% by wt.
Pyrophoric materials	0	
Generating toxic gases	0	
	-	
Reacting with water	0	
Higher activity particles	0	
Soluble solids as bulk chemical compounds	0	
Hazardous substances / Beryllium metal du non hazardous pollutants:	st is preser	at at a level of less than 0.1% by weight.
	(%wt)	Type(s) and comment
Acrylamide	0	
Benzene	0	
Chlorinated solvents	0	

Formaldehyde	0	
Organometallics	0	
Phenol	0	
Styrene	0	
Tri-butyl phosphate	0	
Other organophosphates	0	
Vinyl chloride	0	
Arsenic	0	
Barium	0	
Boron	TR	May be present in trace amounts as boronated concrete.
Boron (in Boral)	0	
Boron (non-Boral)	TR	
Cadmium	0	
Caesium	0	
Selenium	0	
Chromium	TR	Included in specialist steels as possible trace contaminants.
Molybdenum	TR	Included in specialist steels as possible trace contaminants.
Thallium	0	
Tin	TR	Potentially included as trace amounts of tin plated pins/connectors.
Vanadium	0	
Mercury compounds	0	
Others	<0	
Electronic Electrical Equipment (EEE	)	
EEE Type 1	TR	
EEE Type 2	0	
EEE Type 3	0	
EEE Type 4	0	
EEE Type 5	0	
agents (%wt): No		
	(%wt)	Type(s) and comment
EDTA	0	
DPTA	0	
NTA	0	
Polycarboxylic acids	0	
Other organic complexants	0	
Total complexing agents	0	

Potential for the waste to contain discrete items:

Complexing

Yes. Yes there is potential but expected to be destroyed during treatment.

## TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction	On-site	82.0
Supercompaction (HFC)		
Incineration	Off-site	100.0
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		

Comment on planned treatments:

**Disposal Routes:** 

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	~~0.36

Classification codes for waste expected to be consigned to a landfill facility:

# Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Notice	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

# Opportunities for alternative disposal routing:

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
_	_	_	_	_	_

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other			

Other information: Waste packaged in various containers destroyed during incineration.

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation

Form (WCH):

\_

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

**RADIOACTIVITY** 

Source: The main sources of activity are tritium contamination and neutron activation.

Uncertainty: Historical package averages from a related waste stream are used to estimate future

arisings. Significant uncertainty as facility yet to be operational and experimental

programme yet to be determined.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

.....

Measurement of Activity assessments are achieved by documented methods including on and off site radioactivities: pyrolysis followed by liquid scintillation counting. Stock Neutron activity levels

determined by Gamma Spectroscopy. Historical package averages are used to estimate

future arisings.

Other information: Wastes may also be contaminated with activated metals and graphite.

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
	Waste at	Bands and	Future	Bands and		Waste at	Bands and	Future	Bands and
Nuclide	1.4.2022	Code	arisings	Code	Nuclide	1.4.2022	Code	arisings	Code
H 3	1		~1.2E-02	BC 2	Gd 153				
Be 10					Ho 163				
C 14				6	Ho 166m				
Na 22					Tm 170				
AI 26					Tm 171				
CI 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
					TI 204				
Mn 53									
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60					Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65	Į				Ra 223				
Se 79	1				Ra 225				
Kr 81					Ra 226				
Kr 85	1				Ra 228				
Rb 87	1				Ac 227				
Sr 90	1				Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106					U 233				
Pd 107					U 234				
Ag 108m					U 235				
Ag 110m					U 236				
Cd 109					U 238				
Cd 109 Cd 113m					Np 237				
Sn 119m					Pu 236				
Sn 121m					Pu 238				
Sn 123					Pu 239				
Sn 126					Pu 240				
Sb 125	1				Pu 241				
Sb 126	1				Pu 242				
Te 125m	1				Am 241				
Te 127m	1				Am 242m				
I 129					Am 243				
Cs 134	1				Cm 242				
Cs 135	1				Cm 243				
Cs 137					Cm 244				
Ba 133	1				Cm 245				
La 137					Cm 246				
La 138	1				Cm 248				
Ce 144	1				Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147	1				Cf 252				
Sm 151					Other a				
Eu 152	1				Other b/g				
Eu 154	1				Total a	0		0	
Eu 155	1				Total b/g	0		~1.2E-02	BC 2
Lu 100	<u> </u>		<u> </u>		i otai b/g	<u>!</u>		~1.26-02	DO 2

### Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

#### Code

- 1 Measured activity
   2 Derived activity (best estimate)
   3 Derived activity (upper limit)
   4 Not present
   5 Present but not significant
   6 Likely to be present but not account.

- 6 Likely to be present but not assessed 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity