Sheffield SITE SITE OWNER Minor Waste Producers **WASTE CUSTODIAN** Minor Waste Producers LLW **WASTE TYPE** Is the waste subject to Nο Scottish Policy: **WASTE VOLUMES** Reported At 1.4.2022..... Stocks: ~140.8 m³ Future arisings -1.4.2022 - 31.3.2023...... NE_{m³} Total future arisings: $0 \, \text{m}^3$ Total waste volume: 140.8 m³ Comment on volumes: Rate of arisings can not be estimated as the waste is stainless steel slag contaminated through accidental melts of radioactive sources that pass undetected through the scrap metal supply chain. The volume of waste has reduced as a result of disposal lower level contaminated waste and revised package assumptions. The waste comprises 1 slag pot in a steel box (total weight of 105 tonnes with a volume of 86m³) and secondary waste (8 HHISOs of primarily soft waste). Stock (upper): Uncertainty factors on x 1.0 Arisings (upper) Х volumes: Stock (lower): x 1.0 Arisings (lower) Contamination of material resulting from incidents where radioactive sources were **WASTE SOURCE** accidentally smelted at a Sheffield steelworks. PHYSICAL CHARACTERISTICS General description: A contamined slag pot, slag and other materials. Physical components (%wt): The waste comprises 1 slag pot in a steel box (total weight of 105 tonnes with a volume of 86m³), and secondary waste (8 HHISOs of primarily soft waste). Sealed sources: The waste does not contain sealed sources. ~~2.8 Bulk density (t/m3): Comment on density: The calculated density of slag material. CHEMICAL COMPOSITION General description and Mild steel slag pot, contaminated slag and other contaminated material. The steel slag components (%wt): comprises ~CaO+MgO (59%wt) and SiO+Al2O3 (38%wt). Chemical state: Alkali Chemical form of radionuclides: Metals and alloys (%wt): Bulk metal items will include 1 large mild steel slag pot. (%wt) Type(s) / Grade(s) with proportions % of total C14 activity Stainless steel..... NE The metal content of the waste has not been assessed. Other ferrous metals..... NE The metal content of the waste has not been assessed. Iron..... Aluminium..... NE Beryllium..... Cobalt..... Copper...... NE

Lead.....

	Magnox/Magnesium			
	Nickel			
	Titanium			
	Uranium			
	Zinc	. NE		
	Zircaloy/Zirconium	0		
	Other metals	NE		
Organics (%	wt): Not yet determined.			
		(%wt)	Type(s) and comment	% of total C14
	Total cellulosics	NE		activity
	Paper, cotton			
	Wood			
	Halogenated plastics	NE		
	Total non-halogenated plastics	NE		
	Condensation polymers			
	Others			
	Organic ion exchange materials	0		
	Total rubber	NE		
	Halogenated rubber			
	Non-halogenated rubber			
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	NE		
Other materi	als (%wt): Steel slag ~CaO+M	lgO = 59%	o, SiO+Al2O3 = 38%	
		(%wt)	Type(s) and comment	% of total C14
		(/owt)	rype(s) and comment	activity
	Inorganic ion exchange materials	0		
	Inorganic sludges and flocs	0		
	Soil	NE		
	Brick/Stone/Rubble	NE		
	Cementitious material	<2.0	Grouting for the slag pot	
	Sand	NE		
	Glass/Ceramics	NE		
	Graphite	0		
	Desiccants/Catalysts			
	Asbestos	0		
	Non/low friable			

Moderately friable		
Highly friable		
Free aqueous liquids	NE	
Free non-aqueous liquids	NE	
Powder/Ash	NE	
Inorganic anions (%wt): Not yet determined.		
	(%wt)	Type(s) and comment
Fluoride	NE	
Chloride	NE	
lodide	NE	
Cyanide	NE	
Carbonate	NE	
Nitrate	NE	
Nitrite	NE	
Phosphate	NE	
Sulphate	NE	
Sulphide	NE	
		aterials has not been determined. The slag material is material in EWC codes.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids		
Explosive materials	0	
Phosphorus		
Hydrides		
Biological etc. materials		
Biodegradable materials		
Putrescible wastes		
Non-putrescible wastes		
Corrosive materials		
Pyrophoric materials		
Generating toxic gases		
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical compounds		
Hazardous substances / - non hazardous pollutants:		
	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		

Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
Complexing agents (%wt): Not yet determined		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	NE	
Potential for the waste to No. Slag is a homogeneous No.	genous m	aterial.

TREATMENT, PACKAGING AND DISPOSAL

contain discrete items:

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various	On-site	39.0
None		61.0

Comment on planned treatments:

The HHISOs may be repackaged before transfer to landfill.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	61.0	NE
Expected to be consigned to a Landfill Facility	39.0	2.8
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility		
Expected to be consigned to a Metal Treatment Facility		
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

100201

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %			
Disposal Noute	2022/23	2023/24	2024/25	
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known				

Opportunities for alternative disposal routing: No

			Estimated Date that		
Baseline Management Route	Opportunity Management Route	Stream volume (%)	Opportunity	Opportunity Confidence	Comment
-			will be realised		

Waste Packaging for Disposal:

Stream volume %	Waste loading m ³	Number of packages
61.0	NE	
	%	% m³

Other information:

Waste Planned for Disposal at the LLW Repository:

Container voidage: Less than 10%.

Non-Containerised Waste for In-Vault Grouting:

Waste Characterisation

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

Form (WCH): The waste has a current WCH.

No.

Inventory information is consistent with the current WCH.

Waste consigned for disposal to LLWR in year of generation:

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage:

Other information:

RADIOACTIVITY

Source: The Pu-238 activity became associated with the waste as a result of an accidental melting

of a radioactive source(s) at a Sheffield steelworks. The Am-241 activity is associated with accidental melting of radioactive sources that pass undetected through the scrap metal supply chain. Historical and current controls of some Pu-238 and Am-241 sources means

(Not applicable to this waste stream)

that similar incidents are likely in the future.

Uncertainty:

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Pu-238 and Am-241 specific activities have been estimated based on estimates of total Pu-238 and Am-241 activity in the waste. The activity has been re-evaluated since the

previous inventory.

Other information:

1	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.4.2022	Code	ansings	Code	Gd 153	1.4.2022	Code	ansings	Code
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 170				
Cl 36					Lu 174				
Ar 39					Lu 174 Lu 176				
Ar 42									
					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					TI 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60					Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90					Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106					U 233				
Pd 107					U 234				
Ag 108m					U 235				
Ag 110m					U 236				
Cd 109					U 238				
Cd 113m					Np 237 Pu 236				
Sn 119m						7.075.00	00.0		
Sn 121m					Pu 238	~7.27E-03	CC 2		
Sn 123					Pu 239				
Sn 126					Pu 240				
Sb 125					Pu 241				
Sb 126					Pu 242	9 70E 0F	CC 2		
Te 125m					Am 241	~8.79E-05	CC 2		
Te 127m					Am 242m				
I 129					Am 243				
Cs 134					Cm 242				
Cs 135					Cm 243				
Cs 137					Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Other a				
Eu 152					Other b/g	7,005,00		_	
Eu 154					Total a	~7.36E-03		0	
Eu 155					Total b/g	NE		0	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

- Measured activity
 Derived activity (best estimate)
 Derived activity (upper limit)

- 4 Not present
 5 Present but not significant
 6 Likely to be present but not assessed
 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity