

WASTE STREAM	7F28	Tritiated Desiccant
---------------------	-------------	----------------------------

SITE Clyde Submarine Base

SITE OWNER Ministry of Defence

WASTE CUSTODIAN Ministry of Defence

WASTE TYPE LLW

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	0 m ³
Future arisings -	1.4.2022 - 31.3.2023.....	<< 0.1 m ³
	1.4.2023 - 31.3.2024.....	<< 0.1 m ³
	1.4.2024 - 31.3.2025.....	<< 0.1 m ³
	1.4.2025 - 31.3.2026.....	<< 0.1 m ³
	1.4.2026 - 31.3.2027.....	<< 0.1 m ³
	1.4.2027 - 31.3.2028.....	<< 0.1 m ³
	1.4.2028 - 31.3.2029.....	<< 0.1 m ³
	1.4.2029 - 31.3.2030.....	<< 0.1 m ³
	1.4.2030 - 31.3.2040.....	< 0.1 m ³
	1.4.2040 - 31.3.2050.....	< 0.1 m ³
	1.4.2050 - 31.3.2060.....	< 0.1 m ³
	1.4.2060 - 31.3.2070.....	< 0.1 m ³
	1.4.2070 - 31.3.2080.....	< 0.1 m ³
	1.4.2080 - 31.3.2090.....	< 0.1 m ³
	1.4.2090 - 31.3.2100.....	< 0.1 m ³
	1.4.2100 - 31.3.2110.....	< 0.1 m ³
	Total future arisings:	
Total waste volume:		0.2 m ³
Comment on volumes:	EASR18 Schedule 8 Table 2 value for H-3 in solid radioactive waste is 100 Bq/g. A very small proportion of 7F28 arisings that have been sampled and analysed found to be > 100 Bq/g.	
Uncertainty factors on volumes:	Stock (upper):	x 1.0
	Stock (lower):	x 1.0
	Arisings (upper):	x 2.0
	Arisings (lower):	x 0.25

WASTE SOURCE The radioactivity present in the wastestream originates entirely from a design leak rate of tritium which is adsorbed by desiccant during weapons transport and storage.

PHYSICAL CHARACTERISTICS

General description:	The desiccant consists of cuboidal shaped zeolite and quartz. None
Physical components (%wt):	Zeolite ≤100% and remainder Quartz <10%.
Sealed sources:	The waste does not contain sealed sources.
Bulk density (t/m ³):	2
Comment on density:	Density given on MSDS as >2 g/cm ³

CHEMICAL COMPOSITION

General description and components (%wt):	Molecular Sieve Desiccant, Zeolites ≤100% and remainder Quartz <10%.
Chemical state:	Neutral
Chemical form of radionuclides:	H-3: Tritiated water vapour adsorbed on desiccant
Metals and alloys (%wt):	None

WASTE STREAM	7F28	Tritiated Desiccant
---------------------	-------------	----------------------------

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	0		
Other ferrous metals.....	0		
Iron.....	0		
Aluminium.....	0		
Beryllium.....	0		
Cobalt.....	0		
Copper.....	0		
Lead.....	0		
Magnox/Magnesium.....	0		
Nickel.....	0		
Titanium.....	0		
Uranium.....	0		
Zinc.....	0		
Zircaloy/Zirconium.....	0		
Other metals.....	0		

Organics (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	0		
Total non-halogenated plastics.....	0		
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	0		
Total rubber.....	0		
Halogenated rubber	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....	0		
Oil or grease	0		
Fuel.....	0		
Asphalt/Tarmac (cont.coal tar)...	0		
Asphalt/Tarmac (no coal tar)....	0		
Bitumen.....	0		
Others.....	0		
Other organics.....	0		

Other materials (%wt): -

WASTE STREAM	7F28	Tritiated Desiccant
---------------------	-------------	----------------------------

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....	0		
Glass/Ceramics.....	0		
Graphite.....	0		
Desiccants/Catalysts.....	100.0		
Asbestos.....	0		
Non/low friable.....	0		
Moderately friable.....	0		
Highly friable.....	0		
Free aqueous liquids.....	0		
Free non-aqueous liquids.....	0		
Powder/Ash.....	0		

Inorganic anions (%wt): -

	(%wt)	Type(s) and comment
Fluoride.....	NE	
Chloride.....	NE	
Iodide.....	NE	
Cyanide.....	NE	
Carbonate.....	NE	
Nitrate.....	NE	
Nitrite.....	NE	
Phosphate.....	NE	
Sulphate.....	NE	
Sulphide.....	NE	

Materials of interest for waste acceptance criteria: -

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....	0	

WASTE STREAM	7F28	Tritiated Desiccant
---------------------	-------------	----------------------------

Corrosive materials.....	0
Pyrophoric materials.....	0
Generating toxic gases.....	0
Reacting with water.....	0
Higher activity particles.....	0
Soluble solids as bulk chemical compounds.....	0

Hazardous substances / MSDS reference Molsiv Adsorbents 5A 1/16 F89297
 non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....	0	
Benzene.....	0	
Chlorinated solvents.....	0	
Formaldehyde.....	0	
Organometallics.....	0	
Phenol.....	0	
Styrene.....	0	
Tri-butyl phosphate.....	0	
Other organophosphates.....	0	
Vinyl chloride.....	0	
Arsenic.....	0	
Barium.....	0	
Boron.....	0	
Boron (in Boral).....		
Boron (non-Boral).....		
Cadmium.....	0	
Caesium.....	0	
Selenium.....	0	
Chromium.....	0	
Molybdenum.....	0	
Thallium.....	0	
Tin.....	0	
Vanadium.....	0	
Mercury compounds.....	0	
Others.....	0	
Electronic Electrical Equipment (EEE)		
EEE Type 1.....	0	
EEE Type 2.....	0	
EEE Type 3.....	0	
EEE Type 4.....	0	
EEE Type 5.....	0	

WASTE STREAM 7F28 Tritiated Desiccant

Complexing agents (%wt): No

	(%wt)	Type(s) and comment
EDTA.....		
DPTA.....		
NTA.....		
Polycarboxylic acids.....		
Other organic complexants.....		
Total complexing agents.....	0	

Potential for the waste to contain discrete items: No.

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None	Off-site	100.0

Comment on planned treatments:

EASR18 Schedule 8 Table 2 value for H-3 in solid radioactive waste is 100 Bq/g. All desiccant that falls under 7F28 will be transferred off-site for incineration. It is expected that after the waste is mixed with large volumes of conventional waste and incinerated, the residue will not be radioactive in line with operational experience.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	2.0

Classification codes for waste expected to be consigned to a landfill facility: -

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

WASTE STREAM	7F28	Tritiated Desiccant
---------------------	-------------	----------------------------

Opportunities for alternative disposal routing: Not yet determined

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO			
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: The radioactivity present in the wastestream originates entirely from a design leak rate of tritium which is adsorbed by desiccant during weapons transport and storage.

Uncertainty: Specific activity data are accurate to approximately 20%.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: Analysis of 7F28 is carried out by combustion (pyrolysis) followed by liquid scintillation. The analysis results are reported as a specific activity concentration, including the measurement uncertainty.

Other information: Radionuclide specific activity has been re-calculated using measured activity and mass, and the estimated volume.

WASTE STREAM 7F28 Tritiated Desiccant

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			4.02E-04	AA 2	Gd 153				
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60					Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90					Th 227				
Zr 93					Th 228				
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99					U 232				
Ru 106					U 233				
Pd 107					U 234				
Ag 108m					U 235				
Ag 110m					U 236				
Cd 109					U 238				
Cd 113m					Np 237				
Sn 119m					Pu 236				
Sn 121m					Pu 238				
Sn 123					Pu 239				
Sn 126					Pu 240				
Sb 125					Pu 241				
Sb 126					Pu 242				
Te 125m					Am 241				
Te 127m					Am 242m				
I 129					Am 243				
Cs 134					Cm 242				
Cs 135					Cm 243				
Cs 137					Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Other a				
Eu 152					Other b/g				
Eu 154					Total a	0		0	
Eu 155					Total b/g	0		4.02E-04	AA 1

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity