SITE Capenhurst SITE OWNER Urenco **WASTE CUSTODIAN** Urenco Nuclear Stewardship **VLLW WASTE TYPE** Is the waste subject to Nο Scottish Policy: **WASTE VOLUMES** Reported At 1.4.2022..... Stocks:  $0 \, \text{m}^3$ Future arisings -1.4.2022 - 31.3.2023...... 3000.0 m<sup>3</sup> 1.4.2023 - 31.3.2024...... 3000.0 m<sup>3</sup> 1.4.2024 - 31.3.2025...... 3000.0 m<sup>3</sup> 1.4.2025 - 31.3.2026....... 3000.0 m<sup>3</sup> Total future arisings: 12000.0 m<sup>3</sup> Total waste volume: 12000.0 m<sup>3</sup> Comment on volumes: Building demolition programme due to commence in 2019. Slab & contaminated soil removal will occur at end of this programme - current baseline volume data assumed to be removed (may actually be less than this - following detailed characterisation). Volumes are estimated based on the worst case. As characterisation is completed, some material may be determined to be out of scope and therefore the volume of contaminated waste for disposal will be reduced. Uncertainty factors on Stock (upper): Arisings (upper) x 1.0 volumes: Stock (lower): Arisings (lower) x 0.3 **WASTE SOURCE** Soil from remediation of land where buildings have been demolished and the contaminated slab has been removed. Contaminated soil from surrounding land. PHYSICAL CHARACTERISTICS General description: Soil None Physical components (%wt): Soil 100% Sealed sources: The waste does not contain sealed sources. Bulk density (t/m³): ~1.25 Comment on density: Estimated CHEMICAL COMPOSITION General description and Soil (>99.9%) Uranium compounds (<0.1%). components (%wt): Chemical state: Neutral Chemical form of C-14: Unknown. radionuclides: Tc-99: Present as TcO2. I-129: Unknown. Ra: Unknown. Th: Present as ThO2, ThO2F2, ThF4. U: Present as UF6/UF4/UO2F2. Np: Present as NpO2/NpO2F2. Metals and alloys (%wt): None % of total C14 (%wt) Type(s) / Grade(s) with proportions activity Stainless steel..... Other ferrous metals..... Iron..... Aluminium.....

Beryllium.....

|          | Cobalt                           |        |                     |                         |
|----------|----------------------------------|--------|---------------------|-------------------------|
|          | Copper                           |        |                     |                         |
|          | Lead                             |        |                     |                         |
|          | Magnox/Magnesium                 |        |                     |                         |
|          | Nickel                           |        |                     |                         |
|          | Titanium                         |        |                     |                         |
|          | Uranium                          | <<0.10 |                     |                         |
|          | Zinc                             |        |                     |                         |
|          | Zircaloy/Zirconium               |        |                     |                         |
|          | Other metals                     |        |                     |                         |
| Organics | (%wt): None                      |        |                     |                         |
|          |                                  | (%wt)  | Type(s) and comment | % of total C14          |
|          | Total cellulosics                |        |                     | activity                |
|          | Paper, cotton                    |        |                     |                         |
|          | Wood                             |        |                     |                         |
|          | Halogenated plastics             |        |                     |                         |
|          | Total non-halogenated plastics   |        |                     |                         |
|          | Condensation polymers            |        |                     |                         |
|          | Others                           |        |                     |                         |
|          | Organic ion exchange materials   |        |                     |                         |
|          | Total rubber                     |        |                     |                         |
|          | Halogenated rubber               |        |                     |                         |
|          | Non-halogenated rubber           |        |                     |                         |
|          | Hydrocarbons                     |        |                     |                         |
|          | Oil or grease                    |        |                     |                         |
|          | Fuel                             |        |                     |                         |
|          | Asphalt/Tarmac (cont.coal tar)   |        |                     |                         |
|          | Asphalt/Tarmac (no coal tar)     |        |                     |                         |
|          | Bitumen                          |        |                     |                         |
|          | Others                           |        |                     |                         |
|          | Other organics                   |        |                     |                         |
| Other ma | aterials (%wt): Soil >99.9%      |        |                     |                         |
|          |                                  |        |                     |                         |
|          |                                  | (%wt)  | Type(s) and comment | % of total C14 activity |
|          | Inorganic ion exchange materials |        |                     | ,                       |
|          | Inorganic sludges and flocs      |        |                     |                         |
|          | Soil                             | >99.9  |                     | 100.0                   |
|          | Brick/Stone/Rubble               |        |                     |                         |
|          | Cementitious material            |        |                     |                         |
|          | Sand                             |        |                     |                         |
|          | Glass/Ceramics                   |        |                     |                         |
|          | Graphite                         |        |                     |                         |

|                   | Desiccants/Catalysts                      |          |   |
|-------------------|---|----------|---|
| Д                 | Asbestos                                  |          |   |
|                   | Non/low friable                           |          |   |
|                   | Moderately friable                        |          |   |
|                   | Highly friable                            |          |   |
| F                 | ree aqueous liquids                       |          |   |
| F                 | ree non-aqueous liquids                   |          |   |
| F                 | Powder/Ash                                |          |   |
| Inorganic anion   | ns (%wt): Fluorides present as            | compound | ds of uranium and thorium.                  |
|                   |   | (%wt)    | Type(s) and comment                         |
| F                 | Fluoride                                  | <<0.10   | present in compounds of uranium and thorium |
| C                 | Chloride                                  |          |   |
| lo                | odide                                     |          |   |
| C                 | Cyanide                                   |          |   |
| C                 | Carbonate                                 |          |   |
| N                 | litrate                                   |          |   |
| N                 | litrite                                   |          |   |
| P                 | Phosphate                                 |          |   |
| S                 | Sulphate                                  |          |   |
| S                 | Sulphide                                  |          |   |
| Materials of inte |   |          |   |
|                   |   | (%wt)    | Type(s) and comment                         |
| C                 | Combustible metals                        | 0        |   |
| L                 | ow flash point liquids                    | 0        |   |
| E                 | explosive materials                       | 0        |   |
| F                 | Phosphorus                                | 0        |   |
| H                 | lydrides                                  | 0        |   |
| В                 | Biological etc. materials                 | 0        |   |
| В                 | Biodegradable materials                   | 0        |   |
|                   | Putrescible wastes                        | 0        |   |
|                   | Non-putrescible wastes                    | 0        |   |
| C                 | Corrosive materials                       | 0        |   |
| P                 | Pyrophoric materials                      | 0        |   |
| G                 | Senerating toxic gases                    | 0        |   |
| F                 | Reacting with water                       | 0        |   |
| H                 | ligher activity particles                 | 0        |   |
|                   | Soluble solids as bulk chemical compounds | 0        |   |

Hazardous substances / non hazardous pollutants:

Not yet determined - will be assessed during detailed characterisation.

|                                       | (%wt) | Type(s) and comment |
|---------------------------------------|-------|---------------------|
| Acrylamide                            | NE    |                     |
| Benzene                               | NE    |                     |
| Chlorinated solvents                  | NE    |                     |
| Formaldehyde                          | NE    |                     |
| Organometallics                       | NE    |                     |
| Phenol                                | NE    |                     |
| Styrene                               | NE    |                     |
| Tri-butyl phosphate                   | NE    |                     |
| Other organophosphates                | NE    |                     |
| Vinyl chloride                        | NE    |                     |
| Arsenic                               | NE    |                     |
| Barium                                | NE    |                     |
| Boron                                 | NE    |                     |
| Boron (in Boral)                      |       |                     |
| Boron (non-Boral)                     |       |                     |
| Cadmium                               | NE    |                     |
| Caesium                               | NE    |                     |
| Selenium                              | NE    |                     |
| Chromium                              | NE    |                     |
| Molybdenum                            | NE    |                     |
| Thallium                              | NE    |                     |
| Tin                                   | NE    |                     |
| Vanadium                              | NE    |                     |
| Mercury compounds                     | NE    |                     |
| Others                                |       |                     |
| Electronic Electrical Equipment (EEE) |       |                     |
| EEE Type 1                            | 0     |                     |
| EEE Type 2                            | 0     |                     |
| EEE Type 3                            | 0     |                     |
| EEE Type 4                            | 0     |                     |
| EEE Type 5                            | 0     |                     |
| Complexing agents (%wt): No           |       |                     |
|                                       | (%wt) | Type(s) and comment |
| EDTA                                  |       |                     |
| DPTA                                  |       |                     |
| NTA                                   |       |                     |
| Polycarboxylic acids                  |       |                     |
| Other organic complexants             |       |                     |
| Total complexing agents               | 0     |                     |

Potential for the waste to contain discrete items:

No.

### TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

| Treatment             | On-site /<br>Off site | Stream volume % |
|-----------------------|-----------------------|-----------------|
| Low force compaction  |                       |                 |
| Supercompaction (HFC) |                       |                 |
| Incineration          |                       |                 |
| Solidification        |                       |                 |
| Decontamination       |                       |                 |
| Metal treatment       |                       |                 |
| Size reduction        |                       |                 |
| Decay storage         |                       |                 |
| Recyling / reuse      |                       |                 |
| Other / various       |                       |                 |
| None                  | Off-site              | 100.0           |

Comment on planned treatments:

Waste will not be treated but detailed charaterisation may allow some of the material to be redesignated "out of scope" and permit recycling / re-use of the material. Baseline assumption is 100% disposal to landfill in Soft sided packages (FIBCs).

### **Disposal Routes:**

| Disposal Route   | Stream volume % | Disposal<br>density t/m3 |
|--|-----------------|--------------------------|
| Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known | 100.0           | ~1.5                     |

Classification codes for waste expected to be consigned to a landfill facility:

Soil

### Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

| Disposal Route   | Stream volume % |         |         |  |  |
|--|-----------------|---------|---------|--|--|
| Disposal Route   | 2022/23         | 2023/24 | 2024/25 |  |  |
| Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known |                 |         |         |  |  |

# Opportunities for alternative disposal routing:

| Baseline<br>Management Route | Opportunity<br>Management Route | Stream<br>volume (%) | Estimated Date that Opportunity will be realised | Opportunity<br>Confidence | Comment |
|------------------------------|---------------------------------|----------------------|--|---------------------------|---------|
| _                            | _                               | _                    | _  | _                         | _       |

Waste Packaging for Disposal: (Not applicable to this waste stream)

| Container  | Stream volume % | Waste loading m³ | Number of packages |
|--|-----------------|------------------|--------------------|
| 1/3 Height IP-1 ISO<br>2/3 Height IP-2 ISO                   |                 |                  |                    |
| 1/2 Height WAMAC IP-2 ISO                                    |                 |                  |                    |
| 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) |                 |                  |                    |
| 4m box (no shielding)  |                 |                  |                    |
| Other  |                 |                  |                    |

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage:

Waste Characterisation

Form (WCH):

-

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

**RADIOACTIVITY** 

Source: Contamination by uranium and daughters, with some technetium and neptunium.

Uncertainty: Activity data estimated from existing characterisation data for similar materials. Actual

activity will be measured using detailed characterisation programme and is expected to be

less than values estimated.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Samples of similar materials have been analysed and this data used to estimate the

specific activities.

Other information:

|         | Mean radioactivity, TBq/m³ |           |           |           | Mean radioactivity, TBq/m³            |          |           |           |           |
|---------|----------------------------|-----------|-----------|-----------|---------------------------------------|----------|-----------|-----------|-----------|
|         | Waste at                   | Bands and | Future    | Bands and |                                       | Waste at | Bands and | Future    | Bands and |
| Nuclide | 1.4.2022                   | Code      | arisings  | Code      | Nuclide                               | 1.4.2022 | Code      | arisings  | Code      |
| H 3     |                            |           | ~2.72E-07 | BB 2      | Gd 153                                |          |           |           |           |
| Be 10   |                            |           |           |           | Ho 163                                |          |           |           |           |
| C 14    |                            |           | ~1.88E-09 | BB 2      | Ho 166m                               |          |           |           |           |
| Na 22   |                            |           |           |           | Tm 170                                |          |           |           |           |
| AI 26   |                            |           |           |           | Tm 171                                |          |           |           |           |
| CI 36   |                            |           |           |           | Lu 174                                |          |           |           |           |
| Ar 39   |                            |           |           |           | Lu 176                                |          |           |           |           |
| Ar 42   |                            |           |           |           | Hf 178n                               |          |           |           |           |
| K 40    |                            |           |           |           | Hf 182                                |          |           |           |           |
| Ca 41   |                            |           |           |           | Pt 193                                |          |           |           |           |
| Mn 53   |                            |           |           |           | TI 204                                |          |           |           |           |
| Mn 54   |                            |           |           |           | Pb 205                                |          |           |           |           |
| Fe 55   |                            |           |           |           | Pb 210                                |          |           |           |           |
| Co 60   |                            |           |           |           | Bi 208                                |          |           |           |           |
| Ni 59   |                            |           |           |           | Bi 210m                               |          |           |           |           |
| Ni 63   |                            |           |           |           | Po 210                                |          |           |           |           |
| Zn 65   |                            |           |           |           | Ra 223                                |          |           |           |           |
| Se 79   |                            |           |           |           | Ra 225                                |          |           |           |           |
| Kr 81   |                            |           |           |           | Ra 226                                |          |           | ~3.33E-08 | BB 2      |
| Kr 85   |                            |           |           |           | Ra 228                                |          |           |           |           |
| Rb 87   |                            |           |           |           | Ac 227                                |          |           |           |           |
| Sr 90   |                            |           |           |           | Th 227                                |          |           |           |           |
| Zr 93   |                            |           |           |           | Th 228                                |          |           | ~1.43E-08 | BB 2      |
| Nb 91   |                            |           |           |           | Th 229                                |          |           |           |           |
| Nb 92   |                            |           |           |           | Th 230                                |          |           | ~1.24E-08 | BB 2      |
| Nb 93m  |                            |           |           |           | Th 232                                |          |           | ~1.2E-08  | BB 2      |
| Nb 94   |                            |           |           |           | Th 234                                |          |           |           |           |
| Mo 93   |                            |           |           |           | Pa 231                                |          |           |           |           |
| Tc 97   |                            |           |           |           | Pa 233                                |          |           |           |           |
| Tc 99   | 1                          |           | ~3.83E-06 | BB 2      | U 232                                 |          |           | ~3.13E-09 | BB 2      |
| Ru 106  |                            |           |           |           | U 233                                 |          |           | ~3.25E-09 | BB 2      |
| Pd 107  |                            |           |           |           | U 234                                 |          |           | ~2.6E-06  | BB 2      |
| Ag 108m |                            |           |           |           | U 235                                 |          |           | ~1.32E-07 | BB 2      |
| Ag 110m |                            |           |           |           | U 236                                 |          |           | ~3.75E-10 | BB 2      |
| Cd 109  |                            |           |           |           | U 238                                 |          |           | ~8.8E-07  | BB 2      |
| Cd 113m |                            |           |           |           | Np 237                                |          |           | ~3.63E-09 | BB 2      |
| Sn 119m |                            |           |           |           | Pu 236                                |          |           |           |           |
| Sn 121m |                            |           |           |           | Pu 238                                |          |           |           |           |
| Sn 123  |                            |           |           |           | Pu 239                                |          |           |           |           |
| Sn 126  |                            |           |           |           | Pu 240                                |          |           |           |           |
| Sb 125  | 1                          |           |           |           | Pu 241                                |          |           |           |           |
| Sb 126  | 1                          |           |           |           | Pu 242                                |          |           |           |           |
| Te 125m |                            |           |           |           | Am 241                                |          |           |           |           |
| Te 127m | 1                          |           |           |           | Am 242m                               |          |           |           |           |
| I 129   | 1                          |           | ~2.25E-08 | BB 2      | Am 243                                |          |           |           |           |
| Cs 134  |                            |           |           |           | Cm 242                                |          |           |           |           |
| Cs 135  | 1                          |           |           |           | Cm 243                                |          |           |           |           |
| Cs 137  |                            |           |           |           | Cm 244                                |          |           |           |           |
| Ba 133  | 1                          |           |           |           | Cm 245                                |          |           |           |           |
| La 137  | 1                          |           |           |           | Cm 246                                |          |           |           |           |
| La 138  | 1                          |           |           |           | Cm 248                                |          |           |           |           |
| Ce 144  | 1                          |           |           |           | Cf 249                                |          |           |           |           |
| Pm 145  |                            |           |           |           | Cf 250                                |          |           |           |           |
| Pm 147  |                            |           |           |           | Cf 251                                |          |           |           |           |
| Sm 147  | 1                          |           |           |           | Cf 252                                |          |           |           |           |
| Sm 151  | 1                          |           |           |           | Other a                               |          |           |           |           |
| Eu 152  |                            |           |           |           | Other b/g                             |          |           |           |           |
| Eu 154  | 1                          |           |           |           | Total a                               | 0        |           | ~3.69E-06 | BB 2      |
| Eu 155  | 1                          |           |           |           | Total b/g                             | 0        |           | ~4.13E-06 | BB 2      |
|         | 1                          |           |           |           | · · · · · · · · · · · · · · · · · · · | <u> </u> |           | l         |           |

### Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

#### Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity