SITE Capenhurst SITE OWNER Urenco **WASTE CUSTODIAN** Urenco Nuclear Stewardship VLLW; SPD2 **WASTE TYPE** Is the waste subject to Nο Scottish Policy: **WASTE VOLUMES** Reported At 1.4.2022..... Stocks: $0 \, \text{m}^3$ Future arisings -1.4.2022 - 31.3.2023...... ~2150.0 m3 1.4.2023 - 31.3.2024...... ~2150.0 m3 1.4.2024 - 31.3.2025...... ~2150.0 m³ Total future arisings: 6450.0 m³ Total waste volume: 6450.0 m³ Comment on volumes: Building demolition programme began in 2019. Slab removal will occur at end of this programme - volume estimates based on worst case - detailed characterisation may determine that some materials are out of scope and hence reduce the volume for disposal as contamninated waste. Volumes are estimated based on size of building slab. Detailed characterisation may determine that some of the material is out of scope and therefore reduce the volume of contaminated waste for disposal. Uncertainty factors on Stock (upper): Arisings (upper) x 1.0 volumes: Stock (lower): Arisings (lower) x 0.3 **WASTE SOURCE** Concrete from remediation of land where buildings have been demolished and the contaminated slab is to be removed. PHYSICAL CHARACTERISTICS General description: Concrete None Physical components (%wt): Concrete 100% Sealed sources: The waste does not contain sealed sources. ~2.4 Bulk density (t/m³): Comment on density: Estimated CHEMICAL COMPOSITION General description and Concrete >99.9% Uranium compounds <0.1% components (%wt): Neutral Chemical state: Chemical form of C-14: Unknown. radionuclides: Tc-99: Present as TcO2. I-129: Unknown. Ra: Unknown. Th: Present as ThO2, ThO2F2, ThF4. U: Present as UF6/UF4/UO2F2. Np: Present as NpO2/NpO2F2. Metals and alloys (%wt): None (%wt) Type(s) / Grade(s) with proportions % of total C14 activity Stainless steel..... Other ferrous metals..... Iron..... Aluminium..... Beryllium.....

Cobalt.....

	Copper			
	Lead			
	Magnox/Magnesium			
	Nickel			
	Titanium			
	Uranium	<<0.10		
	Zinc			
	Zircaloy/Zirconium			
	Other metals			
Organics (%	wt): None			
		(%wt)	Type(s) and comment	% of total C14
	Total cellulosics	, ,		activity
	Paper, cotton			
	Wood			
	Halogenated plastics			
	Total non-halogenated plastics			
	Condensation polymers			
	Others			
	Organic ion exchange materials			
	Total rubber			
	Halogenated rubber			
	Non-halogenated rubber			
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics			
Other mater	ials (%wt):			
	(70114).			
		(%wt)	Type(s) and comment	% of total C14 activity
	Inorganic ion exchange materials			,
	Inorganic sludges and flocs			
	Soil			
	Brick/Stone/Rubble			
	Cementitious material	>99.9	Concrete slab material	100.0
	Sand			
	Glass/Ceramics			
	Graphite			
	Desiccants/Catalysts			

A	Asbestos		
	Non/low friable		
	Moderately friable		
	Highly friable		
F	ree aqueous liquids		
F	ree non-aqueous liquids		
F	Powder/Ash		
Inorganic anior	ns (%wt): Fluorides present as	compound	ds of uranium and thorium
		(%wt)	Type(s) and comment
F	Fluoride	<<0.10	present in compounds of uranium and thorium
C	Chloride		
le	odide		
C	Cyanide		
C	Carbonate		
N	Nitrate		
N	Nitrite		
F	Phosphate		
8	Sulphate		
8	Sulphide		
	Highly friable		
		(%wt)	Type(s) and comment
C	Combustible metals	0	
L	ow flash point liquids	0	
E	Explosive materials	0	
F	Phosphorus	0	
H	Hydrides	0	
Е	Biological etc. materials	0	
Е	Biodegradable materials	0	
	Putrescible wastes	0	
	Non-putrescible wastes	0	
C	Corrosive materials	0	
F	Pyrophoric materials	0	
C	Generating toxic gases	0	
F	Reacting with water	0	
H	Higher activity particles	0	
		0	
		will be ass	sessed during detailed characterisation progamme
		(%wt)	Type(s) and comment
A	Acrylamide	NE	

Benzene	NE	
Chlorinated solvents	NE	
Formaldehyde	NE	
Organometallics	NE	
Phenol	NE	
Styrene	NE	
Tri-butyl phosphate	NE	
Other organophosphates	NE	
Vinyl chloride	NE	
Arsenic	NE	
Barium	NE	
Boron	NE	
Boron (in Boral)		
Boron (non-Boral)		
Cadmium	NE	
Caesium	NE	
Selenium	NE	
Chromium	NE	
Molybdenum	NE	
Thallium	NE	
Tin	NE	
Vanadium	NE	
Mercury compounds	NE	
Others	NE	
Electronic Electrical Equipment (EEE)		
EEE Type 1	0	
EEE Type 2	0	
EEE Type 3	0	
EEE Type 4	0	
EEE Type 5	0	
Complexing agents (%wt): No		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	0	
Potential for the waste to No. contain discrete items:		

2022 Inventory

Contaminated Land - Concrete

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None	Off-site	100.0

Comment on planned treatments:

Waste will not be treated but detailed characterisation may allow some of the material to be redesignated "out of scope" and permit recycling / re-use of the material. Baseline assumption is 100% landfill disposal in soft sided packages (FIBC's).

Disposal Routes:

,		
Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused	100.0	~2.4
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Scabbled concrete

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Notice	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing:

Baseline Opportunity Stream Opportunity Opportunity Confidence Management Route Management Route volume (%) will be realised		.,	Opportunity	- 1 1	Comment
--	--	----	-------------	-------	---------

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage:

Waste Characterisation

Form (WCH):

-

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: Contamination by uranium and daughters, with some technetium and neptunium.

Uncertainty: Activity data estimated from existing characterisation data for similar materials. Actual

activity will be measured during detailed characterisation programme and is expected to be

less than values estimated.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of

radioactivities:

Samples of similar materials have been analysed and this data used to estimate the

specific activities.

Other information: -

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
	Waste at	Bands and	Future	Bands and		Waste at	Bands and	Future	Bands and
Nuclide	1.4.2022	Code	arisings	Code	Nuclide	1.4.2022	Code	arisings	Code
H 3					Gd 153				
Be 10					Ho 163				
C 14			~6E-09	BB 2	Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
CI 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					TI 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60					Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79	Ī				Ra 225				
Kr 81					Ra 226			~3.45E-07	BB 2
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90					Th 227				
Zr 93					Th 228			~3.11E-08	BB 2
Nb 91					Th 229	Ī			
Nb 92					Th 230			~4.5E-08	BB 2
Nb 93m					Th 232			~2.84E-08	BB 2
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99			~6.48E-06	BB 2	U 232			~2.6E-08	BB 2
Ru 106					U 233			~1.68E-08	BB 2
Pd 107					U 234			~5.69E-06	BB 2
Ag 108m					U 235			~2.61E-07	BB 2
Ag 110m					U 236	İ		~4.55E-08	BB 2
Cd 109					U 238			~1.99E-06	BB 2
Cd 113m					Np 237			~5E-08	BB 2
Sn 119m					Pu 236			02 00	
Sn 121m					Pu 238				
Sn 123					Pu 239				
Sn 126					Pu 240				
Sb 125					Pu 241				
Sb 126					Pu 242				
Te 125m					Am 241				
Te 127m					Am 242m				
l 129			~1.42E-07	BB 2	Am 243				
Cs 134					Cm 242				
Cs 135	1				Cm 243				
Cs 137					Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138	1				Cm 248				
Ce 144					Cff 249				
Pm 145					Cf 249 Cf 250				
Pm 147					Cf 250 Cf 251				
Sm 147	1				Cf 251				
Sm 151									
Eu 152					Other a Other b/g				
Eu 154					_	_		0 505 00	DD ^
Eu 155					Total a	0		~8.52E-06	BB 2
24 100	<u> </u>				Total b/g	0		~6.63E-06	BB 2

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity