

WASTE STREAM**8A31****UCP Incinerable Solid LLW****SITE** Capenhurst**SITE OWNER** Urenco**WASTE CUSTODIAN** URENCO Chemplants Ltd**WASTE TYPE** LLW

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	0 m ³
Future arisings -	1.4.2022 - 31.3.2023.....	~~75.0 m ³
	1.4.2023 - 31.3.2024.....	~~75.0 m ³
	1.4.2024 - 31.3.2025.....	~~75.0 m ³
	1.4.2025 - 31.3.2050.....	~~1875.0 m ³
Total future arisings:		2100.0 m ³
Total waste volume:		2100.0 m ³

Comment on volumes: 2022-2050 relates to deconversion operations and the following five years to decommissioning of the main plant. Currently the TMF is in Active Commissioning and all future arising estimates are approximations. During operations, annual arisings will vary depending outage needs. Decommissioning needs are not yet underpinned.

Uncertainty factors on volumes: Stock (upper): x 2.0 Arisings (upper) x 2.0
 Stock (lower): x 0.5 Arisings (lower) x 0.5

WASTE SOURCE Incinerable solids including PPE, wipes, filters etc arising during plant operations, uranium oxide storage and decommissioning activities.**PHYSICAL CHARACTERISTICS**

General description: Incinerable solids including PPE, wipes, filters etc. May include graphite condensing blocks. N/A

Physical components (%wt): 60% cloths, wipes and cellulosic based PPE etc, 20% sheeting and other plastic, 15% gaskets and other rubber, 5% assorted other organic solids.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~0.2

Comment on density: Assumes 40 kg of waste per ca. 200 litre fibre drum

CHEMICAL COMPOSITION

General description and components (%wt): 60% cellulose, 20% plastic, 15% rubber, 5% PFTE / polyester / graphite

Chemical state: Neutral

Chemical form of radionuclides: H-3: N/A
 C-14: N/A
 Cl-36: N/A
 Se-79: N/A
 Tc-99: Trace quantities present as Tc(IV) as TcO₂ and Tc(VII) as pertechnetate.
 I-129: N/A
 Ra: N/A
 Th: Thorium nitrate
 U: U₃O₈, UO₂F₂ and uranyl nitrate
 Np: Trace quantities potentially in nitrate form
 Pu: Trace quantities potentially in nitrate form

Metals and alloys (%wt): None

WASTE STREAM

8A31

UCP Incinerable Solid LLW

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....			
Other ferrous metals.....			
Iron.....			
Aluminium.....			
Beryllium.....			
Cobalt.....			
Copper.....			
Lead.....			
Magnox/Magnesium.....			
Nickel.....			
Titanium.....			
Uranium.....			
Zinc.....			
Zircaloy/Zirconium.....			
Other metals.....			
Organics (%wt):	See below		
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics.....	~~60.0	breakdown not currently known	
Paper, cotton.....			
Wood.....			
Halogenated plastics	~~1.0	PVC tape	
Total non-halogenated plastics.....	~~19.0	breakdown not currently known	
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	0		
Total rubber.....	15.0		
Halogenated rubber			
Non-halogenated rubber.....			
Hydrocarbons.....			
Oil or grease			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	~~5.0	PFTE / polyester / graphite	
Other materials (%wt):	May include graphite condensor blocks		

WASTE STREAM

8A31

UCP Incinerable Solid LLW

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....	0		
Glass/Ceramics.....	0		
Graphite.....	0		
Desiccants/Catalysts.....	0		
Asbestos.....	0		
Non/low friable.....			
Moderately friable.....			
Highly friable.....			
Free aqueous liquids.....	0		
Free non-aqueous liquids.....	0		
Powder/Ash.....	0		

Inorganic anions (%wt): Trace quantities may be present

	(%wt)	Type(s) and comment
Fluoride.....	<0.01	Traces of uranyl fluoride
Chloride.....	0	
Iodide.....	0	
Cyanide.....	0	
Carbonate.....	<0.01	Traces of uranyl carbonate
Nitrate.....	<0.01	Traces of uranyl nitrate
Nitrite.....	0	
Phosphate.....	<0.01	Traces of uranyl phosphate
Sulphate.....	0	
Sulphide.....	0	

Materials of interest for waste acceptance criteria: Drummed incinerable solids suitable for Radioactive Substances Regulation disposal via incineration.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....	0	

WASTE STREAM**8A31****UCP Incinerable Solid LLW**

Corrosive materials.....	0
Pyrophoric materials.....	0
Generating toxic gases.....	0
Reacting with water.....	0
Higher activity particles.....	0
Soluble solids as bulk chemical compounds.....	0

Hazardous substances / Trace HF contamination possible
 non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....		
Benzene.....	0	
Chlorinated solvents.....		
Formaldehyde.....		
Organometallics.....		
Phenol.....	0	
Styrene.....		
Tri-butyl phosphate.....	0	
Other organophosphates.....		
Vinyl chloride.....	0	
Arsenic.....	0	
Barium.....		
Boron.....	0	
Boron (in Boral).....		
Boron (non-Boral).....		
Cadmium.....	0	
Caesium.....		
Selenium.....	0	
Chromium.....	0	
Molybdenum.....	0	
Thallium.....		
Tin.....	0	
Vanadium.....	0	
Mercury compounds.....		
Others.....	0	
Electronic Electrical Equipment (EEE)		
EEE Type 1.....		
EEE Type 2.....		
EEE Type 3.....		
EEE Type 4.....		
EEE Type 5.....		

WASTE STREAM

8A31

UCP Incinerable Solid LLW

Complexing agents (%wt): No

(%wt) Type(s) and comment

- EDTA.....
- DPTA.....
- NTA.....
- Polycarboxylic acids.....
- Other organic complexants.....
- Total complexing agents.....

Potential for the waste to contain discrete items: No.

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction	Off-site	~~75.0
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment	Off-site	~~25.0
Size reduction		
Decay storage		
Recycling / reuse		
Other / various		
None		

Comment on planned treatments:

Combustible solid LLW to be disposed of via incineration. Waste that can be demonstrated as Out of Scope of EPR will be managed by the Facility Management Contractor following the Waste Hierarchy.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	~~50.0	~0.25
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility		
Expected to be consigned to a Metal Treatment Facility		
Expected to be consigned as Out of Scope	~~50.0	~0.25
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility: -

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be consigned to an On-Site Disposal Facility			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be consigned as Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

WASTE STREAM**8A31****UCP Incinerable Solid LLW****Opportunities for alternative disposal routing:** -

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO			
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: Depleted UF6 tails deconversion, cylinder washing, metal decontamination and residue recovery processes.

Uncertainty: Based on facility design assessment and not yet underpinned by operational experience. Arising during decommissioning not yet underpinned.

Definition of total alpha and total beta/gamma: Initial decay chain and short-lived (i.e. less than three month) decay products of U-238 not listed and expected to be in equilibrium with U-238.

Measurement of radioactivities: Currently theoretical estimate (TMF not yet operational).

Other information: Other Uranium series decay products not present as the source is chemically purified Uranium.

WASTE STREAM

8A31

UCP Incinerable Solid LLW

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3					Gd 153				
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
Cl 36					Lu 174				
Ar 39					Lu 176				
Ar 42					Hf 178n				
K 40					Hf 182				
Ca 41					Pt 193				
Mn 53					Tl 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60					Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90					Th 227				
Zr 93					Th 228		~~1.39E-08	BB 2	
Nb 91					Th 229				
Nb 92					Th 230				
Nb 93m					Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99			~~1.69E-11	BB 2	U 232		~~2.66E-08	BB 2	
Ru 106			~~9.61E-20	BB 2	U 233				
Pd 107					U 234		~~1.73E-06	BB 2	
Ag 108m					U 235		~~3.76E-08	BB 2	
Ag 110m					U 236		~~3.49E-07	BB 2	
Cd 109					U 238		~~1.84E-06	BB 2	
Cd 113m					Np 237		~~6.34E-12	BB 2	
Sn 119m					Pu 236				
Sn 121m					Pu 238		~~3.83E-17	BB 2	
Sn 123					Pu 239		~~3.83E-17	BB 2	
Sn 126					Pu 240		~~3.83E-17	BB 2	
Sb 125					Pu 241		~~6.4E-14	BB 2	
Sb 126					Pu 242		~~3.83E-17	BB 2	
Te 125m					Am 241				
Te 127m					Am 242m				
I 129					Am 243				
Cs 134					Cm 242				
Cs 135					Cm 243				
Cs 137					Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Other a				
Eu 152					Other b/g				
Eu 154					Total a	0	~~4E-06	BB 2	
Eu 155					Total b/g	0	~~1.7E-11	BB 2	

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity