WASTE STREAM 8A32 **UCP Metallic LLW**

SITE Capenhurst

SITE OWNER Urenco

URENCO Chemplants Ltd WASTE CUSTODIAN

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

Nο

WASTE VOLUMES

Reported At 1.4.2022..... Stocks: 2.0 m³ Future arisings -1.4.2022 - 31.3.2023...... ~~16.7 m3 1.4.2023 - 31.3.2024...... ~~16.7 m³ 1.4.2024 - 31.3.2025...... ~~16.7 m³ 1.4.2025 - 31.3.2050...... ~~417.5 m3 Total future arisings: 467.6 m³ Total waste volume: 469.6 m³

Comment on volumes: TMF iscurrently in Active Commissioning and all future arising estimates are

approximations. During operations, annual arisings will vary depending outage needs.

Decommissioning needs are not yet underpinned.

Uncertainty factors on

volumes:

Stock (upper): x 2.0 Arisings (upper) x 2.0 Stock (lower): Arisings (lower) x 0.5 x 0.5

WASTE SOURCE Metallic operational plant items from the TMF (kiln tubes and crinoline ribbon, flanges,

pipes, sintered metal filters, valves, flexible metal hoses etc) that have been

decontaminated, but can't be reused & decomissioning plant work.

PHYSICAL CHARACTERISTICS

General description: Plant components particularly from the deconversion area, Cylinder Wash Facility and

> Uranium Oxide Powder Handling System. Includes redundant 48Y cylinder values and plugs. Excludes redundant 48Y cylinders. Dry decontaminaton to remove bulk contamination followed by water washing and acid decontamination (nitric acid for

Stainless Steel and Nickel Alloy and Phosphoric Acid for Carbon Steel) of operational plant

Plant components (kiln tubes and crinoline ribbon, flanges, pipes, sintered metal filters, Physical components (%wt):

valves, flexible metal hoses etc) = 63%. Cylinder values and plugs = 37%. All vaues are

estimates.

The waste does not contain sealed sources. Sealed sources:

Bulk density (t/m3):

Comment on density: Assumes mean metal density of 8 t/m3 with 50% voidage to give a working density of 4

te/m3.

CHEMICAL COMPOSITION

General description and components (%wt):

Metallic waste stream: Nickel Alloy = 47%; Stainless Steel = 16%; Carbon Steel = 1%; and,

Bronze Alloy = 36%. All values are estimates.

Chemical state: Neutral Chemical form of H-3: N/A radionuclides: C-14: N/A

CI-36: N/A Se-79: N/A

Tc-99: Trace quantities present as Tc(IV) as TcO2 and Tc(VII) as pertechnate.

I-129: N/A Ra: N/A

Th: Thorium nitrate

U: U308, UO2F2 and uranyl nitrate

Np: Trace quantities potentially in nitrate form Pu: Trace quantities potentially in nitrate form

5% ducting and 95% other fabricated items. Plate metals very limited or absent. Majority of Metals and alloys (%wt):

items of the order of 10 to 10s cm in dimension. Larger items (up to 10m in length) will be

sized reduced for chemical decomtamination and waste management.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14
Stainless steel	~16.0	316L (96%) 304L (2%) and Duplex	activity
		(2%)	
Other ferrous metals	~1.0	Mostly Carbon Steel, but some Cast Iron	
Iron			
Aluminium			
Beryllium			
Cobalt			
Copper			
Lead			
Magnox/Magnesium			
Nickel	~47.0	Allow 600 (50%) and C4 (50%)	
Titanium			
Uranium			
Zinc			
Zircaloy/Zirconium			
Other metals	~36.0	Bronze Alloy cylinder plugs	
Organics (%wt): None			
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	0		activity
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		
Other materials (%wt): None			

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		·
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand	0		
Glass/Ceramics	0		
Graphite	0		
Desiccants/Catalysts	0		
Asbestos	0		
Non/low friable			
Moderately friable			
Highly friable			
Free aqueous liquids	0		
Free non-aqueous liquids	0		
Powder/Ash	0		
Inorganic anions (%wt): Trace quantities m	ay be prese	ent.	
	(%wt)	Type(s) and comment	
Fluoride	<0.01	Traces of uranyl fluoride	
Chloride	0		
lodide	0		
Cyanide	0		
Carbonate	<0.01	Traces of uranyl carbonate	
Nitrate	<0.01	Traces of uranyl nitrate	
Nitrite	0		
Phosphate	<0.01	Traces of uranyl phosphate	
Sulphate	0		
Sulphide	0		
Materials of interest for This waste stream waste acceptance criteria:	is specific	to metals that have been decontaminat	ed and dried.
	(%wt)	Type(s) and comment	
Combustible metals	0		
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	0		
Hydrides	0		
Biological etc. materials	0		
Biodegradable materials	0		
Putrescible wastes	0		

Non-putrescible wastes.....

WASTE STREAM 8A32 UCP Metallic LLW

Corrosive materials	0
Pyrophoric materials	0
Generating toxic gases	0
Reacting with water	0
Higher activity particles	0
Soluble solids as bulk chemical compounds	0

Hazardous substances / non hazardous pollutants:

No hazardous substances / non-hazardous pollutants

ous pollutants:	inces / noi	i-mazardous polititarits
	(%wt)	Type(s) and comment
Acrylamide		
Benzene	0	
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol	0	
Styrene		
Tri-butyl phosphate	0	
Other organophosphates		
Vinyl chloride	0	
Arsenic	0	
Barium		
Boron	0	
Boron (in Boral)		
Boron (non-Boral)		
Cadmium	0	
Caesium		
Selenium	0	
Chromium	0	
Molybdenum	0	
Thallium		
Tin	0	
Vanadium	0	
Mercury compounds		
Others	0	
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		

WASTE STREAM 8A32 UCP Metallic LLW

Complexing agents (%wt):	No				
		(%wt)	Type(s) and comn	nent	
EDTA					
DPTA					
NTA					
Polycarboxylic a	cids				
	omplexants				
_	g agents				
rotai compiexini	g agents				
Potential for the waste to contain discrete items:	No.				
Contain discrete items.					
TREATMENT, PACKAGING A	AND DISPOSAL				
Planned on-site / off-site treatment(s):	Treatment			On-site / Off site	Stream volume %
	Low force compact Supercompaction Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recyling / reuse Other / various None			On-site Off-site	50.0 50.0
Comment on planned	Metallic LLW which	can't be	demonstrated to be 0	Out of Scope of E	PR will be

treatments:

Metallic LLW which can't be demonstrated to be Out of Scope of EPR will be recycled via a LLW route. Waste that can be demonstrated as Out of Scope of EPR will be recycled via the Facility Management Contractor.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	~25.0 ~75.0	~4.0 ~4.0

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Roule	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

WASTE STREAM 8A32 UCP Metallic LLW

Opportunities for alternative disposal routing:

Estimated

will be realised

Baseline Opportunity Stream Date that Opportunity
Management Route Management Route volume (%) Opportunity Confidence Comment

_ _ _ _ _

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO			
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information:

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation

Form (WCH):

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: Other information: -

RADIOACTIVITY

Source: UF6 deconversion and associated dry U308 powder management and cylinder washing

and residue recovery.

Uncertainty: Decontaminated metal where it cannot be demonstrated as out of scope of EPR.

Decontamination efficiency is not yet confirmed by operational experience. Arisings during

decommissioning not yet underpinned.

Definition of total alpha

and total beta/gamma:

Initial decay chain and short-lived (i.e. less than three month) decay products of U-238 not

listed and expected to be in equilibrium with U-238.

Measurement of radioactivities:

Currently theoretical estimate (TMF not yet operational).

Other information: Other Uranium series decay products not present as the source is chemically purified

Uranium.

WASTE STREAM 8A32 **UCP Metallic LLW**

	Mean radioactivity, TBq/m³				Mean radioactivity, TBq/m³				
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3					Gd 153				
Be 10					Ho 163				
C 14					Ho 166m				
Na 22					Tm 170				
Al 26					Tm 171				
CI 36					Lu 174				
Ar 39					Lu 176				
Ar 42 K 40					Hf 178n Hf 182				
Ca 41					Pt 193				
Mn 53					TI 204				
Mn 54					Pb 205				
Fe 55					Pb 210				
Co 60					Bi 208				
Ni 59					Bi 210m				
Ni 63					Po 210				
Zn 65					Ra 223				
Se 79					Ra 225				
Kr 81					Ra 226				
Kr 85					Ra 228				
Rb 87					Ac 227				
Sr 90					Th 227				
Zr 93					Th 228	~~1.39E-07	BB 2	~~1.39E-07	BB 2
Nb 91 Nb 92					Th 229				
Nb 93m					Th 230 Th 232				
Nb 94					Th 234				
Mo 93					Pa 231				
Tc 97					Pa 233				
Tc 99	~~1.69E-10	BB 2	~~1.69E-10	BB 2	U 232	~~2.66E-07	BB 2	~~2.66E-07	BB 2
Ru 106	~~9.61E-19	BB 2	~~9.61E-19	BB 2	U 233				
Pd 107					U 234	~~1.73E-05	BB 2	~~1.73E-05	BB 2
Ag 108m					U 235	~~3.76E-07	BB 2	~~3.76E-07	BB 2
Ag 110m					U 236	~~3.49E-06	BB 2	~~3.49E-06	BB 2
Cd 109					U 238	~~1.84E-05	BB 2	~~1.84E-05	BB 2
Cd 113m					Np 237	~~6.34E-11	BB 2	~~6.34E-11	BB 2
Sn 119m					Pu 236				
Sn 121m					Pu 238	~~3.83E-16	BB 2	~~3.83E-16	BB 2
Sn 123					Pu 239	~~3.83E-16	BB 2	~~3.83E-16	BB 2
Sn 126					Pu 240	~~3.83E-16	BB 2	~~3.83E-16	BB 2
Sb 125 Sb 126					Pu 241	~~6.4E-13	BB 2	~~6.4E-13	BB 2
Te 125m					Pu 242	~~3.83E-16	BB 2	~~3.83E-16	BB 2
Te 127m					Am 241				
I 129					Am 242m Am 243				
Cs 134					Cm 242				
Cs 135					Cm 243				
Cs 137					Cm 244				
Ba 133					Cm 245				
La 137					Cm 246				
La 138					Cm 248				
Ce 144					Cf 249				
Pm 145					Cf 250				
Pm 147					Cf 251				
Sm 147					Cf 252				
Sm 151					Other a				
Eu 152					Other b/g				
Eu 154					Total a	~~4E-05	BB 2	~~4E-05	BB 2
Eu 155					Total b/g	~~1.7E-10	BB 2	~~1.7E-10	BB 2

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity