SITE Berkelev

SITE OWNER **Nuclear Decommissioning Authority**

No

WASTE CUSTODIAN Magnox Limited

ILW WASTE TYPE

Is the waste subject to

WASTE VOLUMES

Total future arisings:

Scottish Policy:

Reported

Stocks: At 1.4.2022..... 105.9 m³

Total waste volume: 105.9 m³

Comment on volumes: Station operation ceased in March 1989. This waste stream was accumulated between

May 1964 and December 1967. The volume quoted is the estimated bulk volume of the

 $0 \, \text{m}^3$

waste if separated from other wastes with which it is mixed.

Uncertainty factors on

volumes:

Stock (upper): x 1.1 Stock (lower):

Arisings (upper)

Х Arisings (lower)

WASTE SOURCE

The source of the waste is the removal of graphite struts from fuel elements prior to

dispatch of the elements to Sellafield. There may be a few stabilising wedges and support

PHYSICAL CHARACTERISTICS

General description: This waste comprises graphite struts. It was generated during the destrutting operations

performed on the cooled fuel elements. The struts (two per element) were each originally 575mm x 25mm x 27mm and weighed 556g. The two graphite support struts are often fractured in more than one place, resulting in a number of different lengths of graphite debris. A pair of struts often remain connected by stainless steel or zirconium bridge pieces. The graphite strut was broken during the destrutting operation. It is therefore unlikely that there will be any large items which will require special handling. The waste is

loose in the vaults.

Physical components (%vol): Graphite struts (>99 vol%). Stabilising wedges (<1 vol%). No other constituent identified.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m3): 0.57

Comment on density: The bulk density of 0.57 t/m3 assumes a packing factor to give an overall volume of about

three times the displacement volume of the waste. The packing factor will be variable and

the bulk density can be up to 1.7 t/m3.

CHEMICAL COMPOSITION

General description and components (%wt):

Graphite will account for approximately 99% of the waste, with 1% stabilising wedges. The

graphite will be contaminated with fission products and actinides and there may be

activation of impurities within the graphite.

Chemical state: Neutral

Chemical form of radionuclides:

H-3: Some tritium may be chemically bound with the graphite. Other tritium may be present

C-14: Carbon 14 will probably be present as graphite.

CI-36: Chlorine 36 will probably be chemically bound to the graphite. Some may be linked

chemically with impurities within the graphite. Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: Radium isotope content is insignificant. Th: The thorium isotope content is insignificant.

U: Chemical form of uranium isotopes has not been determined but may be uranium

Np: The neptunium content is insignificant.

Pu: Chemical form of plutonium isotopes has not been determined but may be plutonium

oxides.

Metals and alloys (%wt): There are no metallic items present.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	0		
Other ferrous metals	0		
Iron			
Aluminium	0		
Beryllium	TR		
Cobalt			
Copper	0		
Lead	0		
Magnox/Magnesium	0		
Nickel			
Titanium			
Uranium			
Zinc	0		
Zircaloy/Zirconium	0		
Other metals	TR	There are no "other" metals present. Only trace quantities of metals as impurities incorporated into the graphite are expected.	

Organics (%wt):

The loose graphite is currently stored under the drums of ion exchange material in the vaults, which will have corroded to an extent. Therefore, it is likely to be contaminated with spilt Lewatit DN, the organic ion exchange material.

	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	0		activity
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	TR		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	TR		

Other materials (%wt):

Principally graphite.

		(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchan	ge materials	TR		,
Inorganic sludges an	d flocs	0		
Soil		0		
Brick/Stone/Rubble		0		
Cementitious materia	l	0		
Sand				
Glass/Ceramics		0		
Graphite		>99.0		99.0
Desiccants/Catalysts				
Asbestos		0		
Non/low friable				
Moderately friable)			
Highly friable				
Free aqueous liquids		TR		
Free non-aqueous lic	uids	0		
Powder/Ash		Р		
	ce concentration		listed in the table is expected to be Type(s) and comment	·
Fluoride		TR		
Chloride		TR		
lodide		0		
Cyanide		0		
Carbonate		TR		
Nitrate		TR		
Nitrite		TR		
Phosphate		TR		
Sulphate		TR		
Sulphide		0		
			olosion is very low as the dust is m Graphite blocks, although very dif	
		(%wt)	Type(s) and comment	
Combustible metals		0		
Low flash point liquid	S	0		
Explosive materials		0		
Phosphorus		0		
Hydrides		0		
Biological etc. materi	als	0		
Biodegradable mater	ials	0		

Putrescible wastes.....

No	on-putrescible wastes		
Corre	osive materials	0	
Pyro	phoric materials	0	
Gene	erating toxic gases	0	
Read	cting with water	0	
High	er activity particles		
	ble solids as bulk chemical		
com	pounds		
Hazardous substar non hazardous pol			
		(%wt)	Type(s) and comment
Acry	lamide		
Benz	zene		
Chlo	rinated solvents		
Form	naldehyde		
Orga	anometallics		
Pher	nol		
Styre	ene		
Tri-b	utyl phosphate		
Othe	er organophosphates		
Vinyl	l chloride		
Arse	nic		
Bariu	Jm		
Boro	n	0	
Во	oron (in Boral)		
Во	oron (non-Boral)		
Cadr	mium		
Caes	sium		
Sele	nium		
Chro	omium		
Moly	bdenum		
Thall	lium		
Tin			
Vana	adium		
Merc	cury compounds		
Othe	ers		
Elec	tronic Electrical Equipment (EEE	≣)	
EE	EE Type 1		
	EE Type 2		
EE	EE Type 3		
EE	EE Type 4		
EE	EE Type 5		

Complexing agents (%wt): Yes

(%wt) Type(s) and comment

EDTA.....

DPTA.....

NTA.....

Polycarboxylic acids....

Other organic complexants.....

Total complexing agents.....

TR

Potential for the waste to contain discrete items:

Yes. Fuel Sleeves assumed to be DIs

PACKAGING AND CONDITIONING

Conditioning method: This stream will be co-packaged with 9A25, 9A39, 9A47, 9A52, 9A60 and 9A66 in

Type VI DCIC containers. Remainder of vault 1 waste streams will be co-packaged together in Concrete boxes (9A61, 9A62, 9A67, 9A32, 9A40, 9A48, 9A53, 9A73).

Packages for vault 1 are assigned to 9A25, 9A32 & 9A73.

Plant Name: -

Location: Berkeley Site

Plant startup date:

Total capacity

(m³/y incoming waste):

Target start date for packaging this stream:

Throughput for this stream (m³/y incoming waste):

Other information:

Likely container type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages	

Likely container type

comment:

Range in container waste

volume:

Other information on

containers:

Likely conditioning matrix:

Other information:

Conditioned density (t/m³): Conditioned density

comment:

Other information on

conditioning:

Opportunities for alternative

disposal routing:

Baseline Opportunity Stream Date that Opportunity

Management Route Management Route volume (%) Opportunity Confidence will be realised

RADIOACTIVITY

Source: Activation, when the associated fuel elements were irradiated, of nuclides incorporated into

the graphite. Contamination by fission products and actinides when the fuel elements were

in the fuel pond.

Uncertainty: The values quoted are indicative of the activities that might be expected.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Specific activity is a function of Station operating history. Estimates were derived from

theoretical assessments of activation product activity and from experimental

measurements of the contamination of Magnox.

Other information:

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.29E-02	CC 2			Gd 153		8		
Be 10		8			Ho 163		8		
C 14	9.99E-04	CC 2			Ho 166m	5.95E-06	CC 2		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
CI 36	2E-05	CC 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41	1E-05	CC 2			Pt 193		8		
Mn 53		8			TI 204		8		
Mn 54		8			Pb 205		8		
Fe 55	4.39E-09	CC 2			Pb 210		8		
Co 60	2.79E-05	CC 2			Bi 208		8		
Ni 59	1E-07	CC 2			Bi 210m		8		
Ni 63	9.00E-06	CC 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	3.50E-04	CC 2			Th 227		8		
Zr 93	4E-08	CC 2			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m	2.93E-08	CC 2			Th 232		8		
Nb 94	7.00E-07	CC 2			Th 234	7E-07	CC 2		
Mo 93	2.00E-08	CC 2			Pa 231		8		
Tc 97		8			Pa 233	4.20E-08	CC 2		
Tc 99	2E-07	CC 2			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234	6.04E-07	CC 2		
Ag 108m	2.94E-06	CC 2			U 235	2E-08	CC 2		
Ag 110m		8			U 236	5.00E-08	CC 2		
Cd 109		8			U 238	7E-07	CC 2		
Cd 113m	1.89E-07	CC 2			Np 237	4.21E-08	CC 2		
Sn 119m		8			Pu 236		8		
Sn 121m	1.64E-07	CC 2			Pu 238	7.11E-05	CC 2		
Sn 123		8			Pu 239	2E-04	CC 2		
Sn 126	3.04E-09	CC 2			Pu 240	2.00E-04	CC 2		
Sb 125		8			Pu 241	1.46E-03	CC 2		
Sb 126		8			Pu 242	6E-08	CC 2		
Te 125m		8			Am 241	4.41E-04	CC 2		
Te 127m		8			Am 242m	3.71E-07	CC 2		
l 129		8			Am 243	8.00E-08	CC 2		
Cs 134		8			Cm 242	3.06E-07	CC 2		
Cs 135	6E-09	CC 2			Cm 243	3.54E-08	CC 2		
Cs 137	4.25E-04	CC 2			Cm 244	2.25E-07	CC 2		
Ba 133	7.49E-08	CC 2			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145	2.23E-07	CC 2			Cf 250		8		
Pm 147	1.71E-09	CC 2			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151	8.90E-06	CC 2			Other a				
Eu 152	1.39E-04	CC 2			Other b/g				
Eu 154	5.95E-05	CC 2			Total a	9.14E-04	CC 2	0	
Eu 155	2.38E-07	CC 2			Total b/g	1.64E-02	CC 2	0	
	<u> </u>				·	<u>i </u>		i	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

1 Measured activity

2 Derived activity (best estimate)

3 Derived activity (upper limit)

4 Not present

5 Present but not significant

6 Likely to be present but not assessed

7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity